Length of Stay by Diagnosis, North Central Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii

Discussion of the Data 1

Source of the Data. 1

Data Quality. 2

Coverage 3

Organization of Length of Stay Tables. 5

Definition of Multiple Diagnosis Patients 5

Definition of Operated Patients 5

Explanation of Statistics. 6

Defining the Extended Stay Case 7

Length of Stay Tables 17

Summary of All Patients. 18

Summary of All Patients Except Newborn 19

Diagnosis Groups 1-398 20

Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219

Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	Beds U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g. *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) (*see also* Cholecystitis, acute) 575.0
  - gangrenous (*see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current (*see also* Fever, paratyphoid) 002.9
  - suppurative (*see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** (*see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** (*see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** (*see also* Cholera) 001.9
- **Cholestasis** (*see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) (*see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

571 Hospitals, North Central Region, January–December 1982

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	344309	3.7	13	1	1	3	4	6	7	15
20-34	189445	4.4	31	<1	1	3	4	8	13	30
35-49	75688	6.2	46	1	1	4	7	13	20	33
50-64	64298	6.6	44	1	1	5	8	14	19	34
65+	63655	7.2	47	1	2	5	9	14	19	34
B. *Operated*										
0-19 YRS	113971	3.0	10	<1	1	2	3	6	8	15
20-34	210894	3.9	11	1	1	3	5	7	9	16
35-49	103562	5.1	23	1	1	4	7	10	14	23
50-64	102304	6.0	32	1	2	4	8	13	16	27
65+	97796	6.9	47	1	2	4	9	16	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252339	4.9	32	1	2	4	5	8	12	32
20-34	184122	5.7	43	1	1	4	6	11	18	34
35-49	151543	7.2	48	1	2	5	9	14	20	35
50-64	245820	7.9	49	1	2	6	10	15	21	36
65+	452819	9.5	61	2	3	7	12	18	24	40
B. *Operated*										
0-19 YRS	90624	5.2	63	1	1	3	5	10	17	47
20-34	255614	5.7	35	1	2	4	6	10	14	32
35-49	159546	7.8	62	1	2	6	9	15	21	42
50-64	206246	10.1	99	2	2	7	13	21	28	54
65+	270931	13.1	136	2	2	10	17	27	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	737395	4.7	28	1	1	3	5	9	13	28
B. *Operated*	628527	4.7	24	1	1	3	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	1286643	7.5	52	1	2	5	9	15	21	37
B. *Operated*	982961	9.0	93	1	2	6	11	20	27	51
1. SINGLE DX	1365922	4.7	26	1	1	3	5	9	13	27
2. MULTIPLE DX	2269604	8.1	70	1	2	6	10	17	24	43
A. NOT OPERATED	2024038	6.5	45	1	2	4	8	13	19	34
B. OPERATED	1611488	7.3	70	1	2	5	9	16	23	44
TOTAL 0-19 YRS	801243	4.1	25	1	1	3	5	7	9	26
20-34	840075	4.9	31	1	1	4	6	9	13	29
35-49	490339	6.8	48	1	2	5	8	14	19	35
50-64	618668	8.2	65	1	2	6	10	17	23	42
65+	885201	10.2	86	2	2	8	13	21	28	47
GRAND TOTAL	**3635526**	**6.8**	**57**	**1**	**2**	**4**	**8**	**15**	**21**	**38**

571 Hospitals, North Central Region, January–December 1982

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139098	4.1	29	<1	1	3	5	7	10	29
20-34	189445	4.4	31	<1	1	3	4	8	13	30
35-49	75688	6.2	46	1	1	4	7	13	20	33
50-64	64298	6.6	44	1	1	5	8	14	19	34
65+	63655	7.2	47	1	2	5	9	14	19	34
B. *Operated*										
0-19 YRS	113825	3.0	10	<1	1	2	3	6	8	15
20-34	210894	3.9	11	1	1	3	5	7	9	16
35-49	103562	5.1	23	1	1	4	7	10	14	23
50-64	102304	6.0	32	1	2	4	8	13	16	27
65+	97796	6.9	47	1	2	4	9	16	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145555	4.8	38	1	1	3	5	9	13	35
20-34	184122	5.7	43	1	1	4	6	11	18	34
35-49	151543	7.2	48	1	2	5	9	14	20	35
50-64	245820	7.9	49	1	2	6	10	15	21	36
65+	452819	9.5	61	2	3	7	12	18	24	40
B. *Operated*										
0-19 YRS	87407	4.7	43	1	1	3	5	9	14	35
20-34	255614	5.7	35	1	2	4	6	10	14	32
35-49	159546	7.8	62	1	2	6	9	15	21	42
50-64	206246	10.1	99	2	2	7	13	21	28	54
65+	270931	13.1	136	2	2	10	17	27	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532184	5.2	38	<1	1	3	6	10	15	31
B. *Operated*	628381	4.7	24	1	1	3	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	1179859	7.7	54	1	2	6	10	16	21	37
B. *Operated*	979744	8.9	91	1	2	6	11	19	27	50
1. SINGLE DX	1160565	4.9	30	1	1	3	6	10	14	28
2. MULTIPLE DX	2159603	8.3	71	1	2	6	10	17	24	44
A. NOT OPERATED	1712043	6.9	51	1	1	5	9	14	20	36
B. OPERATED	1608125	7.3	69	1	2	5	9	16	23	43
TOTAL 0-19 YRS	485885	4.2	30	1	1	3	5	7	11	29
20-34	840075	4.9	31	1	1	4	6	9	13	29
35-49	490339	6.8	48	1	2	5	8	14	19	35
50-64	618668	8.2	65	1	2	6	10	17	23	42
65+	885201	10.2	86	2	2	8	13	21	28	47
GRAND TOTAL	**3320168**	**7.1**	**60**	**1**	**2**	**5**	**9**	**15**	**21**	**39**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3277	3.4	5	1	1	3	4	6	7	11
20-34	1348	3.5	6	1	1	3	4	6	8	12
35-49	469	3.8	8	1	1	3	5	7	9	14
50-64	329	4.0	7	1	1	3	5	7	9	13
65+	304	4.6	11	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	43	6.0	22	2	2	5	7	10	16	25
20-34	59	6.4	21	2	2	5	7	11	15	27
35-49	27	7.6	40	2	3	6	8	19	23	25
50-64	11	7.7	18	4	4	7	9	14	19	19
65+	14	7.6	15	2	4	7	10	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3207	4.0	7	1	2	3	5	7	9	14
20-34	1263	3.9	8	1	1	3	5	7	9	14
35-49	731	4.9	13	1	2	4	6	9	11	17
50-64	849	5.3	16	1	2	4	6	10	13	23
65+	1449	6.5	26	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	67	8.2	92	2	3	6	9	13	18	68
20-34	101	7.4	32	2	3	6	8	13	21	31
35-49	79	9.7	88	2	3	7	11	19	24	58
50-64	100	9.6	36	3	3	8	12	17	21	32
65+	116	14.1	108	4	6	11	17	23	36	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5727	3.5	6	1	1	3	4	6	8	12
B. *Operated*	154	6.7	24	2	3	5	8	12	19	25
2. MULTIPLE DX										
A. *Not Operated*	7499	4.7	13	1	2	4	6	9	11	18
B. *Operated*	463	10.1	76	3	3	8	12	19	24	57
1. SINGLE DX	5881	3.6	7	1	1	3	5	7	8	13
2. MULTIPLE DX	7962	5.0	19	1	2	4	6	9	12	22
A. NOT OPERATED	13226	4.2	11	1	1	3	5	8	10	16
B. OPERATED	617	9.2	65	2	3	7	11	18	23	52
TOTAL 0-19 YRS	6594	3.7	7	1	1	3	5	6	8	13
20-34	2771	3.9	9	1	1	3	5	7	9	15
35-49	1306	4.9	18	1	1	4	6	9	11	21
50-64	1289	5.3	17	1	2	4	6	10	13	23
65+	1883	6.7	32	2	2	5	8	13	17	27
GRAND TOTAL	**13843**	**4.4**	**14**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	6.1	17	<1	1	6	9	12	13	17
20-34	55	13.2	58	4	5	14	17	22	28	39
35-49	42	15.7	251	2	3	12	19	29	35	97
50-64	37	13.8	110	4	4	12	17	27	33	55
65+	33	12.2	116	<1	<1	10	14	25	42	45
B. *Operated*										
0-19 YRS	7	7.7	21	4	4	6	10	15	16	16
20-34	33	10.0	81	1	2	7	13	20	23	47
35-49	18	11.3	65	2	3	10	15	20	30	36
50-64	37	15.9	226	3	4	12	17	33	55	72
65+	18	14.6	130	2	3	15	17	25	41	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	11.6	143	4	4	6	14	25	41	48
20-34	46	12.0	73	3	5	9	15	26	33	37
35-49	64	14.8	170	2	3	13	18	32	44	96
50-64	98	17.9	298	3	4	13	22	36	60	86
65+	159	16.9	164	4	5	14	22	32	42	63
B. *Operated*										
0-19 YRS	6	11.5	115	1	1	10	19	26	27	27
20-34	19	16.6	214	1	2	14	26	29	48	63
35-49	41	18.3	207	3	4	14	25	39	44	71
50-64	78	16.4	123	4	5	15	20	29	33	65
65+	115	19.4	180	4	6	16	28	38	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	12.6	118	1	3	10	16	24	31	50
B. *Operated*	113	12.7	135	2	3	10	16	22	36	67
2. MULTIPLE DX										
A. *Not Operated*	383	16.0	190	3	4	13	20	32	41	76
B. *Operated*	259	18.0	168	3	5	15	25	34	45	71
1. SINGLE DX	311	12.6	124	2	3	10	16	23	33	59
2. MULTIPLE DX	642	16.8	182	3	5	14	22	32	43	74
A. NOT OPERATED	581	14.8	168	3	4	12	18	30	38	73
B. OPERATED	372	16.4	164	3	4	14	21	31	44	71
TOTAL 0-19 YRS	60	8.3	63	<1	1	6	10	17	24	46
20-34	153	12.6	88	2	4	10	16	26	29	47
35-49	165	15.5	190	3	3	13	19	32	43	93
50-64	250	16.5	205	3	4	13	20	31	41	72
65+	325	17.2	166	3	5	14	23	34	44	76
GRAND TOTAL	**953**	**15.4**	**167**	**3**	**4**	**12**	**19**	**31**	**39**	**71**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	9.1	36	2	3	9	12	18	20	20
20-34	3	14.3	209	5	5	7	25	31	31	31
35-49	3	6.3	34	2	2	4	11	13	13	13
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	9	3.8	5	1	1	3	5	8	8	8
20-34	8	9.1	119	2	2	4	12	28	33	33
35-49	3	34.7	380	21	21	26	49	57	57	57
50-64	6	10.3	84	3	3	7	12	26	28	28
65+	10	11.8	152	1	1	8	14	33	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	8	17.4	380	1	2	7	34	47	48	48
35-49	13	14.2	99	4	5	13	17	33	34	34
50-64	19	8.5	42	2	3	7	10	20	23	25
65+	24	11.8	86	3	3	9	15	25	32	39
B. *Operated*										
0-19 YRS	11	17.0	367	2	2	8	27	49	57	58
20-34	16	11.9	143	<1	1	8	21	37	78	99+
35-49	20	13.8	98	4	5	10	18	30	35	37
50-64	19	23.4	349	6	9	18	31	67	91	99+
65+	25	22.1	367	7	8	17	31	41	57	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	9.5	62	2	2	7	12	21	29	31
B. *Operated*	36	10.9	160	1	2	6	13	28	36	57
2. MULTIPLE DX										
A. *Not Operated*	65	12.0	111	2	3	8	16	25	35	48
B. *Operated*	91	18.1	274	2	4	13	27	41	57	99+
1. SINGLE DX	50	10.5	131	1	2	7	13	28	33	57
2. MULTIPLE DX	156	15.6	214	2	3	10	22	37	46	99
A. NOT OPERATED	79	11.6	102	2	3	8	14	25	34	47
B. OPERATED	127	16.1	251	2	2	10	25	38	52	99+
TOTAL 0-19 YRS	28	10.6	178	2	2	5	11	27	44	58
20-34	35	12.7	187	1	2	7	20	38	47	99+
35-49	39	14.9	140	4	4	12	21	33	36	57
50-64	45	15.0	223	3	3	10	20	33	58	99+
65+	59	16.2	236	2	3	10	23	37	41	89
GRAND TOTAL	**206**	**14.3**	**198**	**2**	**3**	**9**	**20**	**34**	**43**	**96**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	401	3.0	4	1	1	3	4	5	7	10
20-34	165	2.6	2	<1	<1	3	4	5	5	6
35-49	43	4.0	4	<1	1	4	5	6	7	12
50-64	17	3.4	2	<1	<1	4	4	5	6	6
65+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
0-19 YRS	31	2.1	1	1	1	2	2	3	4	7
20-34	11	2.1	1	1	1	2	2	4	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	712	3.5	4	1	2	3	4	6	7	9
20-34	224	3.8	5	1	2	3	5	6	8	13
35-49	70	4.3	7	1	2	4	5	8	10	14
50-64	52	6.1	13	2	2	5	8	11	14	18
65+	23	9.0	57	2	3	7	11	21	29	30
B. *Operated*										
0-19 YRS	19	3.5	24	<1	1	2	3	8	16	22
20-34	9	5.1	9	1	1	5	8	9	9	9
35-49	4	9.5	22	5	5	9	13	14	14	14
50-64	4	9.3	32	2	2	10	13	15	15	15
65+	3	11.3	9	8	8	12	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	628	3.0	3	<1	<1	3	4	5	6	9
B. *Operated*	44	2.1	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1081	3.9	7	1	2	3	5	6	8	14
B. *Operated*	39	5.7	26	1	1	3	9	13	15	22
1. SINGLE DX	672	2.9	3	<1	1	3	4	5	6	9
2. MULTIPLE DX	1120	3.9	8	1	2	3	5	6	9	14
A. NOT OPERATED	1709	3.5	6	1	1	3	4	6	7	12
B. OPERATED	83	3.8	16	1	1	2	4	9	13	20
TOTAL 0-19 YRS	1163	3.3	4	1	1	3	4	6	7	9
20-34	409	3.3	4	<1	<1	3	4	6	7	12
35-49	119	4.3	7	1	2	4	5	7	10	14
50-64	73	5.7	13	1	2	5	7	11	14	17
65+	28	8.9	50	2	2	7	11	17	29	30
GRAND TOTAL	**1792**	**3.6**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	310	5.5	11	2	2	5	7	10	12	16
20-34	48	6.6	24	2	3	5	9	11	15	29
35-49	28	8.0	21	2	3	7	11	14	16	20
50-64	29	9.1	91	2	3	7	10	17	26	51
65+	96	11.1	67	2	3	9	13	19	30	44
B. *Operated*										
0-19 YRS	9	10.7	28	4	5	10	13	19	21	21
20-34	4	14.3	225	<1	<1	10	25	35	35	35
35-49	4	19.5	166	8	8	16	29	37	37	37
50-64	2	11.5	13	9	9	11	14	14	14	14
65+	13	20.2	163	4	5	17	28	39	44	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	427	7.0	26	2	2	5	10	13	15	25
20-34	187	10.2	66	3	3	8	13	21	28	43
35-49	201	10.5	47	4	4	9	13	17	23	39
50-64	463	12.9	88	4	5	10	15	23	31	51
65+	1715	14.9	92	5	6	13	18	27	32	50
B. *Operated*										
0-19 YRS	43	12.9	63	3	4	11	17	23	30	37
20-34	82	20.2	184	4	7	16	30	40	47	61
35-49	88	19.1	228	4	5	14	27	46	54	89
50-64	152	22.2	226	7	8	19	31	48	67	99+
65+	443	24.8	257	8	10	20	32	48	63	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	511	7.0	33	2	2	5	9	12	16	31
B. *Operated*	32	16.2	128	4	5	13	22	36	37	45
2. MULTIPLE DX										
A. *Not Operated*	2993	12.9	85	3	4	11	16	24	31	46
B. *Operated*	808	22.6	239	6	8	18	30	46	60	99+
1. SINGLE DX	543	7.5	43	2	2	6	9	14	18	36
2. MULTIPLE DX	3801	14.9	133	3	5	12	19	29	37	66
A. NOT OPERATED	3504	12.0	82	3	4	10	15	23	30	46
B. OPERATED	840	22.3	236	6	7	18	30	45	58	99+
TOTAL 0-19 YRS	789	6.7	25	2	2	5	9	12	16	25
20-34	321	12.3	114	3	3	9	15	28	36	49
35-49	321	12.7	111	4	4	10	14	27	34	58
50-64	646	14.9	137	4	5	11	19	30	40	79
65+	2267	16.7	140	5	6	14	20	31	39	70
GRAND TOTAL	**4344**	**14.0**	**128**	**3**	**4**	**11**	**17**	**28**	**36**	**63**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	6.1	15	1	2	5	9	11	13	16
20-34	85	6.7	66	2	2	5	7	11	16	53
35-49	45	6.4	53	2	2	4	7	10	14	49
50-64	40	5.6	13	2	2	5	6	10	14	19
65+	36	7.6	27	2	2	6	10	16	20	21
B. *Operated*										
0-19 YRS	22	7.0	59	1	1	4	10	21	25	29
20-34	8	11.3	81	3	3	8	16	26	29	29
35-49	9	9.0	11	6	6	7	12	14	14	14
50-64	7	7.9	28	3	3	6	9	17	19	19
65+	13	12.8	138	2	2	12	16	26	42	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	6.9	26	2	3	6	9	12	15	26
20-34	90	6.5	22	<1	1	5	8	12	13	24
35-49	90	8.1	28	2	2	7	11	15	17	26
50-64	142	9.6	45	3	4	7	12	20	24	32
65+	229	10.4	49	3	4	8	14	20	23	36
B. *Operated*										
0-19 YRS	29	13.8	94	1	2	13	17	27	35	43
20-34	30	14.0	106	4	5	11	17	31	32	47
35-49	28	15.6	151	1	3	14	19	28	45	56
50-64	48	20.9	228	6	7	17	28	49	56	61
65+	60	22.6	251	4	6	19	31	46	60	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	6.3	28	2	2	5	8	11	14	21
B. *Operated*	59	9.3	69	1	2	7	12	20	26	44
2. MULTIPLE DX										
A. *Not Operated*	803	8.5	38	2	3	7	11	17	21	31
B. *Operated*	195	18.5	196	3	5	15	23	41	52	71
1. SINGLE DX	535	6.6	33	2	2	5	9	12	15	23
2. MULTIPLE DX	998	10.4	85	2	3	8	13	21	29	52
A. NOT OPERATED	1279	7.7	35	2	2	6	10	14	19	29
B. OPERATED	254	16.4	182	2	3	13	21	35	47	66
TOTAL 0-19 YRS	573	6.9	28	2	2	6	10	13	15	27
20-34	213	7.8	60	1	2	5	10	14	21	38
35-49	172	8.9	62	2	2	7	12	17	23	48
50-64	237	11.1	102	3	3	7	14	23	31	56
65+	338	12.4	108	3	4	9	16	23	35	56
GRAND TOTAL	**1533**	**9.1**	**70**	**2**	**2**	**7**	**11**	**18**	**24**	**46**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	678	4.2	6	1	2	4	5	7	9	12
20-34	390	4.8	12	2	2	4	6	8	10	14
35-49	81	5.7	18	1	2	5	7	10	13	26
50-64	16	7.5	25	1	2	7	8	15	19	21
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	15	5.5	6	2	3	5	8	9	10	10
20-34	6	11.3	22	7	7	9	15	19	19	19
35-49	4	14.3	28	10	10	13	18	21	21	21
50-64	2	9.0	98	2	2	9	16	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	5.2	13	2	2	4	6	9	11	22
20-34	173	5.6	10	2	2	5	7	10	12	16
35-49	57	6.7	20	2	2	6	8	14	17	21
50-64	29	8.6	50	3	3	7	10	14	31	32
65+	15	12.7	74	4	5	10	15	29	31	32
B. *Operated*										
0-19 YRS	12	8.4	20	2	3	8	11	35	88	99+
20-34	10	9.4	19	3	4	9	11	16	17	17
35-49	6	13.5	61	5	5	13	16	26	27	27
50-64	6	17.8	252	7	7	10	23	45	48	48
65+	4	37.0	1131	2	2	33	62	80	80	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1166	4.5	9	1	2	4	6	8	10	14
B. *Operated*	27	8.4	26	2	3	8	10	16	19	21
2. MULTIPLE DX										
A. *Not Operated*	507	5.9	19	2	2	5	7	11	13	26
B. *Operated*	38	14.0	220	3	4	9	16	38	66	99+
1. SINGLE DX	1193	4.6	10	1	2	4	6	8	10	15
2. MULTIPLE DX	545	6.5	37	2	2	5	8	11	15	32
A. NOT OPERATED	1673	4.9	12	1	2	4	6	9	11	18
B. OPERATED	65	11.6	145	2	4	9	13	21	46	97
TOTAL 0-19 YRS	938	4.5	8	1	2	4	6	8	10	14
20-34	579	5.2	13	2	2	4	6	9	11	17
35-49	148	6.6	24	2	2	5	8	13	16	27
50-64	53	9.3	70	2	3	7	10	17	30	48
65+	20	17.1	341	3	4	10	20	38	62	80
GRAND TOTAL	**1738**	**5.2**	**19**	**2**	**2**	**4**	**6**	**9**	**12**	**21**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	653	3.1	4	1	1	3	4	6	7	10
20-34	138	4.3	8	<1	<1	4	5	7	9	17
35-49	49	5.4	17	<1	1	5	7	10	12	25
50-64	110	5.5	20	<1	1	4	7	12	15	23
65+	280	7.4	34	1	2	6	10	14	20	30
B. *Operated*										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	8	3.6	4	1	1	4	5	6	6	6
35-49	8	4.4	18	<1	<1	3	5	12	14	14
50-64	10	4.2	12	1	1	3	4	10	12	12
65+	12	7.6	29	2	2	6	11	15	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	794	3.8	8	1	2	3	4	6	8	13
20-34	178	5.6	20	2	2	5	7	10	13	29
35-49	72	6.2	10	1	2	6	9	11	11	15
50-64	324	8.0	38	2	3	6	10	15	19	35
65+	1248	10.2	60	3	3	8	13	20	25	39
B. *Operated*										
0-19 YRS	12	10.4	108	2	3	6	14	26	36	38
20-34	18	13.9	176	2	3	9	14	29	45	55
35-49	21	13.6	230	2	3	9	15	30	52	68
50-64	42	14.1	116	2	3	11	18	32	40	41
65+	143	17.5	155	4	5	14	23	35	44	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1230	4.5	16	<1	1	3	6	9	12	22
B. *Operated*	41	5.2	18	1	1	4	7	12	13	20
2. MULTIPLE DX										
A. *Not Operated*	2616	7.5	45	2	2	5	9	15	20	36
B. *Operated*	236	15.9	156	3	5	12	20	34	42	57
1. SINGLE DX	1271	4.5	16	<1	1	3	6	9	12	22
2. MULTIPLE DX	2852	8.2	60	2	2	6	10	17	23	41
A. NOT OPERATED	3846	6.6	38	1	2	5	8	14	19	32
B. OPERATED	277	14.3	150	2	3	11	18	31	41	56
TOTAL 0-19 YRS	1462	3.6	7	1	1	3	4	6	8	12
20-34	342	5.5	27	<1	2	5	6	10	13	29
35-49	150	6.9	50	1	2	6	9	11	14	39
50-64	486	7.9	45	2	2	6	10	15	20	39
65+	1683	10.3	69	2	3	8	13	20	26	43
GRAND TOTAL	**4123**	**7.1**	**49**	**1**	**2**	**5**	**9**	**15**	**20**	**37**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	6.2	13	2	3	6	8	11	14	18
20-34	617	7.6	20	2	3	6	9	13	16	22
35-49	187	9.2	32	3	3	8	12	16	22	29
50-64	92	7.8	16	3	4	8	10	13	14	24
65+	28	10.2	55	2	3	8	12	18	30	33
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	35	8.6	25	1	2	9	11	14	18	23
35-49	16	11.1	35	1	2	12	17	18	18	18
50-64	9	10.3	11	3	5	10	12	14	14	14
65+	7	9.1	40	2	2	8	12	19	21	21
2. MULTIPLE DX										
A. *Not Operated*	—									
0-19 YRS	110	6.3	14	2	2	5	9	11	13	18
20-34	305	8.0	20	2	3	7	11	15	16	22
35-49	158	9.3	40	3	4	8	11	17	22	29
50-64	132	9.8	36	3	3	9	12	18	22	30
65+	94	11.3	77	3	4	9	14	21	31	48
B. *Operated*										
0-19 YRS	3	11.3	92	1	1	13	18	20	20	20
20-34	45	9.2	34	1	2	9	12	16	18	29
35-49	25	12.4	88	3	3	8	22	26	29	35
50-64	36	12.8	77	3	5	11	16	23	42	99+
65+	31	17.1	132	4	4	16	22	35	43	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1255	7.5	21	2	3	6	9	13	16	24
B. *Operated*	68	9.6	28	2	2	9	13	17	19	23
2. MULTIPLE DX										
A. *Not Operated*	799	8.7	35	2	3	7	11	16	20	30
B. *Operated*	140	12.5	83	2	3	11	16	24	34	53
1. SINGLE DX	1323	7.7	22	2	3	7	10	14	16	24
2. MULTIPLE DX	939	9.3	44	2	3	8	12	17	22	35
A. NOT OPERATED	2054	8.0	27	2	3	7	10	14	17	28
B. OPERATED	208	11.6	67	2	3	10	15	22	27	47
TOTAL 0-19 YRS	445	6.3	14	2	2	5	8	11	14	20
20-34	1002	7.8	21	2	3	7	10	14	16	22
35-49	386	9.5	39	3	3	8	12	17	23	29
50-64	269	9.5	36	3	3	9	12	17	22	34
65+	160	12.1	87	3	4	10	16	22	33	47
GRAND TOTAL	**2262**	**8.3**	**32**	**2**	**3**	**7**	**11**	**15**	**19**	**30**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	845	4.3	5	2	2	4	5	7	8	12
20-34	263	4.7	7	2	2	4	6	8	10	13
35-49	45	5.0	9	1	2	4	6	9	11	15
50-64	13	7.5	15	1	3	7	10	13	14	14
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	7	5.1	19	1	1	4	6	13	14	14
20-34	5	8.2	9	5	5	8	9	13	13	13
35-49	5	9.2	9	7	7	8	11	14	14	14
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1128	4.9	8	2	2	4	6	8	10	14
20-34	346	5.7	11	2	2	5	7	10	12	16
35-49	69	6.3	11	2	3	6	8	11	12	16
50-64	20	7.1	13	2	2	7	9	12	14	15
65+	4	7.5	30	3	3	6	11	15	15	15
B. *Operated*										
0-19 YRS	21	10.0	82	2	3	8	11	18	34	42
20-34	15	8.9	17	2	4	8	13	14	15	16
35-49	9	12.6	25	7	8	11	17	20	21	21
50-64	4	9.8	75	2	2	7	15	22	22	22
65+	1	18.0		18	18	18	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1167	4.4	6	2	2	4	6	8	9	13
B. *Operated*	18	7.2	14	1	2	7	8	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	1567	5.2	9	2	2	4	6	9	11	15
B. *Operated*	50	10.3	50	2	4	9	12	18	22	42
1. SINGLE DX	1185	4.5	6	2	2	4	6	8	9	13
2. MULTIPLE DX	1617	5.3	11	2	2	5	7	9	12	16
A. NOT OPERATED	2734	4.9	8	2	2	4	6	8	10	15
B. OPERATED	68	9.5	42	2	3	8	12	16	21	39
TOTAL 0-19 YRS	2001	4.7	8	2	2	4	6	8	10	14
20-34	629	5.4	10	2	2	5	7	10	12	16
35-49	128	6.4	14	2	2	6	8	12	14	19
50-64	38	7.4	18	2	2	7	10	13	15	22
65+	6	9.5	36	3	3	8	15	18	18	18
GRAND TOTAL	**2802**	**5.0**	**9**	**2**	**2**	**4**	**6**	**9**	**11**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	<1	1	2	2	2
20-34	27	1.3	1	<1	<1	<1	1	3	4	4
35-49	3	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	332	2.0	2	<1	<1	2	2	3	4	6
20-34	762	2.3	3	<1	<1	2	3	4	5	9
35-49	186	2.8	6	<1	1	2	3	5	7	12
50-64	58	3.2	6	1	1	3	4	6	9	12
65+	19	3.1	8	<1	<1	2	4	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.7	6	<1	<1	1	4	7	8	8
20-34	15	3.5	13	<1	<1	1	6	7	12	14
35-49	3	4.3	8	1	1	6	6	6	6	6
50-64	2	19.5	313	7	7	19	32	32	32	32
65+	5	3.6	14	<1	<1	3	5	10	10	10
B. *Operated*										
0-19 YRS	85	2.9	3	1	1	2	4	5	7	9
20-34	280	3.2	5	<1	1	3	4	6	7	11
35-49	125	3.9	8	1	1	3	5	7	9	16
50-64	57	5.7	24	1	2	4	8	11	19	23
65+	19	8.3	95	2	2	6	8	17	33	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.3	1	<1	<1	<1	1	3	4	4
B. *Operated*	1357	2.3	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	36	4.3	32	<1	<1	2	6	8	13	32
B. *Operated*	566	3.7	12	1	1	3	4	7	9	18
1. SINGLE DX	1395	2.3	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX	602	3.7	13	<1	1	3	4	7	9	18
A. NOT OPERATED	74	2.7	18	<1	<1	1	3	6	8	28
B. OPERATED	1923	2.7	6	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	435	2.1	2	<1	<1	2	3	4	5	7
20-34	1084	2.5	4	<1	<1	2	3	4	6	10
35-49	317	3.2	7	<1	1	2	4	6	8	15
50-64	117	4.7	23	1	1	3	6	9	12	26
65+	44	5.4	51	<1	1	3	6	12	15	44
GRAND TOTAL	**1997**	**2.7**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1833	3.0	4	1	1	3	4	5	6	10
20-34	598	3.3	7	<1	<1	3	4	6	8	12
35-49	249	3.9	10	<1	<1	3	5	8	11	15
50-64	131	4.0	7	<1	1	4	5	8	10	12
65+	130	4.9	30	<1	1	3	5	10	11	35
B. *Operated*										
0-19 YRS	51	5.9	45	1	1	4	7	11	19	43
20-34	35	5.8	13	2	2	5	8	11	13	14
35-49	13	7.8	45	2	2	7	10	16	24	26
50-64	11	11.6	93	<1	1	8	18	25	32	33
65+	3	17.0	301	6	6	8	30	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1931	3.5	8	1	1	3	4	6	7	12
20-34	794	4.3	12	<1	1	4	5	8	10	17
35-49	450	4.8	11	1	2	4	6	9	11	18
50-64	545	5.7	36	1	2	4	7	11	13	25
65+	702	6.3	23	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	65	7.1	58	1	2	5	8	12	21	43
20-34	70	7.2	38	1	2	6	9	12	17	40
35-49	46	8.0	23	2	2	7	10	14	17	26
50-64	50	11.7	142	3	3	8	13	25	37	68
65+	55	14.3	162	3	4	10	15	36	53	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2941	3.2	7	<1	1	3	4	6	8	12
B. *Operated*	113	7.0	49	1	2	5	9	14	19	39
2. MULTIPLE DX										
A. *Not Operated*	4422	4.5	16	1	2	4	5	8	11	18
B. *Operated*	286	9.5	89	2	2	7	11	17	29	58
1. SINGLE DX	3054	3.4	9	<1	1	3	4	6	8	14
2. MULTIPLE DX	4708	4.8	22	1	2	4	6	9	12	22
A. NOT OPERATED	7363	4.0	13	1	1	3	5	7	10	16
B. OPERATED	399	8.8	79	1	2	7	10	17	26	52
TOTAL 0-19 YRS	3880	3.3	8	1	1	3	4	6	7	12
20-34	1497	4.1	12	<1	<1	3	5	8	10	17
35-49	758	4.7	13	<1	1	4	6	9	11	19
50-64	737	5.9	42	1	2	4	7	11	14	30
65+	890	6.7	38	1	2	5	8	12	16	37
GRAND TOTAL	**7762**	**4.2**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	5.1	8	2	2	5	7	9	10	12
20-34	36	4.8	9	1	2	5	6	7	12	14
35-49	15	5.7	28	1	2	4	6	16	17	17
50-64	5	6.2	9	1	1	7	8	9	9	9
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.4	8	1	2	4	5	8	10	12
20-34	20	5.6	8	2	2	5	7	10	11	12
35-49	13	13.2	514	1	2	4	8	54	72	76
50-64	10	8.7	30	3	3	7	11	17	21	21
65+	7	9.3	47	2	2	9	13	20	22	22
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	15.4	81	6	6	15	22	28	28	28
50-64	1	16.0		16	16	16	16	16	16	16
65+	6	18.0	61	11	11	15	19	32	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	5.2	12	1	2	5	7	9	12	17
B. *Operated*	2	8.0	32	4	4	8	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	75	7.3	106	2	2	5	8	12	19	69
B. *Operated*	15	14.0	79	1	3	15	18	28	32	33
1. SINGLE DX	91	5.2	12	1	2	5	7	10	12	17
2. MULTIPLE DX	90	8.4	107	2	2	5	10	16	22	65
A. NOT OPERATED	164	6.1	55	1	2	5	7	10	14	45
B. OPERATED	17	13.3	75	1	3	14	17	26	31	33
TOTAL 0-19 YRS	59	4.7	8	1	2	4	6	9	10	12
20-34	58	5.0	8	2	2	5	6	10	12	14
35-49	33	10.2	233	1	2	4	11	22	46	76
50-64	17	8.6	25	2	3	7	11	16	19	21
65+	14	13.0	65	2	4	12	16	23	31	33
GRAND TOTAL	**181**	**6.8**	**61**	**1**	**2**	**5**	**8**	**14**	**17**	**44**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	4.5	8	1	2	4	5	8	10	15
20-34	253	4.8	12	<1	<1	4	6	9	11	20
35-49	41	5.1	20	<1	1	4	6	11	15	21
50-64	7	5.7	29	<1	<1	3	11	13	13	13
65+	6	3.7	5	<1	<1	3	5	7	7	7
B. *Operated*										
0-19 YRS	29	4.2	25	<1	1	2	5	8	15	25
20-34	97	3.1	6	<1	1	2	4	6	7	13
35-49	24	3.0	8	<1	<1	2	3	6	10	13
50-64	17	4.6	11	<1	1	4	6	7	12	15
65+	5	4.0	6	2	2	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	5.6	9	2	3	5	7	11	12	15
20-34	182	5.6	12	2	2	5	7	10	13	18
35-49	29	6.9	24	2	3	5	8	14	17	24
50-64	28	11.5	132	1	2	8	14	28	37	50
65+	52	9.1	40	2	2	8	13	18	23	26
B. *Operated*										
0-19 YRS	29	6.1	28	1	1	5	7	14	16	25
20-34	73	8.0	113	1	2	6	9	13	20	61
35-49	30	5.7	34	1	1	3	8	11	23	24
50-64	13	10.7	88	2	2	10	14	27	30	31
65+	19	20.3	214	2	3	19	24	45	49	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	430	4.8	12	<1	<1	4	6	9	12	20
B. *Operated*	172	3.4	10	<1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	376	6.6	28	2	3	5	8	13	16	26
B. *Operated*	164	8.9	110	1	2	6	10	20	27	53
1. SINGLE DX	602	4.4	12	<1	1	4	5	8	11	19
2. MULTIPLE DX	540	7.3	54	2	2	5	9	14	20	46
A. NOT OPERATED	806	5.6	20	<1	2	5	7	11	13	23
B. OPERATED	336	6.1	66	1	1	3	7	13	21	48
TOTAL 0-19 YRS	266	5.0	12	1	2	4	6	8	12	19
20-34	605	5.2	25	<1	1	4	6	9	12	20
35-49	124	5.3	23	<1	1	4	6	11	16	24
50-64	65	8.9	87	1	2	6	11	21	31	48
65+	82	11.0	103	2	2	8	14	23	29	49
GRAND TOTAL	**1142**	**5.8**	**34**	**<1**	**2**	**4**	**7**	**11**	**15**	**27**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	3.6	10	<1	<1	3	5	8	11	14
20-34	71	3.6	21	<1	<1	<1	5	11	14	20
35-49	25	6.3	109	<1	<1	3	6	12	26	52
50-64	15	3.4	12	<1	<1	2	4	11	11	11
65+	15	6.7	25	1	2	6	9	15	17	18
B. *Operated*										
0-19 YRS	16	5.1	14	2	2	3	8	12	13	13
20-34	32	6.4	28	1	2	5	9	13	19	24
35-49	34	6.9	33	1	2	5	10	16	24	99+
50-64	38	8.4	81	1	2	7	10	16	27	48
65+	27	8.4	52	2	2	6	10	19	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	5.0	18	<1	1	4	6	8	10	24
20-34	63	6.4	27	<1	2	5	7	13	16	29
35-49	60	9.2	91	<1	2	7	9	21	36	40
50-64	117	6.2	39	<1	<1	5	8	12	20	31
65+	115	12.5	125	3	3	9	15	23	40	60
B. *Operated*										
0-19 YRS	14	9.8	84	<1	2	7	17	31	83	99+
20-34	31	10.8	69	2	2	9	14	21	26	39
35-49	48	14.9	255	1	2	9	20	31	57	78
50-64	94	14.3	290	2	3	8	16	41	68	99+
65+	77	17.4	383	2	3	10	22	42	75	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	4.2	28	<1	<1	2	6	11	13	20
B. *Operated*	147	7.3	46	2	2	5	9	16	20	49
2. MULTIPLE DX										
A. *Not Operated*	484	7.8	67	<1	<1	5	9	16	23	44
B. *Operated*	264	14.6	276	2	3	9	18	33	59	99+
1. SINGLE DX	351	5.5	38	<1	<1	3	7	12	17	31
2. MULTIPLE DX	748	10.2	151	<1	2	7	12	23	35	85
A. NOT OPERATED	688	6.7	58	<1	<1	5	8	14	19	41
B. OPERATED	411	12.0	206	2	2	8	14	26	46	99+
TOTAL 0-19 YRS	237	4.8	20	<1	<1	4	6	9	13	31
20-34	197	6.1	37	<1	<1	4	8	14	19	28
35-49	167	9.9	138	<1	1	7	11	24	36	75
50-64	264	9.2	147	<1	<1	6	11	22	31	92
65+	234	13.2	205	2	3	9	16	26	44	94
GRAND TOTAL	**1099**	**8.7**	**120**	**<1**	**<1**	**6**	**10**	**19**	**30**	**74**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.4	16	<1	<1	2	4	7	15	15
20-34	14	3.7	13	<1	<1	3	4	6	13	15
35-49	6	7.5	31	<1	<1	7	9	16	17	17
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	11.3	186	2	2	5	21	27	27	27
B. *Operated*										
0-19 YRS	11	4.5	4	2	2	5	5	7	9	9
20-34	4	10.0	55	3	3	9	16	19	19	19
35-49	2	11.0	2	10	10	11	12	12	12	12
50-64	2	7.5	5	6	6	7	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.5	7	1	2	4	6	8	10	11
20-34	11	7.1	22	2	3	6	8	15	18	18
35-49	14	7.0	23	2	3	5	9	15	17	18
50-64	3	20.0	399	7	7	10	35	43	43	43
65+	4	9.5	22	5	5	8	12	16	16	16
B. *Operated*										
0-19 YRS	12	4.9	6	2	2	4	6	9	10	10
20-34	11	5.2	7	1	2	4	7	9	11	11
35-49	11	16.2	95	5	6	16	21	31	35	35
50-64	4	11.5	94	6	6	7	17	26	26	26
65+	4	13.8	58	8	8	11	18	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.5	27	<1	<1	3	5	13	15	27
B. *Operated*	19	6 7	19	2	3	5	9	13	16	19
2. MULTIPLE DX										
A. *Not Operated*	69	6.4	35	2	2	5	8	11	16	38
B. *Operated*	42	9.4	63	2	3	7	11	22	27	35
1. SINGLE DX	67	5.1	26	<1	<1	4	6	13	16	26
2. MULTIPLE DX	111	7.5	47	2	2	6	9	16	21	38
A. NOT OPERATED	117	5.6	32	<1	1	4	7	11	16	32
B. OPERATED	61	8.6	50	2	3	6	10	20	25	34
TOTAL 0-19 YRS	84	4.3	9	<1	1	4	6	8	10	15
20-34	40	5.7	20	<1	1	4	7	13	16	19
35-49	33	10.4	62	2	3	9	15	21	28	35
50-64	10	12.3	158	2	4	7	10	34	43	43
65+	11	11.5	65	2	4	9	15	26	27	27
GRAND TOTAL	**178**	**6.6**	**40**	**<1**	**1**	**5**	**8**	**15**	**19**	**33**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.2	5	<1	<1	3	4	6	8	10
20-34	85	3.2	11	<1	<1	1	5	8	10	16
35-49	34	4.6	11	<1	1	4	7	9	11	12
50-64	10	3.7	4	<1	1	3	5	6	7	7
65+	5	6.6	11	4	4	6	8	12	12	12
B. *Operated*										
0-19 YRS	14	6.8	54	1	1	2	14	18	20	20
20-34	131	6.4	33	1	2	4	9	13	19	28
35-49	79	7.1	28	2	2	6	10	14	17	29
50-64	37	6.4	29	2	2	4	8	15	17	22
65+	10	5.2	14	2	2	4	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	7.5	21	1	2	7	9	14	16	22
20-34	160	5.8	23	<1	1	5	7	11	14	28
35-49	142	8.5	40	2	3	7	11	16	20	33
50-64	85	9.0	47	2	3	7	12	18	23	33
65+	66	11.2	49	4	4	9	15	20	26	36
B. *Operated*										
0-19 YRS	12	9.1	26	2	2	9	12	16	19	19
20-34	258	8.1	43	2	2	6	11	16	20	33
35-49	186	8.9	42	2	2	8	12	18	22	30
50-64	102	11.0	85	2	2	9	15	21	25	49
65+	42	17.7	125	3	5	18	23	33	41	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	3.6	10	<1	<1	3	5	9	10	13
B. *Operated*	271	6.6	31	1	2	5	9	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	596	7.9	35	1	2	7	10	15	19	32
B. *Operated*	600	9.5	61	2	2	7	13	19	24	41
1. SINGLE DX	445	5.4	25	<1	<1	4	7	12	15	23
2. MULTIPLE DX	1196	8.7	49	2	2	7	11	18	22	35
A. NOT OPERATED	770	6.9	33	<1	1	6	9	14	18	31
B. OPERATED	871	8.6	54	2	2	7	12	18	22	35
TOTAL 0-19 YRS	209	6.7	23	1	1	6	9	13	16	21
20-34	634	6.5	34	<1	1	5	9	13	17	30
35-49	441	8.1	38	2	2	7	10	16	20	32
50-64	234	9.3	62	2	2	7	12	19	22	42
65+	123	12.8	86	3	4	9	18	24	33	44
GRAND TOTAL	**1641**	**7.8**	**44**	**1**	**2**	**6**	**10**	**16**	**21**	**32**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	22	1	1	3	8	10	10	10
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49										
50-64	3	6.3	2	5	5	6	7	8	8	8
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	7.0	13	4	4	6	10	11	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	6.0	3	5	5	5	7	8	8	8
35-49	3	6.3	24	3	3	4	10	12	12	12
50-64	10	10.9	55	3	3	7	18	21	22	22
65+	12	6.7	19	3	3	5	8	15	16	16
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	6	8.0	13	3	3	8	10	13	13	13
35-49	3	5.3	16	3	3	3	8	10	10	10
50-64	11	13.1	242	2	2	9	13	35	55	57
65+	6	18.7	205	9	9	15	40	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.8	11	1	1	6	8	10	10	10
B. *Operated*	7	5.0	10	2	2	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	29	7.8	34	3	3	5	10	18	20	22
B. *Operated*	28	11.8	154	3	3	9	14	37	59	99+
1. SINGLE DX	16	5.4	10	1	2	5	7	10	11	11
2. MULTIPLE DX	57	9.8	95	3	3	7	13	19	37	97
A. NOT OPERATED	38	7.3	29	2	3	5	10	17	19	22
B. OPERATED	35	10.4	131	2	3	8	12	21	54	99+
TOTAL 0-19 YRS	6	4.2	12	1	1	3	6	10	10	10
20-34	12	7.0	10	2	3	7	9	11	13	13
35-49	9	6.2	14	3	3	4	10	12	12	12
50-64	25	11.0	128	2	3	8	15	21	31	57
65+	21	9.7	98	2	3	7	14	27	68	99+
GRAND TOTAL	**73**	**8.8**	**79**	**2**	**3**	**7**	**10**	**18**	**22**	**90**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	24	7.0	34	1	2	5	9	15	20	24
50-64	87	7.2	54	1	1	6	8	14	19	41
65+	85	6.6	81	1	1	4	7	13	17	59
B. *Operated*										
0-19 YRS	11	5.5	11	2	2	4	8	11	12	12
20-34	30	4.4	9	2	2	4	6	7	10	16
35-49	91	7.3	84	1	1	5	9	16	22	51
50-64	317	8.0	100	1	2	4	9	20	28	63
65+	382	6.9	75	1	2	4	8	15	23	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	12	4	4	4	9	10	10	10
20-34	10	6.2	27	1	1	6	8	14	19	19
35-49	55	9.3	128	2	2	6	10	23	39	60
50-64	204	9.1	101	2	2	6	10	20	28	51
65+	238	9.6	77	1	2	7	13	23	29	42
B. *Operated*										
0-19 YRS	5	8.0	69	1	1	3	16	18	18	18
20-34	25	11.6	142	1	2	7	16	25	42	47
35-49	124	14.4	235	2	2	9	20	30	47	79
50-64	568	15.4	244	2	2	11	22	38	54	95
65+	647	13.8	191	2	2	10	18	32	45	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	6.3	62	1	1	5	8	14	18	44
B. *Operated*	831	7.3	83	1	2	4	8	16	24	54
2. MULTIPLE DX										
A. *Not Operated*	510	9.3	91	1	2	6	10	21	29	44
B. *Operated*	1369	14.5	216	2	2	10	19	35	47	85
1. SINGLE DX	1030	7.2	79	1	1	4	8	16	23	53
2. MULTIPLE DX	1879	13.1	187	2	2	9	17	30	43	82
A. NOT OPERATED	709	8.6	84	1	2	6	10	18	27	44
B. OPERATED	2200	11.8	178	1	2	7	15	28	42	77
TOTAL 0-19 YRS	20	6.2	23	1	2	4	9	14	17	18
20-34	67	7.4	70	2	2	5	8	17	24	46
35-49	294	10.7	162	1	2	6	13	23	41	67
50-64	1176	11.7	179	1	2	7	15	28	40	80
65+	1352	10.7	141	1	2	7	14	24	35	64
GRAND TOTAL	**2909**	**11.0**	**157**	**1**	**2**	**7**	**14**	**25**	**38**	**69**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	41	3	3	7	12	12	12	12
35-49	4	8.8	38	2	2	8	13	17	17	17
50-64	31	10.2	83	2	2	7	15	23	25	41
65+	45	8.8	81	<1	1	6	12	18	23	46
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	17	15.5	69	4	5	14	22	29	31	31
50-64	84	15.2	181	2	2	13	23	30	44	66
65+	90	12.0	127	1	2	9	16	26	31	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	14	9.9	30	3	4	9	14	15	21	23
50-64	113	10.0	87	1	2	7	13	21	28	49
65+	165	10.3	99	2	2	7	12	24	31	49
B. *Operated*										
0-19 YRS										
20-34	3	31.3	496	17	17	20	48	57	57	57
35-49	24	23.0	291	3	6	20	31	55	78	99+
50-64	252	21.2	310	3	4	17	28	46	66	99+
65+	282	20.1	223	3	4	17	28	40	52	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	9.3	77	1	2	6	14	19	24	44
B. *Operated*	192	13.7	146	2	2	11	20	27	34	60
2. MULTIPLE DX										
A. *Not Operated*	292	10.2	91	2	2	7	13	23	30	49
B. *Operated*	561	20.8	266	3	4	17	28	44	59	94
1. SINGLE DX	274	12.4	129	1	2	9	18	26	33	55
2. MULTIPLE DX	853	17.2	231	2	3	13	24	38	52	80
A. NOT OPERATED	374	10.0	88	2	2	7	13	22	29	48
B. OPERATED	753	19.0	244	2	4	16	26	40	53	80
TOTAL 0-19 YRS										
20-34	6	20.3	356	3	4	15	20	53	57	57
35-49	59	16.8	175	3	5	14	23	32	50	97
50-64	480	16.8	244	2	3	13	23	36	53	81
65+	582	15.2	184	2	3	11	22	33	44	65
GRAND TOTAL	**1127**	**16.0**	**210**	**2**	**3**	**12**	**23**	**34**	**47**	**77**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	9.7	82	3	3	6	16	20	20	20
35-49	10	9.2	124	3	3	5	9	25	40	40
50-64	31	6.1	32	1	1	5	9	12	15	28
65+	55	8.7	45	2	3	7	12	16	22	37
B. *Operated*										
0-19 YRS	3	11.3	146	2	2	7	20	25	25	25
20-34	2	15.5	1	15	15	15	16	16	16	16
35-49	34	13.6	83	2	4	11	19	25	34	38
50-64	73	17.7	173	5	6	16	20	29	34	87
65+	147	18.2	114	5	6	17	22	33	39	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	5.7	14	1	1	5	6	12	14	14
35-49	21	7.8	43	1	2	5	9	17	25	26
50-64	156	7.3	44	1	2	5	9	17	21	35
65+	315	9.9	76	2	2	7	13	19	29	45
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	19	19.5	219	3	6	14	26	39	54	64
35-49	86	19.1	176	3	5	17	23	39	44	69
50-64	319	20.4	207	4	7	17	25	37	50	86
65+	727	21.7	182	5	8	19	27	38	48	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	8.0	49	1	2	5	10	15	22	39
B. *Operated*	259	17.4	127	4	6	16	22	30	36	56
2. MULTIPLE DX										
A. *Not Operated*	502	8.9	65	1	2	6	11	18	25	41
B. *Operated*	1152	21.1	189	5	7	18	26	38	48	74
1. SINGLE DX	358	14.8	123	2	4	13	19	28	35	53
2. MULTIPLE DX	1654	17.4	183	3	4	15	23	33	43	70
A. NOT OPERATED	601	8.8	63	1	2	6	11	18	25	40
B. OPERATED	1411	20.4	180	4	7	18	26	36	46	73
TOTAL 0-19 YRS	4	10.8	99	2	2	8	17	25	25	25
20-34	34	14.3	168	2	3	11	17	29	41	64
35-49	151	15.6	150	3	4	13	20	30	42	67
50-64	579	15.8	185	2	3	13	21	31	40	74
65+	1244	17.7	169	3	4	15	23	33	42	68
GRAND TOTAL	**2012**	**16.9**	**173**	**2**	**4**	**14**	**22**	**33**	**42**	**69**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	14.8	52	7	7	14	20	24	24	24
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34										
35-49	3	19.7	70	10	10	24	25	25	25	25
50-64	10	15.0	28	9	10	14	18	23	27	27
65+	19	19.6	109	7	8	18	24	37	42	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0	50	3	3	8	13	13	13	13
35-49	5	5.6	27	1	1	3	9	14	14	14
50-64	20	7.6	37	<1	2	6	10	14	22	28
65+	30	12.5	218	2	3	9	12	26	36	78
B. *Operated*										
0-19 YRS										
20-34	6	21.2	168	10	10	15	31	42	43	43
35-49	24	20.3	194	7	8	17	25	44	52	62
50-64	65	22.5	215	8	9	18	26	50	60	68
65+	101	24.4	310	7	9	19	31	47	63	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	12.0	77	1	1	12	18	24	24	24
B. *Operated*	33	18.3	79	8	9	17	23	28	38	45
2. MULTIPLE DX										
A. *Not Operated*	57	10.0	135	1	3	6	11	20	29	75
B. *Operated*	196	23.1	259	7	9	18	27	47	60	83
1. SINGLE DX	38	17.5	81	7	8	16	23	26	37	45
2. MULTIPLE DX	253	20.2	261	4	5	16	26	41	59	82
A. NOT OPERATED	62	10.2	130	1	2	7	12	21	29	73
B. OPERATED	229	22.4	235	8	9	18	27	44	60	82
TOTAL 0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	8	17.9	164	3	5	14	23	39	43	43
35-49	36	17.6	166	3	7	15	24	27	47	62
50-64	96	18.4	195	4	5	15	22	32	53	66
65+	150	21.4	286	5	6	17	27	41	60	83
GRAND TOTAL	**291**	**19.8**	**238**	**4**	**6**	**16**	**24**	**39**	**51**	**80**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.3		4	4	4	5	5	5	5
35-49	11	8.0	49	2	2	5	10	21	22	22
50-64	63	5.3	37	1	1	4	6	10	14	40
65+	113	7.2	55	1	2	5	8	17	22	40
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	21	12.1	25	3	6	11	15	19	20	21
35-49	113	11.9	26	6	7	11	14	17	23	30
50-64	451	13.1	41	5	8	12	16	20	24	37
65+	868	15.2	49	5	9	14	18	23	28	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	19	5.6	19	1	2	4	7	10	16	21
35-49	83	6.9	42	2	2	5	7	13	17	41
50-64	378	8.0	61	1	2	5	10	16	22	44
65+	1069	8.9	65	2	2	6	11	19	25	40
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	55	15.3	95	5	6	13	19	26	33	59
35-49	290	16.0	101	5	7	13	19	29	38	49
50-64	1478	17.1	90	7	9	15	20	27	36	54
65+	4258	20.5	123	8	10	18	25	34	42	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	6.6	48	1	2	5	8	14	19	41
B. *Operated*	1454	14.2	46	5	8	13	17	22	27	37
2. MULTIPLE DX										
A. *Not Operated*	1551	8.5	62	2	2	6	10	18	24	41
B. *Operated*	6082	19.4	116	8	9	17	24	33	40	61
1. SINGLE DX	1645	13.3	52	2	5	12	16	22	26	38
2. MULTIPLE DX	7633	17.2	125	3	5	15	22	31	38	58
A. NOT OPERATED	1742	8.3	61	1	2	6	10	17	24	41
B. OPERATED	7536	18.4	107	7	9	16	22	31	38	59
TOTAL 0-19 YRS	4	10.5	71	1	1	11	17	19	19	19
20-34	99	12.3	77	3	4	11	17	21	28	50
35-49	497	13.4	85	3	5	11	17	24	32	46
50-64	2370	14.6	88	3	4	13	18	25	33	50
65+	6308	17.5	123	3	5	16	22	31	38	59
GRAND TOTAL	**9278**	**16.5**	**114**	**3**	**5**	**15**	**21**	**29**	**37**	**57**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	7	4.7	7	2	2	4	7	9	9	9
50-64	50	6.8	60	1	1	5	7	18	20	45
65+	112	9.1	104	1	2	6	10	22	28	53
B. *Operated*										
0-19 YRS	3	10.0	28	4	4	12	13	14	14	14
20-34	17	9.1	36	2	3	10	12	19	20	20
35-49	76	12.6	42	2	3	12	17	21	24	27
50-64	382	13.7	62	3	4	13	17	23	27	41
65+	654	14.9	80	2	3	15	19	25	29	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	16	8.1	114	<1	<1	4	10	17	35	43
35-49	54	6.8	50	1	1	5	7	16	20	38
50-64	271	7.8	60	1	2	5	9	16	21	39
65+	608	10.0	87	2	3	6	13	22	28	53
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	19	16.7	119	5	7	13	19	33	43	49
35-49	156	16.9	85	5	8	15	21	27	33	55
50-64	905	18.0	127	4	7	16	22	32	38	59
65+	2058	20.4	157	4	7	18	26	36	44	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	8.2	87	1	2	5	9	20	25	44
B. *Operated*	1132	14.2	71	2	3	14	18	24	28	40
2. MULTIPLE DX										
A. *Not Operated*	951	9.2	79	2	2	6	12	20	27	49
B. *Operated*	3139	19.5	146	4	7	17	24	34	42	64
1. SINGLE DX	1303	13.4	78	2	3	13	18	23	27	41
2. MULTIPLE DX	4090	17.1	150	3	4	15	23	32	40	61
A. NOT OPERATED	1122	9.0	80	1	2	6	11	20	26	46
B. OPERATED	4271	18.1	132	3	6	16	23	32	39	60
TOTAL 0-19 YRS	7	10.1	53	3	3	7	13	22	24	24
20-34	53	11.4	102	<1	2	10	15	21	34	49
35-49	293	13.6	81	2	3	13	18	24	29	42
50-64	1608	14.9	114	2	4	13	19	27	34	54
65+	3432	17.2	147	3	4	15	23	32	39	61
GRAND TOTAL	**5393**	**16.2**	**135**	**2**	**4**	**14**	**21**	**30**	**37**	**59**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	13	1	1	3	4	10	11	11
20-34	2	5.0		5	5	5	5	5	5	5
35-49	6	6.0	47	1	1	3	12	16	17	17
50-64	31	7.6	66	<1	1	4	11	16	23	40
65+	59	8.8	58	2	3	6	11	21	27	37
B. *Operated*										
0-19 YRS	4	8.5	30	2	2	8	12	15	15	15
20-34	9	11.7	141	2	3	10	11	30	42	42
35-49	20	16.8	84	6	7	14	22	31	35	38
50-64	74	17.8	182	4	7	12	24	34	51	63
65+	86	16.4	127	2	3	15	23	30	35	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.2	13	1	1	3	7	9	11	11
20-34	18	5.4	13	<1	1	5	7	9	14	17
35-49	33	7.5	23	1	3	7	9	16	17	20
50-64	143	9.8	89	1	2	7	12	19	29	45
65+	259	10.6	81	2	3	8	13	21	30	46
B. *Operated*										
0-19 YRS	6	13.8	107	6	6	9	18	31	33	33
20-34	20	11.0	47	2	3	9	14	22	24	25
35-49	54	20.4	194	5	7	16	25	39	52	69
50-64	223	20.4	169	6	8	17	26	35	49	81
65+	490	22.4	191	6	9	20	28	41	53	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	7.9	56	1	1	5	11	16	24	39
B. *Operated*	193	16.6	143	2	5	13	23	32	38	62
2. MULTIPLE DX										
A. *Not Operated*	462	9.8	77	1	2	7	12	19	28	45
B. *Operated*	793	21.3	184	6	8	18	27	40	52	72
1. SINGLE DX	298	13.5	130	2	2	11	18	29	35	59
2. MULTIPLE DX	1255	17.1	176	3	4	14	23	34	44	65
A. NOT OPERATED	567	9.5	74	1	2	7	12	19	28	44
B. OPERATED	986	20.4	180	5	7	17	26	38	49	68
TOTAL 0-19 YRS	26	6.9	50	1	1	6	10	15	21	33
20-34	49	8.8	55	2	3	7	11	19	23	42
35-49	113	15.2	150	2	4	13	20	31	39	63
50-64	471	15.9	165	2	4	12	22	31	42	62
65+	894	17.5	176	3	4	15	23	34	44	66
GRAND TOTAL	**1553**	**16.4**	**169**	**2**	**4**	**13**	**22**	**33**	**43**	**64**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	9.0	36	3	3	9	13	15	15	15
35-49	12	6.8	12	3	3	6	10	12	12	12
50-64	48	7.7	55	1	1	6	10	15	17	48
65+	65	10.4	119	1	2	6	13	25	33	58
B. *Operated*										
0-19 YRS										
20-34	3	13.3	97	2	2	18	19	20	20	20
35-49	12	13.1	52	1	2	14	18	21	24	25
50-64	46	18.3	102	4	7	16	23	34	38	45
65+	90	19.7	128	7	9	18	24	32	38	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	5.4	15	1	1	4	7	12	13	13
35-49	50	10.5	231	1	2	6	12	18	34	97
50-64	223	9.2	71	2	2	6	11	20	29	39
65+	463	11.2	93	2	3	8	14	23	32	52
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	13	20.9	154	4	7	18	29	36	46	49
35-49	64	23.5	210	5	7	21	30	46	55	62
50-64	367	21.8	203	6	8	18	27	39	48	80
65+	654	22.9	143	7	10	21	29	39	47	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	9.0	84	1	2	6	11	18	26	51
B. *Operated*	151	18.6	116	4	8	17	23	32	38	45
2. MULTIPLE DX										
A. *Not Operated*	747	10.4	95	2	3	8	13	22	30	46
B. *Operated*	1099	22.5	167	7	9	20	28	39	48	68
1. SINGLE DX	279	14.2	124	2	3	12	19	28	34	47
2. MULTIPLE DX	1846	17.6	173	3	4	15	24	35	42	64
A. NOT OPERATED	875	10.2	94	2	3	7	12	21	30	47
B. OPERATED	1250	22.0	162	6	9	20	28	39	46	68
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	30	13.3	130	1	2	11	18	30	32	49
35-49	138	16.4	230	2	3	12	22	37	46	66
50-64	684	16.4	181	2	4	13	22	34	40	68
65+	1272	17.7	154	3	4	15	24	34	42	61
GRAND TOTAL	**2125**	**17.2**	**168**	**3**	**4**	**15**	**23**	**34**	**41**	**63**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.6	5	1	1	3	6	7	7	7
35-49	110	6.4	88	1	1	4	8	12	14	54
50-64	494	7.2	64	1	1	5	9	15	20	44
65+	540	7.8	70	1	2	5	10	16	25	42
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	8.9	17	4	4	9	10	16	17	17
35-49	266	11.9	69	2	3	10	16	22	30	35
50-64	1074	12.3	73	2	3	11	16	23	27	42
65+	1147	12.4	92	2	3	10	17	24	30	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.7	52	6	6	7	16	19	19	19
20-34	24	7.2	34	1	1	6	10	15	18	24
35-49	526	8.7	79	1	2	6	10	18	27	45
50-64	2722	9.3	74	1	2	7	12	20	25	41
65+	3110	10.8	88	2	3	8	14	22	29	47
B. *Operated*										
0-19 YRS	9	15.4	66	5	7	14	17	28	34	34
20-34	46	16.9	106	4	6	14	22	34	37	50
35-49	581	15.4	138	3	4	12	20	30	39	58
50-64	3518	16.3	133	3	5	14	21	31	38	59
65+	4158	16.8	146	3	5	14	22	32	41	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1155	7.4	69	1	1	5	9	15	21	43
B. *Operated*	2501	12.3	81	2	3	10	16	23	29	44
2. MULTIPLE DX										
A. *Not Operated*	6385	10.0	82	1	2	7	13	21	28	45
B. *Operated*	8312	16.5	140	3	5	14	21	31	39	61
1. SINGLE DX	3656	10.7	82	1	2	9	15	22	27	44
2. MULTIPLE DX	14697	13.6	125	2	3	11	18	28	36	55
A. NOT OPERATED	7540	9.6	81	1	2	7	12	21	27	45
B. OPERATED	10813	15.5	129	3	4	13	20	30	38	58
TOTAL 0-19 YRS	13	13.5	63	5	5	13	17	23	32	34
20-34	94	11.7	90	1	2	10	15	23	34	45
35-49	1483	11.7	111	1	2	9	15	24	33	51
50-64	7808	12.7	112	2	3	10	17	26	33	53
65+	8955	13.6	124	2	3	11	18	27	36	54
GRAND TOTAL	**18353**	**13.1**	**118**	**2**	**3**	**10**	**17**	**26**	**34**	**53**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	4	2	2	4	6	6	6	6
20-34	3	5.0		5	5	5	5	5	5	5
35-49	18	2.8	3	<1	1	2	4	5	6	7
50-64	38	6.2	55	1	1	4	8	11	13	45
65+	30	6.2	68	1	1	3	6	21	28	31
B. *Operated*										
0-19 YRS	4	15.8	4	13	13	16	17	18	18	18
20-34	13	9.5	72	1	1	7	14	22	28	29
35-49	93	9.6	76	1	1	8	15	22	24	38
50-64	369	8.2	69	1	1	4	13	19	23	45
65+	312	8.0	82	1	1	3	12	21	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	1	4	4	4	6	6	6	6
20-34	12	5.3	12	1	1	4	8	10	11	11
35-49	28	4.3	11	1	1	3	6	8	10	15
50-64	117	8.4	68	1	2	6	10	18	23	42
65+	133	10.2	153	1	2	6	13	22	37	81
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	16	10.2	32	3	5	9	13	16	22	25
35-49	82	15.4	179	2	2	12	20	35	43	56
50-64	418	15.0	214	2	2	12	20	31	42	84
65+	474	15.0	184	1	2	12	20	31	43	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	5.4	45	1	1	3	6	10	16	39
B. *Operated*	791	8.3	75	1	1	4	13	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	293	8.6	101	1	2	6	10	18	28	67
B. *Operated*	991	14.9	194	2	2	12	20	31	42	74
1. SINGLE DX	886	8.0	72	1	1	4	12	19	25	39
2. MULTIPLE DX	1284	13.5	180	1	2	10	18	30	41	75
A. NOT OPERATED	388	7.8	89	1	2	5	9	17	25	52
B. OPERATED	1782	12.0	152	1	2	9	17	27	35	58
TOTAL 0-19 YRS	14	7.6	32	2	2	6	13	16	18	18
20-34	44	8.3	40	1	2	6	11	16	21	29
35-49	221	10.5	118	1	1	7	15	24	33	51
50-64	942	11.1	144	1	2	8	15	25	32	65
65+	949	11.7	153	1	2	8	16	27	37	57
GRAND TOTAL	**2170**	**11.3**	**143**	**1**	**2**	**8**	**16**	**26**	**35**	**57**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	3.6	13	<1	<1	3	5	6	13	18
20-34	15	6.0	53	<1	2	4	7	8	25	31
35-49	8	6.1	22	1	1	5	10	13	13	13
50-64	29	6.6	53	2	2	4	6	18	22	32
65+	34	8.2	66	<1	<1	7	11	16	24	42
B. *Operated*										
0-19 YRS	54	7.9	44	1	2	6	11	17	23	29
20-34	70	8.6	66	1	2	6	11	19	21	43
35-49	63	8.5	68	1	2	6	12	17	20	51
50-64	96	9.2	62	1	2	6	12	22	25	38
65+	117	9.8	75	2	2	7	13	21	26	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	5.2	41	<1	1	4	6	10	14	38
20-34	50	5.9	26	<1	1	4	8	13	17	25
35-49	29	7.6	59	1	1	4	9	20	27	30
50-64	82	7.5	41	1	2	5	10	17	23	27
65+	119	10.1	114	<1	1	6	14	25	36	67
B. *Operated*										
0-19 YRS	19	8.9	24	1	2	9	13	16	17	18
20-34	43	16.8	264	2	4	12	23	37	46	85
35-49	42	10.6	61	2	3	8	15	23	26	32
50-64	123	17.2	241	2	4	13	22	37	56	94
65+	211	15.8	211	2	3	11	20	38	47	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	5.8	41	<1	1	4	7	13	17	33
B. *Operated*	400	9.0	65	1	2	7	12	20	24	43
2. MULTIPLE DX										
A. *Not Operated*	320	7.9	70	1	1	5	9	19	26	44
B. *Operated*	438	15.5	206	2	3	11	20	33	45	79
1. SINGLE DX	541	8.2	60	1	2	6	11	18	23	42
2. MULTIPLE DX	758	12.3	162	1	2	8	16	28	39	72
A. NOT OPERATED	461	7.3	62	<1	1	4	9	17	25	42
B. OPERATED	838	12.4	149	2	2	9	16	27	38	66
TOTAL 0-19 YRS	168	6.0	34	1	1	4	8	14	17	28
20-34	178	9.6	118	1	2	6	12	21	32	50
35-49	142	8.8	62	1	2	6	12	19	24	34
50-64	330	11.5	141	1	2	8	15	26	33	66
65+	481	12.4	152	1	2	9	16	28	40	70
GRAND TOTAL	**1299**	**10.6**	**124**	**1**	**2**	**7**	**14**	**24**	**32**	**60**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	11	4.5	9	<1	<1	4	6	9	11	11
35-49	12	4.3	7	1	1	4	6	8	8	8
50-64	30	5.1	16	1	1	5	6	10	12	20
65+	20	5.7	21	1	2	5	7	13	18	18
B. *Operated*										
0-19 YRS	10	5.7	17	<1	1	5	8	12	13	13
20-34	80	5.8	19	1	2	4	8	12	15	21
35-49	140	5.6	13	1	1	6	8	10	11	17
50-64	163	6.5	25	1	2	5	9	14	17	25
65+	172	7.9	59	1	2	5	10	16	21	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	27	7.3	60	1	2	4	9	14	22	40
35-49	28	6.4	35	1	1	5	8	11	22	26
50-64	61	7.1	28	1	2	5	11	15	17	24
65+	90	10.0	134	1	2	7	10	20	44	58
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	60	10.5	116	1	1	8	13	21	36	58
35-49	78	9.4	51	2	2	8	12	20	24	34
50-64	148	9.9	75	2	2	8	13	21	28	37
65+	169	12.5	149	2	2	8	16	28	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.0	15	1	1	4	6	8	12	20
B. *Operated*	565	6.6	32	1	2	5	9	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	207	8.3	81	1	2	6	10	15	24	50
B. *Operated*	456	10.9	105	2	2	8	14	23	31	59
1. SINGLE DX	639	6.4	31	1	2	5	8	13	17	28
2. MULTIPLE DX	663	10.1	99	1	2	7	13	21	30	51
A. NOT OPERATED	281	7.5	66	1	1	5	9	15	20	48
B. OPERATED	1021	8.5	69	1	2	6	11	17	24	41
TOTAL 0-19 YRS	13	5.9	27	<1	<1	4	9	14	16	17
20-34	178	7.5	61	1	2	5	9	15	20	41
35-49	258	6.8	30	1	1	6	9	12	17	26
50-64	402	7.8	46	1	2	6	10	16	20	32
65+	451	10.0	111	1	2	7	13	21	30	54
GRAND TOTAL	**1302**	**8.3**	**68**	**1**	**2**	**6**	**10**	**17**	**23**	**43**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	5.2	7	2	2	6	7	8	8	8
65+	18	5.2	10	1	1	5	8	10	11	11
B. *Operated*										
0-19 YRS	7	1.7		1	1	2	2	2	2	2
20-34	36	3.5	7	<1	1	3	4	7	10	11
35-49	112	3.4	12	<1	1	2	4	7	10	21
50-64	266	3.1	8	<1	<1	2	3	7	10	14
65+	609	3.8	14	1	1	3	4	8	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	13.0		13	13	13	13	13	13	13
35-49	8	6.9	33	1	1	6	11	16	16	16
50-64	20	10.8	69	2	3	9	14	22	29	34
65+	74	10.7	115	1	2	6	13	31	33	43
B. *Operated*										
0-19 YRS										
20-34	14	3.4	4	<1	<1	3	5	6	8	8
35-49	91	4.9	96	<1	1	3	5	10	14	61
50-64	282	6.5	91	1	2	3	7	14	23	60
65+	900	7.6	69	1	2	5	10	17	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.2	9	1	2	5	8	9	10	11
B. *Operated*	1030	3.6	12	<1	1	2	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	104	10.4	98	1	2	7	13	28	33	40
B. *Operated*	1287	7.1	76	1	2	4	9	16	23	42
1. SINGLE DX	1053	3.6	12	<1	1	2	4	8	11	17
2. MULTIPLE DX	1391	7.4	78	1	2	4	9	16	24	42
A. NOT OPERATED	127	9.4	86	1	2	6	11	25	32	38
B. OPERATED	2317	5.5	50	1	1	3	6	13	17	35
TOTAL 0-19 YRS	8	1.8		1	1	2	2	2	2	2
20-34	51	3.7	8	<1	1	3	5	7	11	13
35-49	211	4.2	50	<1	1	2	4	9	14	21
50-64	573	5.1	55	<1	1	3	5	11	16	39
65+	1601	6.3	54	1	1	4	8	15	21	36
GRAND TOTAL	**2444**	**5.7**	**53**	**1**	**1**	**3**	**7**	**13**	**19**	**35**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	3.3	4	1	1	3	4	7	7	7
35-49	58	5.4	45	1	1	4	6	10	19	36
50-64	122	5.8	43	1	1	4	7	14	17	34
65+	93	7.8	76	1	1	5	9	17	24	50
B. *Operated*										
0-19 YRS	8	5.5	13	2	2	4	9	10	10	10
20-34	204	6.8	12	1	2	7	9	11	12	16
35-49	1022	7.0	13	2	3	7	9	11	13	18
50-64	1619	7.9	16	2	3	8	10	12	14	21
65+	1686	8.6	19	2	4	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	47	7.7	41	1	1	6	10	12	23	32
35-49	242	8.6	67	1	1	6	11	18	29	44
50-64	751	8.6	76	1	1	6	11	20	27	40
65+	894	11.9	114	2	3	8	16	25	32	50
B. *Operated*										
0-19 YRS	6	9.2	18	2	2	10	12	14	14	14
20-34	177	8.7	33	3	4	8	10	13	17	37
35-49	990	9.6	52	3	4	8	11	15	21	40
50-64	2222	11.0	60	4	5	9	13	19	24	45
65+	3195	12.4	78	4	5	10	15	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	6.3	54	1	1	4	7	13	20	41
B. *Operated*	4539	7.9	16	2	3	8	10	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1935	10.1	94	1	2	7	13	23	30	45
B. *Operated*	6590	11.4	68	4	5	9	13	20	26	47
1. SINGLE DX	4822	7.8	19	2	3	7	10	12	15	23
2. MULTIPLE DX	8525	11.1	74	2	4	9	13	20	27	47
A. NOT OPERATED	2218	9.6	90	1	2	7	12	22	30	45
B. OPERATED	11129	10.0	50	3	4	8	11	17	21	39
TOTAL 0-19 YRS	16	6.6	17	<1	2	6	10	12	13	14
20-34	437	7.6	24	2	2	7	9	12	14	27
35-49	2312	8.3	38	2	3	7	10	13	18	34
50-64	4714	9.4	49	2	3	8	11	16	21	37
65+	5868	11.1	69	3	4	9	13	20	26	46
GRAND TOTAL	**13347**	**9.9**	**56**	**2**	**3**	**8**	**12**	**17**	**23**	**41**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	34	2.9	4	<1	<1	3	4	4	5	11
35-49	96	4.3	13	1	2	4	4	7	9	25
50-64	112	4.0	8	2	2	3	4	6	9	18
65+	103	4.6	17	1	2	4	5	7	11	27
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	221	5.6	16	1	2	5	7	11	14	18
35-49	251	6.6	27	1	2	5	9	13	15	27
50-64	196	6.4	33	2	2	4	8	13	17	34
65+	114	6.9	50	2	2	4	8	13	20	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	34	5.6	23	1	2	4	7	12	18	21
35-49	93	8.0	45	1	2	5	11	18	21	31
50-64	136	7.1	61	1	2	4	8	19	25	36
65+	150	8.3	111	1	2	5	9	17	31	61
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	177	7.5	28	1	2	7	10	15	19	24
35-49	248	10.9	100	2	2	8	13	22	31	53
50-64	286	12.4	118	2	3	9	17	24	31	66
65+	276	13.0	133	2	3	10	17	26	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	4.2	12	1	2	4	4	6	9	19
B. *Operated*	783	6.3	29	1	2	5	8	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	413	7.6	73	1	2	5	9	18	23	45
B. *Operated*	989	11.3	105	2	2	8	15	23	30	54
1. SINGLE DX	1128	5.7	25	1	2	4	7	11	14	25
2. MULTIPLE DX	1402	10.2	98	2	2	7	13	21	28	53
A. NOT OPERATED	758	6.0	48	1	2	4	6	12	19	35
B. OPERATED	1772	9.1	77	2	2	7	11	19	25	46
TOTAL 0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	466	6.1	22	1	2	5	8	12	16	21
35-49	688	8.0	60	1	2	6	10	16	22	44
50-64	730	8.5	78	2	2	5	11	20	25	39
65+	643	9.5	105	2	2	6	11	19	29	57
GRAND TOTAL	**2530**	**8.2**	**70**	**1**	**2**	**5**	**10**	**17**	**23**	**43**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.5	2	3	3	4	5	6	6	6
35-49	24	3.9	2	2	2	4	5	5	6	9
50-64	130	3.5	3	1	1	4	4	5	6	9
65+	162	4.6	22	1	2	4	5	7	11	31
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	21	6.7	13	2	3	6	9	11	14	17
35-49	99	6.7	12	1	1	7	8	11	13	18
50-64	563	6.7	17	1	2	7	9	11	13	19
65+	615	7.2	33	1	2	7	9	13	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	27	3.4	6	1	1	2	4	6	8	12
50-64	149	6.1	56	1	2	4	6	14	17	38
65+	252	9.1	105	1	1	5	10	23	36	47
B. *Operated*										
0-19 YRS	2	14.0	72	8	8	14	20	20	20	20
20-34	37	10.1	70	2	2	8	12	19	31	39
35-49	246	8.7	34	2	3	8	10	15	17	30
50-64	1035	9.6	53	2	2	8	11	16	22	42
65+	1297	11.6	91	2	3	9	14	21	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	4.1	13	1	1	4	4	6	9	24
B. *Operated*	1299	6.9	24	1	2	7	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	429	7.7	85	1	1	4	9	17	26	44
B. *Operated*	2617	10.5	71	2	2	9	13	19	26	50
1. SINGLE DX	1619	6.4	23	1	2	6	8	11	14	22
2. MULTIPLE DX	3046	10.1	74	2	2	8	12	19	26	50
A. NOT OPERATED	749	6.2	57	1	1	4	6	12	21	39
B. OPERATED	3916	9.3	58	2	2	8	11	17	22	44
TOTAL 0-19 YRS	3	11.7	52	7	7	8	17	20	20	20
20-34	63	8.5	49	2	3	7	10	17	21	38
35-49	396	7.6	28	1	2	7	9	13	16	26
50-64	1877	8.0	42	1	2	7	10	15	18	34
65+	2326	9.7	78	1	2	8	12	19	25	51
GRAND TOTAL	**4665**	**8.8**	**59**	**1**	**2**	**8**	**11**	**16**	**22**	**43**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	30	2.0	2	<1	1	2	2	4	5	6
35-49	120	2.4	5	<1	1	2	2	5	6	14
50-64	219	2.9	16	1	1	2	3	5	8	26
65+	210	3.3	19	1	1	2	4	6	9	22
B. *Operated*										
0-19 YRS	17	7.4	8	3	4	7	9	11	12	13
20-34	55	8.3	9	5	5	8	10	14	15	17
35-49	65	8.8	16	3	4	8	11	15	16	22
50-64	137	11.2	26	5	6	10	14	18	20	27
65+	107	14.0	79	4	6	11	18	24	33	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.5	94	2	2	3	13	22	22	22
20-34	41	3.1	9	<1	<1	2	3	7	8	17
35-49	124	4.1	43	<1	1	2	4	7	15	40
50-64	549	4.7	56	1	1	3	5	9	15	37
65+	532	7.4	70	1	2	4	9	17	24	43
B. *Operated*										
0-19 YRS	5	17.2	67	9	9	14	22	30	30	30
20-34	57	9.8	21	5	6	9	11	16	21	24
35-49	191	13.2	94	5	6	10	16	23	31	60
50-64	541	16.4	131	5	7	13	20	29	40	70
65+	594	20.0	145	7	9	16	25	36	46	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	583	2.9	14	1	1	2	3	5	8	20
B. *Operated*	381	11.0	40	4	6	10	14	18	22	38
2. MULTIPLE DX										
A. *Not Operated*	1250	5.8	61	1	1	3	6	13	20	38
B. *Operated*	1388	17.2	135	6	7	14	22	32	42	60
1. SINGLE DX	964	6.1	40	1	1	4	9	14	18	30
2. MULTIPLE DX	2638	11.8	133	1	2	9	16	27	35	54
A. NOT OPERATED	1833	4.9	48	1	1	2	5	11	17	36
B. OPERATED	1769	15.9	121	5	7	13	19	30	38	59
TOTAL 0-19 YRS	30	8.4	42	2	2	7	11	17	22	30
20-34	183	6.6	22	1	1	6	9	13	16	22
35-49	500	7.8	71	1	1	6	10	17	22	46
50-64	1446	9.4	109	1	1	6	13	22	28	51
65+	1443	12.5	139	1	2	10	17	28	36	54
GRAND TOTAL	**3602**	**10.3**	**114**	**1**	**1**	**7**	**14**	**23**	**31**	**51**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.6	9	2	2	6	8	9	9	9
35-49	5	4.8	13	1	1	4	8	9	9	9
50-64	16	3.3	4	1	1	3	4	6	8	9
65+	29	6.0	24	1	2	4	7	14	18	20
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	5	10.2	77	1	1	10	18	20	20	20
35-49	18	8.8	38	<1	1	8	13	18	20	21
50-64	44	9.0	47	1	2	7	13	18	25	28
65+	100	8.4	52	2	2	6	12	16	26	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	4.0	2	3	3	4	5	6	6	6
50-64	33	5.9	13	1	2	5	8	12	13	14
65+	53	12.1	125	2	2	8	15	31	37	49
B. *Operated*										
0-19 YRS										
20-34	7	8.9	30	1	2	9	13	16	16	16
35-49	31	9.2	64	2	3	8	11	16	24	43
50-64	80	14.7	205	2	3	11	19	30	45	74
65+	191	17.2	199	2	4	13	24	37	46	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	5.1	17	1	2	4	7	10	14	20
B. *Operated*	169	8.6	49	1	2	7	12	17	25	30
2. MULTIPLE DX										
A. *Not Operated*	91	9.4	88	2	2	6	12	20	32	46
B. *Operated*	309	15.6	189	2	3	11	22	33	44	81
1. SINGLE DX	224	7.7	43	1	2	5	11	16	21	29
2. MULTIPLE DX	400	14.2	173	2	3	10	19	31	42	73
A. NOT OPERATED	146	7.8	65	1	2	5	9	17	23	42
B. OPERATED	478	13.1	151	2	2	10	17	29	39	70
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	18	7.9	37	1	1	7	12	17	19	20
35-49	58	8.3	49	1	2	6	11	16	20	41
50-64	173	10.5	126	2	2	7	13	22	28	66
65+	373	13.3	153	2	2	9	18	31	39	68
GRAND TOTAL	**624**	**11.9**	**136**	**2**	**2**	**9**	**15**	**27**	**35**	**63**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	92	4.3	46	1	1	2	4	10	15	42
65+	262	6.6	84	1	1	3	7	14	23	51
B. *Operated*										
0-19 YRS	4	8.8	4	6	6	9	10	11	11	11
20-34	1	7.0		7	7	7	7	7	7	7
35-49	24	8.3	51	1	2	6	12	20	23	27
50-64	583	7.5	30	2	2	6	10	15	18	26
65+	1992	8.1	35	2	2	7	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	9	7.9	13	1	3	8	10	12	14	14
50-64	272	8.0	55	1	1	6	10	18	22	33
65+	1652	10.0	78	2	3	8	13	20	26	44
B. *Operated*										
0-19 YRS	4	7.3	12	3	3	7	10	11	11	11
20-34	2	9.5	13	7	7	9	12	12	12	12
35-49	27	11.1	53	2	3	9	16	19	23	32
50-64	952	11.1	82	2	3	9	13	20	28	45
65+	5128	11.8	76	3	4	10	15	22	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	6.0	74	1	1	3	7	13	22	51
B. *Operated*	2604	7.9	34	2	2	7	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	1935	9.7	75	2	3	7	12	20	26	44
B. *Operated*	6113	11.7	77	3	4	9	15	22	28	46
1. SINGLE DX	2961	7.7	39	2	2	6	10	15	18	30
2. MULTIPLE DX	8048	11.2	77	2	3	9	14	21	28	45
A. NOT OPERATED	2292	9.1	77	1	2	7	12	19	25	44
B. OPERATED	8717	10.6	67	2	3	9	13	20	26	43
TOTAL 0-19 YRS	9	7.2	12	1	2	9	10	11	11	11
20-34	6	7.2	9	3	3	7	8	12	12	12
35-49	61	9.4	47	2	2	8	14	19	21	31
50-64	1899	9.2	64	2	2	7	12	18	24	41
65+	9034	10.5	70	2	3	8	13	20	26	44
GRAND TOTAL	**11009**	**10.3**	**69**	**2**	**3**	**8**	**13**	**20**	**26**	**43**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.6	4	1	1	5	5	7	9	9
20-34	33	4.9	12	1	1	5	6	11	12	13
35-49	5	4.6	6	1	1	5	6	8	8	8
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	26	7.4	45	2	2	5	9	16	22	32
20-34	187	5.9	25	1	2	5	7	11	16	24
35-49	87	5.3	16	2	2	4	7	9	14	24
50-64	44	6.0	50	1	2	4	6	13	18	43
65+	46	8.2	42	2	2	5	13	18	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	5.3	6	<1	2	5	6	9	11	11
20-34	63	5.8	23	1	2	5	7	10	14	32
35-49	17	5.6	5	2	2	5	8	8	9	10
50-64	19	6.8	16	2	3	6	10	13	15	15
65+	6	5.3	11	2	2	4	9	10	10	10
B. *Operated*										
0-19 YRS	12	9.6	28	2	3	11	13	16	17	17
20-34	91	12.4	167	2	3	9	16	24	27	81
35-49	41	8.3	94	1	2	6	10	18	20	59
50-64	40	9.5	68	2	3	7	10	23	32	33
65+	49	14.2	124	3	3	11	21	35	38	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.7	10	1	1	5	6	9	12	13
B. *Operated*	390	6.2	29	2	2	5	7	12	17	28
2. MULTIPLE DX										
A. *Not Operated*	119	5.9	17	1	2	5	7	10	13	21
B. *Operated*	233	11.4	124	2	3	8	14	25	33	61
1. SINGLE DX	440	6.0	27	1	2	5	7	12	16	27
2. MULTIPLE DX	352	9.5	94	2	2	7	12	19	27	40
A. NOT OPERATED	169	5.5	15	1	1	5	7	10	12	15
B. OPERATED	623	8.1	71	2	2	5	10	17	24	39
TOTAL 0-19 YRS	62	6.9	28	2	2	5	9	14	17	30
20-34	374	7.4	66	1	2	5	8	16	21	37
35-49	150	6.2	37	2	2	5	8	10	15	29
50-64	105	7.4	52	1	2	5	9	15	21	37
65+	101	10.9	90	2	3	8	14	25	34	39
GRAND TOTAL	**792**	**7.6**	**60**	**1**	**2**	**5**	**9**	**15**	**22**	**38**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	26	5.1	69	1	1	3	6	7	18	44
65+	93	6.6	50	1	1	4	8	15	21	38
B. *Operated*										
0-19 YRS	8	4.1	9	1	1	4	7	8	8	8
20-34	41	4.5	24	1	1	3	6	10	15	25
35-49	160	5.0	22	1	1	3	6	11	16	24
50-64	979	5.1	29	1	1	3	6	12	16	26
65+	2221	5.9	34	1	2	4	7	13	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	9	8.6	148	1	1	2	12	30	33	33
50-64	109	7.4	99	1	1	4	8	15	24	54
65+	374	8.8	57	2	2	6	13	19	25	32
B. *Operated*										
0-19 YRS	5	16.0	580	3	3	6	20	59	59	59
20-34	13	9.8	81	1	2	5	14	26	28	29
35-49	114	8.7	63	1	2	6	11	20	27	34
50-64	1003	9.2	92	1	2	6	12	21	27	44
65+	3533	9.8	88	2	2	7	13	22	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	6.1	53	1	1	4	7	14	20	45
B. *Operated*	3409	5.6	32	1	2	4	7	12	17	27
2. MULTIPLE DX										
A. *Not Operated*	494	8.5	68	1	2	5	11	18	25	42
B. *Operated*	4668	9.6	89	2	2	7	12	22	28	46
1. SINGLE DX	3532	5.6	33	1	2	4	7	12	17	27
2. MULTIPLE DX	5162	9.5	87	2	2	6	12	21	28	45
A. NOT OPERATED	617	8.0	66	1	2	5	10	18	24	43
B. OPERATED	8077	7.9	69	1	2	5	10	18	25	42
TOTAL 0-19 YRS	13	8.7	235	1	1	5	7	18	51	59
20-34	56	5.6	41	1	1	3	6	15	22	29
35-49	287	6.5	44	1	1	4	8	16	21	33
50-64	2117	7.2	67	1	2	4	9	16	23	41
65+	6221	8.3	70	2	2	5	10	18	25	43
GRAND TOTAL	**8694**	**7.9**	**69**	**1**	**2**	**5**	**10**	**18**	**25**	**42**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.0	24	<1	1	3	7	13	15	15
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	8	7.6	37	1	1	6	10	17	20	20
50-64	21	4.5	12	1	2	4	5	9	13	15
65+	36	7.6	62	1	1	5	7	21	27	31
B. *Operated*										
0-19 YRS	20	9.3	20	1	2	10	12	14	16	18
20-34	17	9.7	15	2	3	10	12	15	16	16
35-49	61	11.4	29	2	4	11	14	18	20	30
50-64	207	12.2	80	2	4	12	15	19	22	43
65+	244	13.0	82	2	3	12	17	24	29	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	14	1	1	2	6	10	11	11
20-34	11	8.0	44	1	2	6	10	19	24	24
35-49	25	8.4	71	1	1	7	10	16	32	33
50-64	131	10.3	83	1	2	7	15	22	26	46
65+	291	10.9	89	1	2	8	15	23	30	43
B. *Operated*										
0-19 YRS	10	17.5	143	10	10	13	19	35	50	50
20-34	16	13.4	88	2	5	11	17	25	35	39
35-49	119	14.4	71	4	5	12	19	26	34	42
50-64	411	16.6	115	4	6	14	21	30	36	60
65+	717	17.4	107	3	6	15	22	31	39	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	6.3	41	1	2	4	7	15	21	30
B. *Operated*	549	12.3	71	2	3	11	15	20	25	44
2. MULTIPLE DX										
A. *Not Operated*	466	10.4	85	1	2	7	14	23	29	43
B. *Operated*	1273	16.8	107	4	6	15	21	30	36	56
1. SINGLE DX	624	11.6	71	2	2	11	15	20	25	44
2. MULTIPLE DX	1739	15.1	109	2	4	13	20	28	35	54
A. NOT OPERATED	541	9.8	80	1	2	7	13	22	29	42
B. OPERATED	1822	15.5	100	3	5	13	19	27	35	54
TOTAL 0-19 YRS	46	9.3	67	1	1	9	12	17	19	50
20-34	46	10.3	52	2	2	9	13	17	24	39
35-49	213	12.6	62	2	4	11	15	22	30	37
50-64	770	14.0	106	2	3	12	18	25	32	54
65+	1288	14.9	106	2	3	13	20	28	35	53
GRAND TOTAL	**2363**	**14.2**	**101**	**2**	**3**	**12**	**18**	**26**	**34**	**53**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	2	1	1	1	3	4	4	4
20-34										
35-49										
50-64	4	5.0	1	4	4	5	6	6	6	6
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	13	5.2	8	2	2	4	7	9	11	11
20-34	5	3.6	4	2	2	3	5	7	7	7
35-49	12	3.2	4	1	1	3	4	6	8	8
50-64	14	3.9	4	2	2	4	5	7	8	9
65+	25	6.4	73	2	2	4	5	9	32	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.0	15	1	1	3	4	11	13	13
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	8	4.4	2	2	2	4	5	6	6	6
65+	9	6.0	19	2	2	4	8	13	13	13
B. *Operated*										
0-19 YRS	2	41.5	1201	17	17	41	66	66	66	66
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	3	5.0	9	2	2	5	7	8	8	8
50-64	21	8.8	38	2	3	6	13	19	20	20
65+	34	9.9	81	2	2	6	14	24	29	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.7	8	1	1	4	5	8	10	10
B. *Operated*	69	4.9	31	2	2	3	5	8	9	36
2. MULTIPLE DX										
A. *Not Operated*	26	4.7	12	1	1	4	6	12	13	13
B. *Operated*	62	10.1	111	2	2	6	14	19	28	63
1. SINGLE DX	80	4.7	27	1	2	4	5	8	10	35
2. MULTIPLE DX	88	8.5	88	2	2	5	12	18	24	56
A. NOT OPERATED	37	4.4	11	1	1	4	6	9	13	13
B. OPERATED	131	7.4	75	2	2	4	8	16	24	44
TOTAL 0-19 YRS	29	6.7	145	1	1	3	6	12	19	66
20-34	8	3.8	5	1	1	3	5	7	7	7
35-49	15	3.5	5	1	1	3	5	8	8	8
50-64	47	6.3	23	2	2	4	6	15	19	20
65+	69	8.1	70	2	2	5	10	17	30	39
GRAND TOTAL	**168**	**6.7**	**62**	**1**	**2**	**4**	**7**	**14**	**19**	**39**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	4.1	34	1	1	3	4	9	10	39
20-34	34	9.3	198	1	1	4	11	19	38	73
35-49	75	6.1	15	1	2	5	8	13	15	79
50-64	82	10.0	89	2	3	8	11	21	27	53
65+	62	13.0	243	2	2	8	12	35	48	80
B. *Operated*										
0-19 YRS	57	12.6	50	2	5	10	16	22	28	36
20-34	81	12.8	43	3	6	12	17	19	26	80
35-49	109	17.5	217	3	6	14	19	33	45	78
50-64	122	18.9	212	5	7	15	24	38	48	99
65+	91	23.1	299	5	6	18	32	47	64	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.9	47	1	1	4	6	12	14	39
20-34	53	8.3	81	2	2	4	10	17	27	46
35-49	97	10.9	144	2	2	7	11	29	39	59
50-64	206	11.9	110	2	2	9	15	26	35	49
65+	151	15.2	136	3	4	11	21	34	40	49
B. *Operated*										
0-19 YRS	46	22.3	401	3	4	14	31	52	68	86
20-34	51	22.9	431	2	4	16	30	46	75	98
35-49	94	22.1	342	3	6	18	27	47	70	94
50-64	146	26.8	341	8	9	21	37	59	71	99+
65+	146	29.4	349	8	10	24	38	61	71	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	8.3	110	1	2	5	9	17	27	64
B. *Operated*	460	17.5	193	4	6	14	20	36	46	79
2. MULTIPLE DX										
A. *Not Operated*	563	11.7	121	2	2	8	15	28	37	49
B. *Operated*	483	25.8	365	4	7	21	34	56	70	99
1. SINGLE DX	781	13.8	179	2	2	10	17	30	43	76
2. MULTIPLE DX	1046	18.2	283	2	3	13	25	42	56	86
A. NOT OPERATED	884	10.5	119	1	2	7	12	24	35	53
B. OPERATED	943	21.8	298	4	6	17	28	47	64	98
TOTAL 0-19 YRS	227	10.4	160	1	2	6	12	25	35	68
20-34	219	13.5	194	2	2	10	17	28	42	85
35-49	375	14.7	223	2	3	10	18	33	46	86
50-64	556	17.1	232	2	3	12	23	38	51	97
65+	450	21.1	295	3	5	17	29	45	61	80
GRAND TOTAL	**1827**	**16.3**	**243**	**2**	**3**	**11**	**21**	**37**	**49**	**83**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	13.5	221	3	3	13	24	24	24	24
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	9.5	5	8	8	9	11	11	11	11
B. *Operated*										
0-19 YRS	4	25.5	310	12	12	19	37	51	51	51
20-34	4	14.3	42	5	5	16	18	20	20	20
35-49	4	9.3	25	5	5	8	13	16	16	16
50-64	12	15.9	160	6	7	13	17	29	50	54
65+	12	19.3	319	2	3	12	28	49	57	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49	5	25.6	1347	2	2	7	42	89	89	89
50-64	8	8.1	37	2	2	7	10	18	21	21
65+	10	21.3	482	2	3	11	25	60	66	66
B. *Operated*										
0-19 YRS	4	16.8	316	2	2	12	30	41	41	41
20-34	7	14.6	104	1	2	16	26	79	99+	99+
35-49	8	31.0	383	2	6	27	49	56	58	58
50-64	21	21.6	291	4	5	16	28	53	60	63
65+	17	37.3	760	6	11	34	52	85	86	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	8.3	59	1	1	7	10	21	24	24
B. *Operated*	36	17.2	201	4	5	14	18	44	53	58
2. MULTIPLE DX										
A. *Not Operated*	25	16.7	477	2	2	8	22	54	72	89
B. *Operated*	57	26.4	469	3	5	19	36	62	85	99
1. SINGLE DX	43	15.7	187	3	4	11	18	39	52	58
2. MULTIPLE DX	82	23.4	486	2	3	17	34	59	84	96
A. NOT OPERATED	32	14.8	393	2	2	8	16	34	65	89
B. OPERATED	93	22.8	382	3	5	17	33	54	68	94
TOTAL 0-19 YRS	11	16.1	278	1	2	12	22	45	50	51
20-34	14	13.9	78	1	3	15	22	30	82	99+
35-49	17	24.3	589	2	3	16	36	57	78	89
50-64	42	17.0	220	3	5	12	19	39	56	63
65+	41	26.8	586	3	4	18	37	67	84	86
GRAND TOTAL	**125**	**20.8**	**394**	**2**	**4**	**15**	**25**	**53**	**67**	**92**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.7	12	<1	1	3	5	7	10	18
20-34	25	2.7	2	1	1	3	4	4	5	5
35-49	27	3.5	13	1	1	3	4	5	8	20
50-64	18	3.3	2	1	2	3	4	5	6	6
65+	12	5.9	27	1	2	4	6	16	17	17
B. *Operated*										
0-19 YRS	28	7.4	66	3	3	5	6	11	34	36
20-34	114	4.9	5	3	3	4	5	7	9	14
35-49	109	5.4	16	2	3	4	6	9	13	25
50-64	99	7.1	59	3	3	5	8	12	18	54
65+	45	8.3	35	3	4	6	9	17	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.9	23	1	2	5	8	11	16	23
20-34	43	4.1	7	1	2	4	5	8	9	13
35-49	34	4.3	10	1	1	3	6	10	10	11
50-64	45	7.0	40	1	2	5	8	20	25	99+
65+	62	8.6	65	2	2	5	11	21	23	40
B. *Operated*										
0-19 YRS	36	7.9	45	2	3	7	9	13	18	40
20-34	106	7.1	54	2	3	5	9	11	14	47
35-49	107	8.2	45	3	3	6	10	13	23	40
50-64	122	11.2	125	3	4	7	12	25	35	58
65+	104	15.3	251	4	4	11	17	31	40	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	3.6	10	1	1	3	4	5	8	19
B. *Operated*	395	6.1	30	3	3	5	6	10	14	33
2. MULTIPLE DX										
A. *Not Operated*	206	6.3	37	1	2	4	8	13	21	36
B. *Operated*	475	10.3	121	3	3	7	11	19	30	59
1. SINGLE DX	507	5.6	27	2	2	4	6	9	13	31
2. MULTIPLE DX	681	9.1	99	2	3	6	10	18	28	58
A. NOT OPERATED	318	5.3	29	1	1	4	6	11	19	29
B. OPERATED	870	8.4	84	3	3	5	9	15	23	51
TOTAL 0-19 YRS	116	6.3	39	1	2	5	7	11	17	37
20-34	288	5.4	25	2	2	4	6	9	11	22
35-49	277	6.2	29	2	2	5	7	11	14	32
50-64	284	8.6	86	2	3	5	9	19	26	58
65+	223	11.5	155	2	3	7	15	23	32	70
GRAND TOTAL	**1188**	**7.6**	**71**	**2**	**2**	**5**	**8**	**14**	**22**	**48**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.5	7	<1	1	3	5	7	9	12
20-34	19	6.7	36	1	2	5	6	18	20	22
35-49	80	5.1	26	1	1	4	6	11	16	27
50-64	245	8.1	76	1	1	5	10	18	26	40
65+	324	8.8	77	1	1	6	11	21	28	43
B. *Operated*										
0-19 YRS	22	7.7	41	1	1	7	12	14	20	28
20-34	38	5.9	18	2	2	5	8	10	14	22
35-49	120	8.5	49	1	2	7	12	19	24	30
50-64	326	10.2	92	1	2	7	13	23	29	45
65+	426	10.1	87	1	2	8	13	22	31	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	5.2	29	1	1	4	6	11	18	24
20-34	248	7.3	76	1	2	4	8	16	22	47
35-49	989	8.9	80	1	2	6	11	19	26	46
50-64	3541	9.2	79	2	2	6	12	20	27	43
65+	5182	10.9	90	2	3	8	14	23	30	46
B. *Operated*										
0-19 YRS	38	11.2	67	2	3	9	15	22	29	39
20-34	241	12.6	135	2	3	9	15	26	34	63
35-49	973	14.0	166	2	3	10	18	30	40	72
50-64	3269	15.2	163	2	3	12	20	31	42	67
65+	4279	16.0	161	3	4	13	21	32	42	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	695	7.9	69	1	1	5	10	18	26	39
B. *Operated*	932	9.7	81	1	2	7	12	22	28	45
2. MULTIPLE DX										
A. *Not Operated*	10005	10.0	86	2	2	7	13	21	28	45
B. *Operated*	8800	15.3	162	2	3	12	20	31	41	67
1. SINGLE DX	1627	8.9	77	1	2	6	11	21	27	45
2. MULTIPLE DX	18805	12.5	128	2	3	9	16	27	35	57
A. NOT OPERATED	10700	9.9	85	2	2	7	13	21	28	45
B. OPERATED	9732	14.8	157	2	3	11	20	31	40	65
TOTAL 0-19 YRS	132	7.0	45	1	1	5	10	15	22	34
20-34	546	9.5	104	2	2	6	11	21	27	52
35-49	2162	11.0	123	1	2	8	14	24	32	59
50-64	7381	11.9	125	2	2	8	15	26	34	57
65+	10211	12.9	126	2	3	10	17	27	36	56
GRAND TOTAL	**20432**	**12.2**	**125**	**2**	**3**	**9**	**16**	**26**	**35**	**56**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.7	20	1	1	3	8	10	14	18
20-34	98	3.5	22	1	1	2	4	9	11	26
35-49	45	4.1	49	<1	1	2	3	8	14	38
50-64	46	4.0	8	1	1	3	6	8	9	11
65+	25	5.1	48	<1	<1	3	6	13	19	34
B. *Operated*										
0-19 YRS	112	9.0	49	1	2	7	12	18	23	35
20-34	302	8.5	41	1	2	7	11	17	21	30
35-49	134	8.7	72	1	2	6	11	19	23	39
50-64	61	10.8	108	1	2	8	15	22	34	54
65+	50	10.2	75	2	3	8	13	26	31	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	6.6	90	1	1	4	6	14	28	46
20-34	127	5.6	48	<1	1	4	6	12	21	38
35-49	67	6.8	68	1	1	4	9	13	25	44
50-64	68	7.5	28	2	2	6	10	15	17	27
65+	89	9.8	95	<1	1	8	13	23	32	48
B. *Operated*										
0-19 YRS	23	10.3	47	2	3	10	13	22	25	27
20-34	146	11.9	132	2	3	8	15	25	36	58
35-49	71	12.2	71	2	3	11	17	25	32	86
50-64	84	17.7	206	3	5	14	23	41	48	68
65+	77	14.6	105	2	4	12	19	29	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	4.0	27	1	1	2	5	8	11	34
B. *Operated*	659	8.9	58	1	2	7	12	18	24	35
2. MULTIPLE DX										
A. *Not Operated*	375	7.2	64	1	1	5	9	15	23	44
B. *Operated*	401	13.6	131	2	3	10	17	28	38	59
1. SINGLE DX	892	7.7	54	1	1	6	10	17	22	35
2. MULTIPLE DX	776	10.5	109	1	2	8	14	23	33	54
A. NOT OPERATED	608	6.0	52	1	1	4	8	13	20	38
B. OPERATED	1060	10.7	91	2	2	8	14	22	30	53
TOTAL 0-19 YRS	178	8.4	53	1	2	6	11	18	23	41
20-34	673	7.9	66	1	1	5	10	17	23	39
35-49	317	8.5	74	1	1	6	11	20	27	40
50-64	259	11.0	127	1	2	7	14	24	34	58
65+	241	10.9	97	1	1	9	14	25	32	47
GRAND TOTAL	**1668**	**9.0**	**82**	**1**	**1**	**6**	**12**	**20**	**27**	**45**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	3.7	21	<1	<1	2	5	9	12	22
20-34	20	7.0	70	<1	<1	4	8	20	28	32
35-49	17	4.9	32	<1	<1	3	7	10	19	24
50-64	38	7.1	59	1	1	6	9	16	26	35
65+	81	6.7	49	1	1	5	10	14	19	42
B. *Operated*										
0-19 YRS	77	9.9	64	<1	1	7	16	24	26	82
20-34	25	13.8	136	1	2	10	21	30	39	41
35-49	17	11.9	155	1	2	7	12	33	42	46
50-64	46	7.2	43	1	1	5	10	13	18	35
65+	55	8.2	33	1	2	7	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	6.8	71	<1	1	4	8	13	24	46
20-34	38	8.3	89	<1	1	5	10	23	29	42
35-49	15	5.3	42	1	1	3	7	16	22	24
50-64	111	8.5	100	1	1	6	10	17	23	57
65+	467	9.7	85	1	2	7	12	21	28	46
B. *Operated*										
0-19 YRS	52	21.0	333	2	3	18	29	44	77	99
20-34	33	29.6	412	2	5	30	46	59	65	67
35-49	21	16.9	231	3	4	12	29	45	48	49
50-64	140	12.1	120	3	3	9	15	26	34	53
65+	326	14.2	166	3	4	10	18	29	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	5.3	39	<1	<1	3	6	12	17	34
B. *Operated*	220	9.5	69	1	2	7	13	22	27	42
2. MULTIPLE DX										
A. *Not Operated*	736	8.9	85	1	2	6	11	20	27	45
B. *Operated*	572	15.3	203	3	3	11	19	33	47	74
1. SINGLE DX	513	7.1	57	<1	<1	5	9	16	24	36
2. MULTIPLE DX	1308	11.7	147	1	2	8	15	27	36	64
A. NOT OPERATED	1029	7.9	75	<1	1	5	10	18	25	44
B. OPERATED	792	13.7	172	2	3	9	17	30	42	68
TOTAL 0-19 YRS	371	8.3	118	<1	<1	5	10	22	29	77
20-34	116	15.3	271	1	1	8	24	42	48	66
35-49	70	10.3	145	1	1	6	12	29	43	49
50-64	335	9.7	100	1	2	7	12	21	29	48
65+	929	10.9	113	2	2	8	14	23	31	54
GRAND TOTAL	**1821**	**10.4**	**126**	**1**	**1**	**7**	**13**	**24**	**32**	**58**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	4.4	40	<1	<1	4	5	9	11	41
20-34	53	4.1	15	<1	<1	3	5	8	12	20
35-49	48	6.0	27	<1	<1	5	8	11	18	22
50-64	61	4.4	21	<1	<1	3	6	10	16	20
65+	133	5.7	80	<1	1	3	6	12	19	44
B. *Operated*										
0-19 YRS	26	11.4	171	1	1	7	12	40	43	44
20-34	43	16.7	272	2	2	8	30	39	40	72
35-49	53	15.4	284	<1	1	7	28	40	50	65
50-64	79	18.7	322	2	3	10	32	55	66	99+
65+	101	14.5	191	2	3	8	25	37	44	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	7.2	39	1	1	5	9	16	19	33
20-34	67	6.9	40	1	1	5	10	16	19	32
35-49	86	7.6	77	<1	1	5	9	17	25	49
50-64	131	8.8	110	1	1	5	12	23	31	48
65+	471	7.2	61	1	1	5	10	15	22	37
B. *Operated*										
0-19 YRS	25	25.9	536	2	4	15	40	61	75	80
20-34	68	24.9	368	2	4	23	36	57	76	99+
35-49	81	22.4	310	3	5	19	34	40	49	94
50-64	174	25.7	450	3	4	22	39	60	71	99
65+	349	19.3	307	3	3	12	30	44	58	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	5.0	46	<1	<1	3	6	10	15	40
B. *Operated*	302	15.8	253	2	2	8	27	41	53	99+
2. MULTIPLE DX										
A. *Not Operated*	817	7.5	68	1	1	5	10	17	24	39
B. *Operated*	697	22.0	364	3	4	15	33	51	64	92
1. SINGLE DX	679	9.8	166	<1	<1	5	10	31	41	65
2. MULTIPLE DX	1514	14.2	256	1	2	8	19	37	51	78
A. NOT OPERATED	1194	6.7	62	<1	1	4	9	15	21	39
B. OPERATED	999	20.1	338	2	3	13	32	46	61	96
TOTAL 0-19 YRS	195	9.0	165	<1	<1	5	10	18	41	68
20-34	231	13.4	245	<1	1	7	20	38	51	80
35-49	268	13.3	224	<1	1	7	20	36	41	64
50-64	445	16.6	339	1	1	9	26	45	61	99+
65+	1054	11.7	191	1	1	6	14	32	42	68
GRAND TOTAL	**2193**	**12.8**	**232**	**1**	**1**	**7**	**16**	**35**	**46**	**76**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.6	6	<1	<1	3	5	6	9	11
20-34	41	4.6	21	1	1	2	6	11	15	19
35-49	111	6.1	54	<1	1	4	7	13	17	42
50-64	304	6.0	41	<1	1	4	8	14	18	39
65+	418	8.3	76	1	1	5	11	21	27	40
B. *Operated*										
0-19 YRS	35	7.8	39	2	2	6	12	17	18	28
20-34	91	8.1	44	2	2	6	12	17	20	31
35-49	201	8.5	56	2	2	6	11	18	21	40
50-64	493	8.8	54	2	2	7	11	18	24	36
65+	529	10.7	81	2	3	8	14	22	28	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	8.9	85	<1	1	6	9	27	32	33
20-34	53	6.3	30	1	1	5	8	12	17	28
35-49	183	7.1	36	<1	1	5	10	15	18	30
50-64	645	8.7	84	1	1	6	11	19	26	45
65+	1309	10.2	89	1	2	8	13	22	30	45
B. *Operated*										
0-19 YRS	26	12.4	174	1	1	7	19	30	44	51
20-34	75	15.9	265	2	4	9	19	39	60	68
35-49	212	13.8	189	3	3	10	16	25	40	74
50-64	814	16.7	233	2	4	12	21	36	49	87
65+	1529	17.3	203	3	4	13	23	36	46	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	900	6.9	59	1	1	4	9	17	23	38
B. *Operated*	1349	9.4	65	2	2	7	12	20	26	41
2. MULTIPLE DX										
A. *Not Operated*	2206	9.4	83	1	2	7	12	21	28	44
B. *Operated*	2656	16.7	213	3	4	12	22	35	46	80
1. SINGLE DX	2249	8.4	64	1	2	6	11	19	25	41
2. MULTIPLE DX	4862	13.4	167	2	2	10	17	29	40	68
A. NOT OPERATED	3106	8.7	77	1	1	6	11	19	27	43
B. OPERATED	4005	14.3	175	2	3	10	19	30	42	71
TOTAL 0-19 YRS	103	8.1	80	<1	1	5	10	18	28	46
20-34	260	9.4	119	1	1	6	12	19	29	66
35-49	707	9.3	99	1	2	7	11	19	26	56
50-64	2256	11.3	143	1	2	8	14	25	34	70
65+	3785	12.9	145	2	2	9	17	28	37	60
GRAND TOTAL	**7111**	**11.8**	**140**	**1**	**2**	**8**	**15**	**26**	**35**	**61**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	69	4.0	12	1	1	3	5	7	10	20
20-34	188	3.1	3	1	1	3	4	5	6	8
35-49	196	3.2	2	1	2	3	4	5	6	8
50-64	272	3.8	7	1	2	3	4	6	7	16
65+	204	4.0	5	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	2	9.5	1	9	9	9	10	10	10	10
B. *Operated*										
0-19 YRS	15	8.2	336	1	2	3	5	9	58	74
20-34	47	3.7	6	1	2	3	4	8	9	13
35-49	61	4.0	7	1	2	3	5	7	9	15
50-64	144	5.2	23	1	2	4	5	9	11	27
65+	167	5.9	19	2	2	5	7	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.6	1	2	2	2	3	4	4	4
B. *Operated*	929	3.6	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	6	3.8	19	<1	<1	1	9	10	10	10
B. *Operated*	434	5.2	28	2	2	4	6	9	12	24
1. SINGLE DX	934	3.6	5	1	2	3	4	6	7	11
2. MULTIPLE DX	440	5.2	28	1	2	4	6	9	12	24
A. NOT OPERATED	11	3.3	10	<1	<1	2	4	9	10	10
B. OPERATED	1363	4.1	13	1	2	3	5	7	9	19
TOTAL 0-19 YRS	87	4.6	67	1	1	3	5	7	10	54
20-34	237	3.2	3	1	1	3	4	5	6	9
35-49	258	3.3	3	1	2	3	4	5	6	10
50-64	418	4.3	13	1	2	4	5	7	9	22
65+	374	4.9	12	2	2	4	6	9	11	20
GRAND TOTAL	**1374**	**4.1**	**13**	**1**	**2**	**3**	**5**	**7**	**9**	**19**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.1	5	1	1	2	4	7	8	9
20-34	15	3.5	10	1	1	3	4	5	12	14
35-49	41	3.1	4	<1	1	3	4	6	6	10
50-64	66	2.4	3	1	1	2	3	4	7	9
65+	72	2.8	5	1	1	2	4	5	6	13
B. *Operated*										
0-19 YRS	65	3.6	9	1	1	2	5	7	11	14
20-34	92	5.7	31	1	1	3	9	12	17	28
35-49	177	4.5	22	1	1	2	7	11	15	21
50-64	587	3.9	16	1	1	2	5	10	12	18
65+	602	4.7	27	1	1	3	6	11	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.5	3	1	1	4	5	6	6	6
20-34	26	5.5	31	<1	1	5	7	8	14	30
35-49	49	4.7	13	1	1	4	6	10	11	20
50-64	140	4.5	18	1	1	3	5	9	12	23
65+	290	5.5	19	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	29	6.4	19	1	1	6	9	12	13	20
20-34	112	8.9	121	1	1	6	11	17	23	62
35-49	305	7.3	33	1	2	6	10	13	17	27
50-64	986	7.2	40	1	2	5	10	15	19	28
65+	1559	8.7	71	1	2	6	12	18	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	2.8	5	1	1	2	4	5	7	12
B. *Operated*	1523	4.4	22	1	1	2	6	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	517	5.1	19	1	1	4	6	10	13	23
B. *Operated*	2991	8.0	59	1	2	6	11	17	21	38
1. SINGLE DX	1738	4.2	20	1	1	2	5	10	13	22
2. MULTIPLE DX	3508	7.6	54	1	2	5	10	16	20	35
A. NOT OPERATED	732	4.4	16	1	1	3	6	9	12	21
B. OPERATED	4514	6.8	49	1	1	4	10	15	19	33
TOTAL 0-19 YRS	127	4.1	12	1	1	3	6	9	11	15
20-34	245	7.0	74	1	1	4	9	14	19	49
35-49	572	5.9	28	1	1	4	9	12	15	23
50-64	1779	5.7	32	1	1	4	8	13	16	25
65+	2523	7.2	56	1	1	5	10	16	21	35
GRAND TOTAL	**5246**	**6.5**	**45**	**1**	**1**	**4**	**9**	**14**	**18**	**30**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	104	2.2	7	1	1	1	2	4	9	14
20-34	82	3.7	13	<1	1	2	4	8	11	17
35-49	78	4.1	17	1	1	2	5	9	13	20
50-64	100	4.8	16	<1	1	2	8	11	13	16
65+	63	5.5	31	1	1	2	10	13	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	25.7	1240	1	1	10	52	66	66	66
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	4.0	6	2	2	4	5	8	8	8
65+	12	6.9	13	2	2	6	10	11	14	14
B. *Operated*										
0-19 YRS	14	2.1	2	<1	1	2	2	3	5	6
20-34	23	6.3	59	1	1	2	11	18	26	27
35-49	34	6.1	22	1	2	5	9	12	15	19
50-64	64	7.8	35	2	2	6	12	16	19	24
65+	87	11.1	90	2	2	7	19	26	28	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	1	1	1	2	3	4	4	4
B. *Operated*	427	3.9	17	1	1	2	5	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	23	8.1	172	1	2	5	9	11	32	66
B. *Operated*	222	8.3	61	1	2	6	12	20	26	29
1. SINGLE DX	434	3.9	16	1	1	2	5	10	12	18
2. MULTIPLE DX	245	8.3	71	1	2	5	11	19	26	30
A. NOT OPERATED	30	6.8	137	1	1	4	8	10	14	66
B. OPERATED	649	5.4	36	1	1	2	7	14	19	27
TOTAL 0-19 YRS	121	2.2	6	1	1	2	2	4	8	13
20-34	109	4.8	58	<1	1	2	5	11	16	43
35-49	113	4.6	19	1	1	2	7	11	14	20
50-64	173	5.8	25	1	1	4	8	13	16	21
65+	163	8.6	68	1	2	5	12	23	26	30
GRAND TOTAL	**679**	**5.5**	**40**	**1**	**1**	**2**	**7**	**14**	**19**	**28**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.2	8	<1	<1	1	2	4	10	12
20-34	33	2.4	7	<1	<1	<1	3	5	8	13
35-49	28	2.9	7	<1	<1	2	4	8	9	9
50-64	24	1.8	1	<1	<1	1	2	3	4	5
65+	15	3.1	8	<1	<1	2	3	8	10	11
B. *Operated*										
0-19 YRS	790	2.9	4	1	1	2	3	5	6	11
20-34	873	3.0	9	1	1	2	3	5	7	14
35-49	853	3.2	7	1	1	2	4	6	8	15
50-64	822	3.1	6	<1	1	2	4	6	8	15
65+	347	3.6	11	1	1	3	4	6	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	9	<1	<1	3	6	9	9	9
20-34	18	3.6	8	<1	<1	3	5	8	9	9
35-49	14	3.8	7	<1	<1	3	6	7	9	9
50-64	31	5.9	34	1	1	4	7	13	21	27
65+	16	8.4	28	1	2	7	12	17	18	18
B. *Operated*										
0-19 YRS	121	3.6	9	1	1	3	4	6	9	18
20-34	335	4.6	24	1	1	3	5	9	12	20
35-49	543	4.9	23	1	1	3	6	10	14	28
50-64	731	6.0	48	1	2	4	7	13	17	40
65+	462	6.5	59	1	2	4	8	13	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	2.5	6	<1	<1	1	3	5	8	12
B. *Operated*	3685	3.1	7	1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	88	5.3	23	<1	1	4	7	11	15	25
B. *Operated*	2192	5.5	39	1	2	4	6	11	15	30
1. SINGLE DX	3800	3.1	7	<1	1	2	4	5	7	14
2. MULTIPLE DX	2280	5.5	38	1	2	4	6	11	15	30
A. NOT OPERATED	203	3.7	15	<1	<1	2	5	8	11	20
B. OPERATED	5877	4.0	20	1	1	3	4	8	11	20
TOTAL 0-19 YRS	935	3.0	5	1	1	2	3	5	7	12
20-34	1259	3.4	14	1	1	2	4	6	8	17
35-49	1438	3.8	14	1	1	3	4	8	10	19
50-64	1608	4.4	28	1	1	3	5	9	13	27
65+	840	5.3	40	1	1	3	6	11	15	27
GRAND TOTAL	**6080**	**4.0**	**20**	**1**	**1**	**3**	**4**	**8**	**11**	**20**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	3	<1	1	2	3	5	6	7
20-34	8	6.8	81	<1	<1	4	7	22	28	28
35-49	6	5.7	62	<1	<1	2	7	20	21	21
50-64	3	7.7	40	4	4	4	12	15	15	15
65+	7	11.1	49	<1	1	10	16	20	21	21
B. *Operated*										
0-19 YRS	644	2.7	13	<1	<1	2	3	5	7	12
20-34	271	3.0	11	<1	1	2	3	5	8	20
35-49	211	3.6	16	<1	1	2	4	8	11	21
50-64	183	3.5	10	<1	1	2	4	7	10	16
65+	131	4.3	15	<1	1	3	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.6	10	<1	1	4	7	8	10	13
20-34	13	6.5	71	<1	1	3	8	16	29	32
35-49	6	5.3	7	3	3	5	8	8	8	8
50-64	10	7.3	73	1	1	4	8	20	30	30
65+	25	5.0	13	1	2	4	6	11	13	15
B. *Operated*										
0-19 YRS	153	3.5	18	<1	<1	2	4	7	15	23
20-34	174	4.4	21	<1	<1	3	5	9	15	22
35-49	198	5.1	35	<1	1	3	6	11	20	30
50-64	230	6.0	52	<1	1	3	7	14	19	42
65+	190	7.2	64	1	2	4	9	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	5.2	39	<1	<1	3	6	15	21	28
B. *Operated*	1440	3.1	13	<1	<1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	79	5.4	28	<1	1	4	7	10	13	31
B. *Operated*	945	5.4	41	<1	1	3	6	13	19	34
1. SINGLE DX	1487	3.2	14	<1	<1	2	3	6	9	20
2. MULTIPLE DX	1024	5.4	40	<1	1	3	6	12	19	33
A. NOT OPERATED	126	5.3	32	<1	1	3	7	11	16	30
B. OPERATED	2385	4.0	25	<1	1	2	4	9	13	27
TOTAL 0-19 YRS	845	2.9	13	<1	<1	2	3	6	8	18
20-34	466	3.7	18	<1	1	2	4	8	11	26
35-49	421	4.3	26	<1	1	2	5	9	14	27
50-64	426	5.0	36	<1	1	3	6	11	15	30
65+	353	6.1	44	1	1	4	8	15	19	41
GRAND TOTAL	**2511**	**4.1**	**26**	**<1**	**1**	**2**	**4**	**9**	**13**	**27**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	2.2	2	<1	<1	2	3	4	4	4
35-49	3	1.7		1	1	2	2	2	2	2
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	220	2.0	1	<1	1	2	2	3	4	5
20-34	535	2.0	1	<1	1	2	2	3	3	5
35-49	401	2.1	1	<1	1	2	2	3	4	6
50-64	206	2.5	2	1	1	2	3	4	5	9
65+	138	2.7	2	1	2	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	3.4	5	1	1	4	5	6	6	6
50-64	6	7.3	88	1	1	4	7	24	26	26
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	28	2.6	2	1	1	2	3	5	6	6
20-34	207	2.8	3	1	1	2	3	5	7	10
35-49	305	3.2	7	1	1	2	3	6	7	16
50-64	208	4.3	39	1	2	3	4	8	10	34
65+	173	4.9	18	2	2	3	5	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.5	4	<1	<1	2	3	5	7	8
B. *Operated*	1500	2.2	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	15	5.0	38	1	1	4	5	7	21	26
B. *Operated*	921	3.6	16	1	1	3	4	7	9	18
1. SINGLE DX	1513	2.2	1	<1	1	2	2	3	4	7
2. MULTIPLE DX	936	3.7	17	1	1	3	4	7	9	19
A. NOT OPERATED	28	3.8	23	<1	1	3	5	7	10	26
B. OPERATED	2421	2.7	7	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	250	2.1	1	<1	1	2	2	3	4	6
20-34	748	2.2	2	<1	1	2	3	3	4	9
35-49	714	2.6	4	<1	1	2	3	4	6	9
50-64	423	3.4	22	1	1	2	3	6	8	18
65+	314	3.9	12	1	2	3	4	7	11	21
GRAND TOTAL	**2449**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**4**	**6**	**13**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	28	3.9	10	1	1	3	5	7	10	17
35-49	44	2.8	4	<1	<1	2	4	6	7	8
50-64	13	1.8	1	<1	<1	1	2	3	4	4
65+	6	4.0	3	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	6	6.3	8	2	2	7	8	10	10	10
20-34	629	5.9	6	1	2	6	7	8	9	11
35-49	1832	6.6	7	2	2	7	8	9	10	14
50-64	353	6.4	9	2	2	7	8	9	10	16
65+	36	7.8	17	2	3	7	9	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	71	3.5	13	<1	<1	2	5	7	11	20
35-49	196	3.6	9	<1	1	3	5	8	9	14
50-64	45	4.9	25	1	1	4	6	8	12	32
65+	31	9.6	101	2	3	6	10	21	26	52
B. *Operated*										
0-19 YRS	8	6.9	7	3	3	7	9	11	11	11
20-34	1853	6.9	11	2	2	7	8	10	12	19
35-49	8886	7.4	11	2	5	7	8	10	13	19
50-64	1986	7.9	15	2	4	7	9	12	15	22
65+	269	10.9	38	3	5	9	13	20	23	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	3.1	6	<1	<1	3	4	6	7	14
B. *Operated*	2856	6.4	7	2	2	7	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	343	4.3	23	<1	1	3	5	8	11	25
B: *Operated*	13002	7.5	12	2	4	7	8	11	13	21
1. SINGLE DX	2948	6.3	7	1	2	7	8	9	10	14
2. MULTIPLE DX	13345	7.4	13	2	4	7	8	11	13	21
A. NOT OPERATED	435	4.1	19	<1	1	3	5	8	10	22
B. OPERATED	15858	7.3	12	2	4	7	8	10	13	20
TOTAL 0-19 YRS	15	6.3	9	1	2	7	8	10	11	11
20-34	2581	6.5	11	1	2	7	8	10	11	18
35-49	10958	7.2	10	2	4	7	8	10	12	18
50-64	2397	7.6	15	2	2	7	9	11	14	22
65+	342	10.3	42	2	4	9	12	19	23	31
GRAND TOTAL	**16293**	**7.2**	**12**	**2**	**3**	**7**	**8**	**10**	**13**	**20**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	28	3.8	7	1	1	3	7	7	8	9
35-49	39	5.2	7	1	1	6	7	8	9	11
50-64	27	3.2	10	1	1	2	3	8	9	15
65+	4	4.8	12	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	48	6.5	30	2	2	6	7	10	22	27
35-49	144	6.5	12	2	2	6	8	10	12	22
50-64	51	7.5	28	2	2	7	10	12	17	27
65+	21	7.3	32	1	2	7	10	15	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	25	<1	<1	4	8	8	8	8
B. *Operated*	101	4.2	8	1	1	3	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*	265	6.7	20	2	2	6	8	11	14	26
1. SINGLE DX	103	4.2	9	1	1	3	7	8	9	13
2. MULTIPLE DX	268	6.7	20	2	2	6	8	11	14	26
A. NOT OPERATED	5	3.6	7	<1	<1	3	5	8	8	8
B. OPERATED	366	6.0	18	1	2	6	8	10	12	25
TOTAL 0-19 YRS	4	3.3	11	1	1	2	5	8	8	8
20-34	76	5.5	23	1	1	5	7	8	14	26
35-49	185	6.1	12	1	2	6	8	9	11	20
50-64	79	6.0	26	1	1	5	8	11	15	27
65+	27	6.8	28	1	2	6	10	14	17	23
GRAND TOTAL	**371**	**6.0**	**18**	**1**	**2**	**6**	**8**	**10**	**12**	**25**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	7	3.1	8	<1	<1	2	5	8	8	8
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	165	5.9	3	4	4	6	7	8	9	13
20-34	576	5.8	3	4	4	6	6	8	9	12
35-49	202	6.7	6	4	4	6	7	9	10	16
50-64	112	8.1	8	5	5	8	9	12	14	18
65+	69	9.4	11	6	6	8	11	14	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	2	4	4	5	6	7	7	7
20-34	6	4.7	13	1	1	3	7	11	11	11
35-49	4	3.3	10	1	1	2	5	8	8	8
50-64	4	8.3	115	1	1	4	15	24	24	24
65+	5	11.6	74	2	2	15	18	21	21	21
B. *Operated*										
0-19 YRS	94	6.4	5	4	4	6	7	9	11	14
20-34	579	6.7	7	4	5	6	7	9	11	18
35-49	476	7.8	12	4	5	7	8	11	15	24
50-64	349	9.6	25	6	6	8	11	15	18	24
65+	251	12.9	54	7	7	11	15	22	24	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.0	5	<1	<1	2	4	6	8	8
B. *Operated*	1124	6.4	6	4	4	6	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	23	6.7	43	1	1	4	8	18	22	24
B. *Operated*	1749	8.4	23	4	5	7	9	14	17	25
1. SINGLE DX	1137	6.4	6	4	4	6	7	9	11	15
2. MULTIPLE DX	1772	8.4	23	4	5	7	9	14	17	25
A. NOT OPERATED	36	5.4	32	<1	1	3	7	15	20	24
B. OPERATED	2873	7.6	17	4	5	7	8	12	15	23
TOTAL 0-19 YRS	266	6.0	4	4	4	6	7	8	10	13
20-34	1168	6.2	5	4	4	6	7	8	10	16
35-49	684	7.4	11	4	5	7	8	10	13	22
50-64	466	9.2	22	5	6	8	10	14	17	24
65+	325	12.1	47	6	7	10	15	20	23	31
GRAND TOTAL	**2909**	**7.6**	**18**	**4**	**5**	**7**	**8**	**12**	**15**	**23**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	22	3.0	7	<1	<1	2	5	7	8	9
35-49	28	3.5	14	<1	1	2	4	6	8	21
50-64	11	2.7	6	1	1	2	2	7	8	8
65+	7	4.7	15	2	2	2	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	31	5.4	7	1	1	6	6	8	9	12
35-49	32	5.4	14	1	1	5	7	9	11	20
50-64	12	6.3	49	1	1	3	8	18	23	24
65+	10	5.8	27	2	2	3	7	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	13	<1	<1	3	6	6	6	6
B. *Operated*	72	3.3	10	<1	1	2	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*	88	5.5	17	1	1	5	7	9	14	22
1. SINGLE DX	74	3.3	10	<1	1	2	4	7	9	19
2. MULTIPLE DX	91	5.4	16	1	1	5	7	9	14	22
A. NOT OPERATED	5	3.0	4	<1	<1	2	4	6	6	6
B. OPERATED	160	4.5	15	1	1	3	6	8	11	21
TOTAL 0-19 YRS	8	2.4	2	<1	<1	2	3	4	5	5
20-34	54	4.4	8	<1	1	5	6	8	9	12
35-49	62	4.5	14	1	1	4	6	8	10	21
50-64	24	4.5	30	<1	1	2	7	10	18	24
65+	17	5.4	21	2	2	3	7	13	15	16
GRAND TOTAL	**165**	**4.4**	**14**	**1**	**1**	**3**	**6**	**8**	**11**	**21**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	32	2.4	2	1	1	2	3	4	5	8
35-49	17	3.2	2	1	2	3	5	5	6	6
50-64	14	2.6	5	1	1	2	3	5	8	9
65+	5	2.6		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	16	3.9	15	1	1	3	5	7	14	17
35-49	11	3.7	8	<1	1	3	5	8	11	11
50-64	17	5.7	26	2	2	4	7	15	18	19
65+	16	6.8	24	2	2	5	10	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	70	2.7	3	1	1	2	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	62	5.1	20	1	1	3	6	12	16	19
1. SINGLE DX	71	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	63	5.0	20	1	2	3	6	12	16	19
A. NOT OPERATED	2	4.5	13	2	2	4	7	7	7	7
B. OPERATED	132	3.8	12	1	1	3	4	8	12	18
TOTAL 0-19 YRS	5	2.4	2	<1	<1	2	4	4	4	4
20-34	48	2.9	7	1	1	2	4	5	7	17
35-49	29	3.6	5	1	2	3	5	6	7	11
50-64	31	4.3	18	1	1	3	5	9	17	19
65+	21	5.8	21	2	2	3	9	13	15	16
GRAND TOTAL	**134**	**3.8**	**12**	**1**	**1**	**3**	**4**	**8**	**12**	**18**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	13	2.6	4	<1	<1	2	3	6	8	8
35-49	19	5.1	25	<1	1	3	7	14	17	18
50-64	42	4.0	14	<1	1	2	5	11	12	15
65+	56	3.6	15	1	2	2	4	5	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65+	6	5.2	17	2	2	4	6	12	13	13
B. *Operated*										
0-19 YRS	5	5.8	66	<1	<1	2	9	20	20	20
20-34	10	3.3	6	<1	<1	3	4	7	8	8
35-49	20	6.9	80	<1	1	3	9	15	28	40
50-64	31	8.3	91	1	2	4	10	20	23	47
65+	94	6.3	58	1	1	3	7	14	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*	133	3.8	15	<1	1	2	4	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	8	5.1	13	2	2	4	6	11	13	13
B. *Operated*	160	6.5	64	1	1	3	8	15	22	40
1. SINGLE DX	135	3.8	15	<1	1	2	4	9	12	21
2. MULTIPLE DX	168	6.5	62	1	1	3	8	15	21	40
A. NOT OPERATED	10	4.8	12	1	1	4	6	10	13	13
B. OPERATED	293	5.3	43	1	1	3	6	12	19	37
TOTAL 0-19 YRS	8	4.3	42	<1	<1	2	4	15	20	20
20-34	23	2.9	5	<1	<1	2	4	7	8	8
35-49	40	6.0	51	<1	1	3	8	15	17	40
50-64	74	5.8	50	1	1	3	8	14	19	41
65+	158	5.3	42	1	1	3	5	12	20	33
GRAND TOTAL	**303**	**5.3**	**42**	**1**	**1**	**3**	**6**	**12**	**18**	**36**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	21	1.8	2	<1	<1	1	2	3	5	7
20-34	5	2.4	4	<1	<1	2	3	6	6	6
35-49	4	5.8	39	2	2	3	9	15	15	15
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+	2	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	9.3	124	<1	<1	5	18	22	22	22
50-64	2	6.5	41	2	2	6	11	11	11	11
65+	4	3.8	2	2	2	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	39	2.2	6	<1	<1	2	2	4	7	15
2. MULTIPLE DX										
A. *Not Operated*	4	3.5	8	<1	<1	3	6	6	6	6
B. *Operated*	15	4.6	29	<1	1	3	5	11	19	22
1. SINGLE DX	39	2.2	6	<1	<1	2	2	4	7	15
2. MULTIPLE DX	19	4.4	24	<1	<1	3	5	9	17	22
A. NOT OPERATED	4	3.5	8	<1	<1	3	6	6	6	6
B. OPERATED	54	2.9	13	<1	<1	2	3	5	10	22
TOTAL 0-19 YRS	27	1.8	2	<1	<1	1	2	3	4	7
20-34	7	2.1	3	<1	<1	2	2	5	6	6
35-49	7	7.3	65	<1	<1	4	12	21	22	22
50-64	8	2.6	12	<1	<1	1	2	8	11	11
65+	9	3.7	3	1	1	4	5	6	6	6
GRAND TOTAL	**58**	**2.9**	**13**	**<1**	**<1**	**2**	**3**	**6**	**9**	**21**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.6	18	1	1	2	5	11	11	11
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64	18	2.2	2	<1	<1	2	2	5	6	6
65+	17	4.5	27	<1	1	3	5	14	18	19
B. *Operated*										
0-19 YRS	14	12.4	94	1	3	12	14	19	37	42
20-34	44	13.6	68	2	4	12	17	22	28	42
35-49	93	10.8	44	2	3	9	14	20	26	29
50-64	155	13.6	79	2	3	12	17	26	30	45
65+	79	17.9	139	3	5	16	22	35	42	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	10	3.8	12	1	1	3	5	9	12	12
35-49	17	5.9	18	1	2	4	8	14	15	15
50-64	27	7.6	61	1	1	5	9	25	39	99+
65+	92	10.7	99	2	3	8	13	23	28	57
B. *Operated*										
0-19 YRS	10	16.5	181	2	3	14	21	36	49	49
20-34	29	19.2	270	3	3	14	25	54	68	99+
35-49	47	19.6	305	3	5	15	23	48	67	99+
50-64	166	22.1	281	4	7	17	30	46	60	99+
65+	150	28.1	333	6	9	26	37	58	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.2	13	<1	1	2	4	6	11	19
B. *Operated*	385	13.8	87	2	3	12	17	26	31	50
2. MULTIPLE DX										
A. *Not Operated*	148	9.0	81	1	2	6	11	20	27	76
B. *Operated*	402	23.7	310	3	7	19	31	52	69	99+
1. SINGLE DX	433	12.6	90	2	2	11	16	24	30	47
2. MULTIPLE DX	550	19.8	291	3	3	15	28	45	61	99+
A. NOT OPERATED	196	7.6	70	1	1	5	10	18	26	55
B. OPERATED	787	18.9	226	3	5	15	25	39	55	98
TOTAL 0-19 YRS	26	13.2	128	1	2	12	16	24	43	49
20-34	88	13.8	150	1	2	11	19	25	42	87
35-49	165	12.4	138	2	2	10	15	25	30	90
50-64	366	16.5	199	2	3	13	21	34	47	98
65+	338	19.8	274	2	4	16	27	42	59	87
GRAND TOTAL	**983**	**16.6**	**215**	**2**	**3**	**13**	**22**	**36**	**51**	**93**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	42	3.8	2	1	2	4	5	6	7	7
20-34	359	3.9	2	2	3	4	4	5	6	10
35-49	351	4.0	2	2	3	4	5	5	7	11
50-64	298	4.4	5	3	3	4	5	6	7	12
65+	118	5.2	6	2	3	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	5	6.4	17	1	1	8	10	10	10	10
50-64	2	5.5	13	3	3	5	8	8	8	8
65+	5	11.4	239	3	3	5	14	39	39	39
B. *Operated*										
0-19 YRS	12	4.1	2	3	3	4	5	6	8	8
20-34	103	5.0	5	3	3	4	6	8	11	12
35-49	174	4.9	5	2	3	4	6	8	9	14
50-64	193	6.4	22	3	3	5	7	13	17	26
65+	135	8.4	50	3	3	6	9	15	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.7	4	1	1	4	5	7	7	7
B. *Operated*	1168	4.2	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	14	7.4	92	<1	1	4	8	13	33	39
B. *Operated*	617	6.1	22	3	3	5	7	10	14	27
1. SINGLE DX	1175	4.2	3	2	3	4	5	6	7	11
2. MULTIPLE DX	631	6.2	23	3	3	5	7	10	14	27
A. NOT OPERATED	21	6.1	64	<1	1	4	7	10	23	39
B. OPERATED	1785	4.9	11	2	3	4	5	8	10	20
TOTAL 0-19 YRS	54	3.9	2	1	2	4	5	6	7	8
20-34	464	4.1	3	2	3	4	5	6	7	11
35-49	532	4.3	4	2	3	4	5	6	8	12
50-64	496	5.2	12	3	3	4	5	8	11	23
65+	260	7.0	35	3	3	5	8	11	18	38
GRAND TOTAL	**1806**	**4.9**	**11**	**2**	**3**	**4**	**5**	**8**	**10**	**21**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	16	3.5	4	<1	1	3	5	5	8	9
35-49	11	5.1	18	<1	1	4	6	11	16	17
50-64	11	7.9	98	2	2	5	8	20	36	37
65+	2	25.5	221	15	15	25	36	36	36	36
B. *Operated*										
0-19 YRS	8	14.3	173	4	5	8	21	37	39	39
20-34	47	9.4	32	3	4	8	11	17	22	30
35-49	36	8.4	30	2	3	8	12	16	17	27
50-64	63	8.4	25	3	4	7	9	16	20	26
65+	30	10.3	40	2	5	8	14	20	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	22	6.4	13	2	3	5	8	12	14	16
35-49	10	6.7	10	3	3	6	9	11	13	13
50-64	17	8.0	39	2	3	6	11	13	22	27
65+	15	8.9	37	2	2	8	13	18	20	21
B. *Operated*										
0-19 YRS	5	9.4	3	7	7	9	10	12	12	12
20-34	56	11.7	91	3	5	10	12	22	29	55
35-49	66	12.3	91	4	5	10	15	25	37	44
50-64	129	13.8	169	3	4	9	17	30	43	77
65+	107	17.9	215	4	4	14	23	42	50	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	6.1	57	1	2	4	5	10	24	37
B. *Operated*	184	9.2	37	3	4	8	11	18	22	31
2. MULTIPLE DX										
A. *Not Operated*	65	7.4	25	2	3	6	10	13	17	26
B. *Operated*	363	14.4	159	4	4	10	18	31	43	69
1. SINGLE DX	227	8.6	42	2	3	7	10	17	22	36
2. MULTIPLE DX	428	13.3	145	3	4	9	17	28	42	67
A. NOT OPERATED	108	6.9	37	2	2	5	8	13	17	36
B. OPERATED	547	12.6	124	3	4	9	16	27	38	64
TOTAL 0-19 YRS	17	10.4	95	3	3	7	10	27	36	39
20-34	141	9.2	56	2	3	8	11	16	23	47
35-49	123	10.1	66	2	3	8	12	19	27	41
50-64	220	11.5	121	3	4	8	14	24	36	70
65+	154	15.7	177	3	4	11	19	33	46	67
GRAND TOTAL	**655**	**11.7**	**114**	**3**	**4**	**8**	**14**	**24**	**36**	**56**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	2.0	2	<1	<1	1	2	5	5	5
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	14	2.2	1	1	1	2	3	4	5	5
20-34	1004	4.0	6	1	1	3	6	7	8	11
35-49	400	4.8	7	1	1	5	7	8	9	12
50-64	94	5.0	9	1	2	5	7	10	10	12
65+	37	5.2	16	2	2	3	7	9	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	1.8	2	<1	<1	1	2	5	5	5
35-49	3	10.0	193	1	1	3	20	26	26	26
50-64	3	3.0	12	<1	<1	<1	5	7	7	7
65+										
B. *Operated*										
0-19 YRS	9	3.0	4	<1	<1	3	4	6	6	6
20-34	752	5.3	11	1	2	5	7	9	11	19
35-49	483	6.6	16	2	2	7	8	10	12	25
50-64	152	7.1	20	2	2	7	9	13	16	24
65+	82	8.5	48	2	2	8	11	13	19	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.7	4	<1	<1	2	5	6	6	6
B. *Operated*	1549	4.3	7	1	1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	23	3.0	28	<1	<1	1	3	6	14	26
B. *Operated*	1478	6.1	17	1	2	6	8	10	12	21
1. SINGLE DX	1559	4.3	7	1	1	4	6	8	9	11
2. MULTIPLE DX	1501	6.1	17	1	2	6	8	10	12	22
A. NOT OPERATED	33	2.9	20	<1	<1	1	3	6	7	26
B. OPERATED	3027	5.2	13	1	2	5	7	9	10	17
TOTAL 0-19 YRS	24	2.7	3	<1	1	2	3	6	6	6
20-34	1779	4.6	9	1	1	4	6	8	9	14
35-49	888	5.8	13	1	2	6	7	9	11	17
50-64	250	6.3	17	1	2	6	8	11	13	21
65+	119	7.5	40	2	2	7	9	13	19	34
GRAND TOTAL	**3060**	**5.2**	**13**	**1**	**2**	**5**	**7**	**9**	**10**	**17**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49										
50-64	7	2.6	1	2	2	2	3	4	4	4
65+	4	6.3	43	2	2	3	10	16	16	16
B. *Operated*										
0-19 YRS	3	5.0	9	2	2	5	7	8	8	8
20-34	50	4.9	10	1	2	4	7	9	10	15
35-49	80	5.3	14	1	2	4	7	9	14	18
50-64	153	5.3	28	1	1	4	7	11	15	25
65+	184	5.4	22	1	1	4	8	11	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	6	3.2	7	1	1	2	4	8	8	8
65+	11	11.8	49	3	4	10	18	22	25	25
B. *Operated*										
0-19 YRS	3	6.7	65	2	2	2	13	16	16	16
20-34	36	6.8	19	1	2	6	8	13	15	18
35-49	130	8.3	51	1	2	6	10	18	23	36
50-64	220	8.0	46	2	2	7	10	16	21	31
65+	369	10.4	99	2	2	8	14	21	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.7	15	<1	1	3	4	7	14	16
B. *Operated*	470	5.3	21	1	1	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	20	8.0	47	1	2	5	10	19	22	25
B. *Operated*	758	9.1	73	2	2	7	12	19	24	39
1. SINGLE DX	483	5.3	21	1	1	4	7	10	14	21
2. MULTIPLE DX	778	9.1	72	2	2	7	12	19	24	39
A. NOT OPERATED	33	6.3	38	1	2	4	8	17	19	25
B. OPERATED	1228	7.7	56	1	2	6	10	16	21	37
TOTAL 0-19 YRS	6	5.8	31	2	2	4	8	15	16	16
20-34	89	5.6	14	1	2	5	8	10	13	17
35-49	212	7.0	38	1	2	5	8	14	20	34
50-64	386	6.7	39	1	2	5	9	13	19	30
65+	568	8.8	78	1	2	6	11	19	24	39
GRAND TOTAL	**1261**	**7.6**	**56**	**1**	**2**	**6**	**10**	**16**	**21**	**36**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	4.0	9	<1	1	3	6	8	10	16
20-34	80	4.0	11	<1	1	3	5	7	10	21
35-49	75	4.1	6	1	1	4	6	7	9	12
50-64	99	5.4	18	1	1	5	7	11	14	21
65+	166	5.6	36	<1	1	4	6	11	17	34
B. *Operated*										
0-19 YRS	196	4.5	17	1	1	3	6	9	12	20
20-34	338	5.1	31	1	1	3	6	10	15	26
35-49	310	4.7	19	1	1	3	6	9	13	24
50-64	465	4.9	24	1	1	3	6	11	13	21
65+	474	6.0	39	1	2	4	8	13	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.5	11	<1	1	2	4	9	12	14
20-34	110	6.7	49	1	2	5	8	12	16	48
35-49	141	6.1	82	1	1	4	8	11	18	34
50-64	311	6.4	34	1	1	5	8	13	18	27
65+	634	8.8	83	1	2	6	11	20	27	43
B. *Operated*										
0-19 YRS	75	9.2	131	2	2	5	11	21	30	68
20-34	243	8.0	83	2	2	6	9	16	23	44
35-49	332	7.7	84	1	2	6	9	15	20	94
50-64	630	9.8	98	2	2	7	13	20	28	52
65+	1051	11.5	104	2	3	9	15	24	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	4.9	21	<1	1	4	6	9	12	24
B. *Operated*	1783	5.2	28	1	1	3	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	1255	7.4	67	1	1	5	9	16	22	40
B. *Operated*	2331	10.1	100	2	2	7	13	21	29	52
1. SINGLE DX	2256	5.1	26	1	1	3	6	11	14	25
2. MULTIPLE DX	3586	9.1	90	1	2	6	12	19	27	47
A. NOT OPERATED	1728	6.7	55	1	1	5	8	14	20	37
B. OPERATED	4114	7.9	75	1	2	5	10	17	24	43
TOTAL 0-19 YRS	383	5.2	41	1	1	3	7	10	15	30
20-34	771	6.1	50	1	2	4	7	12	18	34
35-49	858	6.0	55	1	1	4	8	12	17	33
50-64	1505	7.3	61	1	2	5	9	15	21	41
65+	2325	9.2	85	1	2	6	12	20	27	45
GRAND TOTAL	**5842**	**7.6**	**69**	**1**	**2**	**5**	**9**	**17**	**23**	**42**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.1	2	1	1	1	3	5	5	5
20-34	16	3.3	9	<1	<1	2	5	6	10	12
35-49	17	5.8	27	<1	1	4	7	11	18	22
50-64	24	4.8	12	1	1	4	6	11	13	14
65+	21	4.0	11	<1	<1	3	5	10	11	12
B. *Operated*										
0-19 YRS	32	3.8	2	2	2	4	4	6	7	7
20-34	267	4.1	2	2	3	4	5	6	6	10
35-49	323	4.4	3	2	3	4	5	6	7	11
50-64	285	4.6	5	3	3	4	5	6	8	15
65+	161	5.0	5	2	3	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.4	4	1	1	3	4	6	8	8
20-34	37	4.5	15	<1	1	3	6	7	11	22
35-49	60	5.4	14	<1	1	4	8	11	13	16
50-64	74	6.1	27	1	2	5	7	13	14	32
65+	87	6.8	24	2	2	6	9	11	16	29
B. *Operated*										
0-19 YRS	11	4.0	2	2	2	4	4	6	8	8
20-34	76	5.4	14	3	3	4	6	8	10	27
35-49	166	6.0	13	2	3	5	7	11	12	23
50-64	270	7.5	23	3	4	6	9	14	17	24
65+	232	9.0	54	3	4	7	11	16	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.3	14	<1	1	3	5	10	12	19
B. *Operated*	1068	4.5	4	2	3	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	268	5.9	22	1	2	5	8	11	14	27
B. *Operated*	755	7.4	31	3	3	5	9	14	17	29
1. SINGLE DX	1155	4.5	4	2	3	4	5	6	8	13
2. MULTIPLE DX	1023	7.0	29	2	3	5	8	13	16	28
A. NOT OPERATED	355	5.5	20	1	1	4	7	11	14	22
B. OPERATED	1823	5.7	17	3	3	5	6	10	13	23
TOTAL 0-19 YRS	62	3.5	3	1	1	3	4	6	7	8
20-34	396	4.4	6	2	2	4	5	6	8	13
35-49	566	5.0	8	2	3	4	5	9	11	16
50-64	653	6.0	17	2	3	5	7	11	15	23
65+	501	7.1	34	2	3	5	8	14	16	30
GRAND TOTAL	**2178**	**5.6**	**17**	**2**	**3**	**4**	**6**	**10**	**13**	**23**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	4.8	11	1	1	4	7	9	11	17
20-34	219	5.5	19	1	2	5	7	10	13	29
35-49	166	5.5	13	1	2	5	8	10	12	19
50-64	143	5.1	12	<1	1	4	7	9	11	19
65+	88	6.9	24	<1	1	6	9	14	16	24
B. *Operated*										
0-19 YRS	50	4.9	9	3	3	4	5	8	9	20
20-34	243	5.2	9	2	3	5	6	8	11	18
35-49	189	4.6	5	2	3	4	5	6	8	14
50-64	158	5.2	9	3	3	5	6	7	11	20
65+	60	5.8	7	3	3	5	7	9	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	5.5	15	2	2	4	6	11	14	20
20-34	297	6.8	20	1	2	6	9	11	14	22
35-49	436	7.2	21	2	3	6	9	13	17	24
50-64	558	8.1	34	2	3	7	10	15	20	29
65+	815	10.3	48	3	3	9	13	19	23	35
B. *Operated*										
0-19 YRS	19	8.4	53	2	3	6	9	18	26	33
20-34	122	8.5	116	3	3	6	9	16	19	78
35-49	169	8.1	48	2	3	6	10	16	20	40
50-64	203	8.8	54	2	3	6	12	19	24	36
65+	174	13.3	158	3	4	10	18	28	33	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	689	5.5	16	1	2	5	7	10	13	20
B. *Operated*	700	5.1	8	2	3	4	6	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	2196	8.4	36	2	3	7	11	16	21	30
B. *Operated*	687	9.7	94	2	3	6	12	20	28	77
1. SINGLE DX	1389	5.3	12	1	2	5	6	9	11	19
2. MULTIPLE DX	2883	8.7	50	2	3	7	11	17	22	34
A. NOT OPERATED	2885	7.7	33	2	3	6	10	15	19	29
B. OPERATED	1387	7.4	56	2	3	5	8	14	20	38
TOTAL 0-19 YRS	232	5.4	16	1	2	4	7	10	14	20
20-34	881	6.3	31	2	2	5	7	10	14	26
35-49	960	6.6	23	2	3	5	8	12	16	25
50-64	1062	7.4	33	2	3	6	9	14	19	29
65+	1137	10.3	64	3	3	8	13	20	25	42
GRAND TOTAL	**4272**	**7.6**	**40**	**2**	**3**	**6**	**9**	**15**	**20**	**31**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	681	6.5	16	2	2	6	8	11	13	19
20-34	520	5.9	13	2	2	5	7	10	12	18
35-49	537	6.3	14	1	3	6	8	10	12	21
50-64	876	6.7	16	1	3	6	8	12	14	19
65+	686	6.8	33	<1	<1	6	9	13	16	23
B. *Operated*										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	6	4.3	6	<1	<1	4	6	8	8	8
35-49	9	11.1	77	2	3	11	13	24	32	32
50-64	23	9.2	66	1	2	8	10	15	25	42
65+	17	9.7	29	3	5	8	13	16	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	378	6.6	34	1	2	5	9	12	15	28
20-34	913	6.7	23	1	2	6	8	12	15	25
35-49	1930	7.8	31	2	3	7	10	13	17	29
50-64	4282	8.3	31	3	3	7	10	15	18	28
65+	5590	9.3	42	3	3	8	12	16	21	33
B. *Operated*										
0-19 YRS	18	11.2	53	3	4	9	17	22	26	28
20-34	108	12.8	130	2	3	10	15	24	35	62
35-49	299	12.8	97	3	4	11	16	23	31	65
50-64	728	13.9	101	4	5	11	17	27	35	55
65+	796	17.4	196	3	5	14	21	34	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3300	6.5	19	<1	2	6	8	11	14	20
B. *Operated*	57	9.2	50	2	2	8	12	16	21	41
2. MULTIPLE DX										
A. *Not Operated*	13093	8.5	36	2	3	7	10	15	19	30
B. *Operated*	1949	15.1	144	3	5	12	18	29	39	67
1. SINGLE DX	3357	6.5	19	<1	2	6	8	11	14	20
2. MULTIPLE DX	15042	9.3	55	2	3	8	11	17	22	39
A. NOT OPERATED	16393	8.1	33	2	3	7	10	14	18	29
B. OPERATED	2006	14.9	142	3	5	12	18	28	38	67
TOTAL 0-19 YRS	1079	6.6	23	1	2	6	9	11	14	23
20-34	1547	6.8	30	1	2	5	8	12	15	28
35-49	2775	8.1	38	2	3	7	10	14	18	32
50-64	5909	8.7	41	2	3	7	11	15	20	35
65+	7089	10.0	66	2	3	8	12	18	24	43
GRAND TOTAL	**18399**	**8.8**	**50**	**2**	**3**	**7**	**11**	**16**	**21**	**37**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	930	5.4	17	1	2	4	7	10	12	20
20-34	605	5.3	15	1	2	4	7	10	12	21
35-49	196	7.0	33	2	3	6	9	13	16	21
50-64	137	8.1	16	2	4	8	10	14	16	18
65+	91	8.3	16	2	3	8	11	13	15	21
B. *Operated*										
0-19 YRS	7	8.1	11	3	3	10	11	11	11	11
20-34	8	10.1	40	5	5	8	13	21	23	23
35-49	4	13.3	4	12	12	13	14	16	16	16
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	29.0	882	8	8	29	50	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	641	5.9	18	2	2	5	8	11	14	21
20-34	836	6.9	36	2	2	5	9	12	16	34
35-49	488	9.4	48	3	3	8	12	16	20	35
50-64	588	10.4	63	3	4	9	13	18	24	44
65+	686	12.4	66	3	5	10	15	22	28	44
B. *Operated*										
0-19 YRS	19	10.4	18	5	5	9	14	16	17	17
20-34	93	15.9	199	5	6	11	18	32	48	77
35-49	74	19.1	246	6	7	13	24	39	57	99+
50-64	93	23.1	300	7	8	17	29	48	61	96
65+	95	25.2	210	8	10	22	32	48	59	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1959	5.9	19	1	2	5	8	11	13	20
B. *Operated*	22	11.6	94	4	5	10	12	18	34	50
2. MULTIPLE DX										
A. *Not Operated*	3239	8.9	51	2	3	7	11	16	21	38
B. *Operated*	374	20.4	243	5	7	16	27	42	56	97
1. SINGLE DX	1981	5.9	20	1	2	5	8	11	13	20
2. MULTIPLE DX	3613	10.1	83	2	3	8	12	19	27	50
A. NOT OPERATED	5198	7.7	41	2	2	6	10	14	18	34
B. OPERATED	396	19.9	239	5	7	15	26	41	55	96
TOTAL 0-19 YRS	1597	5.6	18	1	2	5	7	11	13	20
20-34	1542	6.8	44	2	2	5	8	12	16	34
35-49	762	9.7	73	3	3	8	12	18	23	49
50-64	819	11.5	100	3	4	9	14	20	28	55
65+	874	13.4	96	3	5	11	16	25	34	54
GRAND TOTAL	**5594**	**8.6**	**65**	**2**	**2**	**7**	**11**	**16**	**22**	**44**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	506	6.4	18	2	2	6	8	10	13	24
20-34	643	6.4	18	2	2	6	8	11	14	21
35-49	806	6.9	14	2	3	6	9	12	14	20
50-64	1101	7.5	20	3	3	7	9	12	15	23
65+	841	7.7	18	3	3	7	10	12	16	23
B. *Operated*										
0-19 YRS	7	8.7	31	4	4	7	11	18	20	20
20-34	17	6.3	21	2	2	4	9	14	16	16
35-49	14	10.2	69	2	4	8	11	25	30	31
50-64	60	8.9	50	2	2	7	13	19	22	31
65+	59	9.6	116	2	2	4	17	22	29	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	438	6.6	34	2	2	5	8	12	15	24
20-34	1663	7.7	33	2	3	6	9	14	18	33
35-49	3400	8.3	27	3	3	7	10	14	18	28
50-64	7251	9.1	35	3	4	8	11	16	20	31
65+	8278	10.1	46	3	4	8	12	18	22	35
B. *Operated*										
0-19 YRS	28	10.7	99	2	3	9	13	19	27	53
20-34	480	12.1	126	2	3	9	15	24	36	64
35-49	934	14.9	163	3	4	11	18	30	40	69
50-64	2031	16.6	191	3	4	13	21	35	48	81
65+	2582	19.9	268	3	4	16	26	42	56	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3897	7.1	18	2	3	6	9	12	14	22
B. *Operated*	157	9.0	72	2	2	6	13	20	23	40
2. MULTIPLE DX										
A. *Not Operated*	21030	9.2	39	3	4	8	11	16	20	32
B. *Operated*	6055	17.3	220	3	4	13	22	37	50	83
1. SINGLE DX	4054	7.2	20	2	3	6	9	12	15	23
2. MULTIPLE DX	27085	11.0	91	3	4	8	13	21	28	54
A. NOT OPERATED	24927	8.9	36	3	4	8	11	15	20	31
B. OPERATED	6212	17.1	218	3	4	13	22	37	50	83
TOTAL 0-19 YRS	979	6.6	28	2	2	6	8	11	15	25
20-34	2803	8.1	49	2	3	7	10	15	20	38
35-49	5154	9.3	57	3	3	8	11	17	23	40
50-64	10443	10.4	73	3	4	8	12	19	26	50
65+	11760	12.1	110	3	4	9	14	23	31	60
GRAND TOTAL	**31139**	**10.5**	**83**	**3**	**4**	**8**	**12**	**20**	**27**	**52**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	3	<1	<1	3	4	5	6	6
20-34	26	3.3	8	<1	<1	2	4	7	9	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	42	3.5	5	1	1	3	5	7	8	9
20-34	230	4.2	7	<1	1	4	6	7	8	11
35-49	22	3.1	5	<1	<1	2	3	7	8	9
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	5	2	2	5	6	8	8	8
20-34	45	4.2	6	1	1	4	5	8	10	11
35-49	6	5.5	38	1	1	2	10	15	16	16
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	48	5.6	12	1	2	5	8	10	12	15
20-34	412	5.5	12	1	2	5	7	9	12	18
35-49	54	6.1	13	1	2	6	8	10	13	19
50-64	6	4.5	16	1	1	3	5	11	12	12
65+	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.1	6	<1	<1	2	4	7	8	12
B. *Operated*	295	4.0	6	<1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	63	4.3	8	1	2	3	5	8	10	15
B. *Operated*	521	5.6	12	1	2	6	7	9	12	18
1. SINGLE DX	330	3.9	6	<1	1	3	6	7	8	11
2. MULTIPLE DX	584	5.4	12	1	2	5	7	9	12	17
A. NOT OPERATED	98	3.9	8	<1	1	3	5	8	10	14
B. OPERATED	816	5.0	10	1	1	5	7	9	11	17
TOTAL 0-19 YRS	105	4.5	9	1	1	4	6	8	10	15
20-34	713	4.9	10	1	1	5	7	8	10	17
35-49	83	5.2	14	1	1	5	7	9	12	18
50-64	9	3.9	11	1	1	3	4	9	12	12
65+	4	5.5	20	2	2	4	8	12	12	12
GRAND TOTAL	**914**	**4.9**	**10**	**1**	**1**	**5**	**7**	**9**	**10**	**16**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	3.5	13	1	1	3	4	7	9	22
20-34	265	4.9	23	1	1	4	6	8	13	30
35-49	188	5.6	42	1	1	4	7	10	20	36
50-64	164	5.0	21	1	1	4	6	10	12	26
65+	144	5.0	16	1	1	4	6	10	12	21
B. *Operated*										
0-19 YRS	23	5.1	10	1	2	4	7	10	11	12
20-34	41	6.5	33	1	2	5	10	12	16	30
35-49	27	5.6	19	1	1	5	9	12	13	16
50-64	39	6.2	9	2	3	6	9	10	12	13
65+	24	13.5	158	3	4	10	18	26	38	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	336	4.4	24	1	1	3	5	8	11	31
20-34	593	5.7	26	1	1	4	7	11	16	28
35-49	661	6.4	26	1	2	5	8	12	15	25
50-64	878	7.0	48	1	2	5	9	13	17	34
65+	1700	8.3	46	2	2	6	11	16	21	34
B. *Operated*										
0-19 YRS	29	7.7	63	1	2	6	8	15	22	42
20-34	99	10.6	108	1	2	8	14	23	35	78
35-49	137	10.9	89	2	3	8	13	23	31	50
50-64	210	12.0	152	2	3	9	14	24	31	91
65+	209	16.4	175	4	5	12	22	32	46	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1006	4.7	23	1	1	3	6	8	12	26
B. *Operated*	154	7.1	47	1	2	5	9	13	18	30
2. MULTIPLE DX										
A. *Not Operated*	4168	7.0	40	1	2	5	9	14	18	32
B. *Operated*	684	12.7	142	2	3	9	15	27	36	60
1. SINGLE DX	1160	5.1	27	1	1	4	6	10	13	28
2. MULTIPLE DX	4852	7.8	59	1	2	6	10	15	22	38
A. NOT OPERATED	5174	6.6	38	1	2	5	8	13	17	31
B. OPERATED	838	11.7	129	2	3	8	14	25	33	59
TOTAL 0-19 YRS	633	4.2	22	1	1	3	5	8	11	28
20-34	998	6.0	36	1	1	4	7	12	18	34
35-49	1013	6.8	40	1	2	5	8	13	19	33
50-64	1291	7.5	64	1	2	6	9	14	20	37
65+	2077	8.9	66	2	2	7	11	18	24	43
GRAND TOTAL	**6012**	**7.3**	**54**	**1**	**2**	**5**	**9**	**15**	**21**	**36**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	5.5	12	2	2	5	6	11	14	15
20-34	10	10.9	141	<1	<1	4	22	30	30	30
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64	8	7.4	31	<1	<1	7	10	16	18	18
65+	57	5.6	56	<1	<1	4	7	11	16	42
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	13.0		13	13	13	13	13	13	13
50-64	3	4.3	10	2	2	3	7	8	8	8
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	7.4	29	1	2	6	11	15	17	26
20-34	32	9.7	76	3	3	7	10	25	31	35
35-49	68	12.6	83	2	3	10	18	28	30	42
50-64	130	12.9	119	2	3	10	16	22	35	54
65+	601	13.3	101	3	4	10	17	25	34	50
B. *Operated*										
0-19 YRS	12	10.8	67	1	2	10	15	22	28	29
20-34	16	16.1	234	4	5	9	18	35	54	62
35-49	25	24.6	297	5	7	19	34	49	60	65
50-64	41	23.5	360	5	7	20	26	43	68	97
65+	151	21.2	210	6	7	17	29	42	51	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	6.3	54	<1	<1	5	8	13	21	39
B. *Operated*	9	6.0	14	2	2	5	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	900	12.6	98	3	4	10	16	25	32	49
B. *Operated*	245	21.1	244	4	6	17	29	43	53	79
1. SINGLE DX	106	6.3	50	<1	<1	5	8	13	19	39
2. MULTIPLE DX	1145	14.4	141	3	4	11	18	29	39	63
A. NOT OPERATED	997	12.0	97	2	3	9	15	24	31	49
B. OPERATED	254	20.6	244	4	6	16	28	42	52	78
TOTAL 0-19 YRS	103	7.4	31	1	2	6	11	15	18	28
20-34	59	11.6	131	2	3	8	14	30	34	60
35-49	96	15.6	163	2	4	11	19	32	43	62
50-64	182	14.9	189	2	4	11	19	29	43	73
65+	811	14.2	133	3	4	11	18	29	38	58
GRAND TOTAL	**1251**	**13.7**	**139**	**2**	**3**	**10**	**17**	**29**	**37**	**62**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	8.7	31	<1	<1	9	12	14	18	23
20-34	49	8.3	51	<1	<1	9	12	19	20	32
35-49	2	7.5	85	1	1	7	14	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	4	6.0	27	1	1	10	33	99+	99+	99+
20-34	4	6.8	50	2	2	4	11	17	17	17
35-49	4	3.5	1	3	3	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	10.3	77	<1	1	10	13	19	22	48
20-34	87	8.9	60	<1	<1	8	14	21	25	30
35-49	6	8.7	15	5	5	8	10	15	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	14	13.1	104	2	2	11	22	28	30	31
20-34	6	24.5	693	5	6	16	20	71	77	77
35-49	4	8.3	36	3	3	7	13	16	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	8.6	36	<1	<1	9	12	15	19	28
B. *Operated*	12	5.4	24	1	2	3	10	34	87	99+
2. MULTIPLE DX										
A. *Not Operated*	265	9.8	70	<1	<1	9	13	19	22	47
B. *Operated*	24	15.2	248	2	2	12	20	28	45	77
1. SINGLE DX	199	8.4	35	<1	<1	9	12	15	19	33
2. MULTIPLE DX	289	10.3	86	<1	<1	9	14	20	25	48
A. NOT OPERATED	452	9.3	56	<1	<1	9	13	18	21	34
B. OPERATED	36	11.9	192	2	2	9	16	28	61	99+
TOTAL 0-19 YRS	326	9.7	59	<1	1	9	13	18	21	48
20-34	146	9.3	88	<1	<1	8	14	20	23	34
35-49	16	7.1	23	1	3	5	10	15	16	16
50-64										
65+										
GRAND TOTAL	**488**	**9.5**	**66**	**<1**	**<1**	**9**	**13**	**19**	**21**	**45**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.3	17	<1	<1	4	6	10	14	19
20-34	35	3.9	40	<1	<1	2	4	7	9	38
35-49	19	2.0	5	<1	<1	1	2	4	8	11
50-64	8	3.1	2	<1	<1	4	4	5	5	5
65+	4	6.5	50	2	2	3	10	17	17	17
B. *Operated*										
0-19 YRS	35	7.5	4	4	5	7	8	10	12	13
20-34	483	8.4	14	5	6	8	9	11	13	19
35-49	303	9.1	19	5	6	8	10	12	14	27
50-64	36	9.6	9	6	7	9	11	13	13	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	4.2	17	1	1	3	5	6	11	24
20-34	100	5.4	21	1	1	4	8	11	12	26
35-49	159	5.7	27	1	1	4	8	11	17	27
50-64	149	8.4	55	2	2	6	11	15	24	43
65+	54	8.1	31	1	3	7	11	15	18	27
B. *Operated*										
0-19 YRS	15	7.1	8	2	4	7	9	12	12	12
20-34	696	10.0	52	5	5	8	11	15	20	55
35-49	825	10.3	42	5	6	9	11	15	19	42
50-64	213	9.9	23	4	5	9	12	16	20	33
65+	16	13.4	48	6	7	11	18	20	28	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.9	23	<1	<1	2	4	8	11	29
B. *Operated*	857	8.7	15	5	6	8	10	12	13	21
2. MULTIPLE DX										
A. *Not Operated*	496	6.6	36	1	1	5	9	14	17	32
B. *Operated*	1765	10.1	43	5	6	9	11	15	20	46
1. SINGLE DX	954	8.2	18	2	5	8	9	12	13	21
2. MULTIPLE DX	2261	9.4	44	2	4	8	11	15	19	42
A. NOT OPERATED	593	6.2	35	<1	1	4	8	12	17	32
B. OPERATED	2622	9.6	35	5	6	8	11	14	18	39
TOTAL 0-19 YRS	115	5.7	14	1	2	5	8	9	12	21
20-34	1314	8.9	38	3	5	8	10	13	17	41
35-49	1306	9.3	37	2	5	8	11	14	18	38
50-64	406	9.2	34	2	3	8	11	15	20	35
65+	74	9.2	40	2	3	8	14	18	20	31
GRAND TOTAL	**3215**	**9.0**	**36**	**2**	**4**	**8**	**10**	**14**	**18**	**38**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	3.5	11	<1	<1	3	4	8	11	16
20-34	108	4.9	27	1	1	4	6	9	11	36
35-49	74	4.8	9	1	2	4	6	10	11	14
50-64	67	5.0	11	<1	1	5	7	10	11	15
65+	71	6.1	38	1	2	5	7	10	15	40
B. *Operated*										
0-19 YRS	43	5.2	24	1	1	4	6	11	12	28
20-34	84	6.2	14	1	2	5	9	11	13	20
35-49	90	6.1	16	1	2	5	8	11	14	20
50-64	67	6.4	19	2	2	5	9	13	15	19
65+	44	7.6	100	1	1	4	8	16	34	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	5.6	30	1	1	4	7	11	15	33
20-34	197	6.1	24	2	2	5	8	11	16	26
35-49	294	7.0	35	1	2	6	9	12	17	33
50-64	372	7.7	43	2	2	6	10	15	20	36
65+	475	9.7	67	2	2	8	13	19	25	37
B. *Operated*										
0-19 YRS	46	8.7	83	1	2	7	9	13	41	99+
20-34	186	9.2	54	2	3	8	11	16	24	34
35-49	270	9.5	102	2	2	8	11	16	21	66
50-64	275	10.2	102	1	2	7	13	21	26	58
65+	240	13.5	137	2	3	10	16	28	39	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	4.6	19	<1	1	4	6	9	11	19
B. *Operated*	328	6.3	29	1	2	5	8	12	15	29
2. MULTIPLE DX										
A. *Not Operated*	1538	7.7	47	2	2	6	9	16	21	35
B. *Operated*	1017	10.5	103	2	2	8	12	20	29	59
1. SINGLE DX	833	5.2	23	<1	1	4	7	10	13	21
2. MULTIPLE DX	2555	8.8	71	2	2	7	11	17	24	44
A. NOT OPERATED	2043	6.9	42	1	2	5	9	14	19	33
B. OPERATED	1345	9.5	88	2	2	7	11	18	26	54
TOTAL 0-19 YRS	474	5.0	29	<1	1	4	6	10	14	38
20-34	575	6.9	35	1	2	5	9	12	17	29
35-49	728	7.6	57	2	2	6	9	13	18	39
50-64	781	8.3	62	1	2	6	10	17	22	44
65+	830	10.3	91	2	2	8	13	21	28	49
GRAND TOTAL	**3388**	**7.9**	**62**	**1**	**2**	**6**	**10**	**16**	**21**	**41**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	28	3.6	4	<1	1	3	5	6	8	9
35-49	50	4.8	10	<1	1	4	6	9	10	15
50-64	75	4.3	6	<1	1	4	6	7	9	12
65+	79	5.0	17	<1	<1	4	6	12	14	16
B *Operated*										
0-19 YRS										
20-34	3	2.3		2	2	2	3	3	3	3
35-49	15	6.2	25	<1	2	4	10	13	16	17
50-64	12	4.3	12	2	2	3	5	9	13	14
65+	15	8.1	43	1	2	6	13	19	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	4	3	3	4	6	7	7	7
20-34	30	5.9	30	2	2	4	5	12	16	29
35-49	123	6.1	23	1	2	5	8	10	13	27
50-64	283	7.0	28	2	3	6	9	12	15	29
65+	530	8.0	37	2	3	6	10	15	20	30
B. *Operated*										
0-19 YRS										
20-34	4	11.5	154	4	4	6	18	30	30	30
35-49	13	6.2	8	1	2	6	9	9	10	10
50-64	55	10.5	160	2	3	7	13	19	22	90
65+	92	14.6	166	2	3	11	18	33	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	4.6	11	<1	1	4	6	9	12	15
B. *Operated*	45	6.1	28	1	2	4	10	14	17	21
2. MULTIPLE DX										
A. *Not Operated*	970	7.4	32	2	3	6	9	14	18	29
B. *Operated*	164	12.5	156	2	3	9	15	25	37	74
1. SINGLE DX	278	4.8	14	<1	1	4	6	10	13	17
2. MULTIPLE DX	1134	8.1	53	2	3	6	10	15	21	38
A. NOT OPERATED	1203	6.8	29	2	2	5	9	13	16	29
B. OPERATED	209	11.1	136	2	2	8	14	23	33	60
TOTAL 0-19 YRS	5	4.2	3	3	3	3	5	7	7	7
20-34	65	5.1	27	1	2	4	5	9	15	30
35-49	201	5.8	19	1	2	5	7	10	13	21
50-64	425	6.9	43	2	2	5	9	12	15	28
65+	716	8.5	58	2	2	6	10	16	23	40
GRAND TOTAL	**1412**	**7.5**	**47**	**2**	**2**	**6**	**9**	**14**	**19**	**37**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	3.6	13	1	1	3	4	6	9	21
20-34	74	3.3	13	1	1	3	4	6	7	25
35-49	72	4.6	19	1	1	3	6	9	12	26
50-64	97	4.9	23	<1	1	4	6	8	12	28
65+	290	6.6	35	2	2	5	8	12	17	27
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	5	11.2	60	4	4	7	19	21	21	21
50-64	6	11.8	140	2	2	9	11	33	35	35
65+	9	11.1	24	5	5	9	16	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1060	4.1	10	1	2	3	5	7	10	15
20-34	614	4.8	16	1	2	4	6	9	12	22
35-49	751	6.3	42	1	2	4	8	12	18	35
50-64	1661	7.3	32	2	2	6	9	14	18	30
65+	6876	10.1	56	3	3	8	13	19	24	37
B. *Operated*										
0-19 YRS	28	11.7	96	2	3	8	17	27	33	38
20-34	67	11.2	128	2	2	9	14	21	29	69
35-49	93	13.6	167	1	2	10	17	30	37	65
50-64	208	13.4	158	2	2	10	18	28	33	67
65+	655	18.9	177	4	6	16	25	36	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	703	5.1	26	1	1	4	6	10	14	27
B. *Operated*	23	10.8	56	2	4	8	15	19	26	35
2. MULTIPLE DX										
A. *Not Operated*	10962	8.5	49	2	2	7	11	17	22	35
B. *Operated*	1051	16.7	175	2	4	13	22	33	43	71
1. SINGLE DX	726	5.3	28	1	1	4	6	10	15	28
2. MULTIPLE DX	12013	9.2	65	2	2	7	12	18	25	40
A. NOT OPERATED	11665	8.3	48	2	2	6	11	16	21	34
B. OPERATED	1074	16.5	174	2	4	13	22	33	43	70
TOTAL 0-19 YRS	1259	4.2	13	1	1	3	5	7	10	21
20-34	757	5.2	29	1	1	4	6	10	14	25
35-49	921	6.9	58	1	2	4	8	15	20	41
50-64	1972	7.9	49	2	2	6	10	16	21	34
65+	7830	10.7	72	3	3	8	13	21	27	43
GRAND TOTAL	**12739**	**9.0**	**64**	**2**	**2**	**7**	**11**	**18**	**24**	**39**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	3.9	13	<1	<1	3	4	8	10	22
20-34	46	4.2	6	<1	2	4	6	8	8	11
35-49	90	4.4	6	<1	1	4	6	8	9	13
50-64	52	4.9	7	1	2	5	7	8	10	12
65+	193	5.0	15	1	1	4	7	11	13	17
B. *Operated*										
0-19 YRS	15	5.0	4	1	3	5	7	8	8	8
20-34	16	6.7	13	2	3	6	8	14	15	15
35-49	36	6.3	15	2	3	5	7	12	14	21
50-64	24	8.2	18	1	2	8	10	15	15	16
65+	56	9.3	37	3	4	8	12	14	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.6	8	1	2	4	6	9	10	15
20-34	150	6.4	34	2	2	5	8	11	13	29
35-49	300	5.9	15	2	2	5	8	11	13	18
50-64	496	7.0	23	2	2	6	9	13	17	25
65+	2148	8.2	42	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	27	10.1	68	3	4	8	13	18	22	44
20-34	68	6.5	14	2	2	6	8	12	14	19
35-49	208	8.9	30	2	3	8	12	16	19	27
50-64	289	11.6	68	4	4	9	14	21	26	43
65+	844	12.0	66	4	5	10	14	22	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	4.6	11	<1	1	4	6	9	11	16
B. *Operated*	147	7.6	25	2	3	7	9	14	15	30
2. MULTIPLE DX										
A. *Not Operated*	3250	7.5	35	2	2	6	9	14	18	30
B. *Operated*	1436	11.2	61	3	4	9	14	20	26	42
1. SINGLE DX	616	5.3	16	1	1	4	7	10	13	18
2. MULTIPLE DX	4686	8.7	46	2	3	7	11	16	21	33
A. NOT OPERATED	3719	7.2	33	2	2	6	9	13	17	29
B. OPERATED	1583	10.8	59	3	4	9	13	19	26	42
TOTAL 0-19 YRS	286	4.9	18	1	2	4	6	9	11	18
20-34	280	6.1	24	2	2	5	7	11	13	27
35-49	634	6.7	21	2	2	6	8	13	15	24
50-64	861	8.4	42	2	3	7	10	16	20	34
65+	3241	9.0	50	2	3	7	11	17	22	35
GRAND TOTAL	**5302**	**8.3**	**44**	**2**	**3**	**7**	**10**	**15**	**20**	**33**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	435	4.7	13	1	2	4	6	9	10	15
20-34	658	6.6	27	1	2	6	8	12	15	25
35-49	82	6.1	12	1	2	5	8	11	13	18
50-64	9	3.1	13	<1	<1	2	3	9	12	12
65+	6	4.8	8	1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	16	12.3	81	2	3	12	15	20	33	39
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	326	6.7	26	1	2	5	9	13	17	26
20-34	620	8.7	41	2	3	7	11	16	20	31
35-49	141	10.8	108	2	3	9	13	18	22	54
50-64	21	7.0	15	2	2	7	8	13	15	15
65+	6	8.7	57	1	1	6	16	20	20	20
B. *Operated*										
0-19 YRS	19	11.0	56	4	5	9	13	21	29	34
20-34	67	13.5	101	3	3	11	19	26	35	46
35-49	13	18.8	244	3	5	11	34	44	47	48
50-64	10	13.3	94	1	5	12	13	26	39	39
65+	3	11.0	93	4	4	14	61	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1190	5.8	22	1	2	5	7	11	13	22
B. *Operated*	20	11.5	69	2	2	11	15	18	29	39
2. MULTIPLE DX										
A. *Not Operated*	1114	8.4	46	2	3	7	11	16	20	32
B. *Operated*	112	13.6	109	3	4	11	17	32	39	67
1. SINGLE DX	1210	5.9	23	1	2	5	8	11	14	23
2. MULTIPLE DX	1226	8.8	54	2	3	7	11	17	22	39
A. NOT OPERATED	2304	7.1	35	1	2	6	9	13	17	29
B. OPERATED	132	13.3	103	2	3	11	16	28	39	57
TOTAL 0-19 YRS	781	5.7	21	1	2	5	7	10	14	23
20-34	1361	8.0	40	2	2	6	10	15	19	34
35-49	238	9.6	90	2	3	7	12	16	22	50
50-64	41	7.8	44	<1	1	7	12	13	15	39
65+	15	7.6	43	1	1	6	12	22	77	99+
GRAND TOTAL	**2436**	**7.4**	**41**	**1**	**2**	**6**	**9**	**14**	**18**	**35**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	2.7	10	<1	<1	1	3	6	9	18
20-34	107	3.6	11	<1	<1	3	5	8	11	15
35-49	96	3.3	12	<1	<1	1	5	8	10	18
50-64	138	4.0	11	<1	1	3	6	9	10	15
65+	596	4.2	16	<1	1	3	6	9	11	20
B. *Operated*										
0-19 YRS	62	6.5	40	2	2	5	7	9	13	45
20-34	40	7.8	44	1	2	6	9	13	24	33
35-49	34	7.4	20	2	3	6	10	13	16	20
50-64	60	9.7	85	1	2	7	11	21	26	50
65+	154	9.2	47	2	3	8	12	17	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	4.9	53	1	1	3	6	9	12	30
20-34	220	5.8	29	1	2	4	7	12	14	26
35-49	331	6.2	33	1	1	4	8	13	17	31
50-64	801	6.2	32	1	1	5	8	13	17	28
65+	3583	7.4	44	1	2	6	10	15	20	32
B. *Operated*										
0-19 YRS	62	8.6	68	2	3	6	10	21	26	41
20-34	116	11.1	76	2	3	9	14	18	28	47
35-49	216	10.9	84	2	3	9	13	21	27	51
50-64	401	13.0	110	3	4	10	16	26	32	62
65+	1389	13.3	83	3	5	11	17	25	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	3.8	14	<1	<1	2	5	8	11	18
B. *Operated*	350	8.5	50	2	2	7	10	16	23	40
2. MULTIPLE DX										
A. *Not Operated*	5142	7.0	42	1	1	5	9	14	19	31
B. *Operated*	2184	12.8	88	3	4	10	16	24	31	50
1. SINGLE DX	1482	4.9	26	<1	1	3	7	10	14	27
2. MULTIPLE DX	7326	8.7	63	1	2	7	11	18	23	37
A. NOT OPERATED	6274	6.4	38	1	1	5	8	14	18	30
B. OPERATED	2534	12.2	85	3	4	10	15	23	30	49
TOTAL 0-19 YRS	526	4.7	41	<1	1	3	6	9	15	29
20-34	483	6.7	45	1	1	5	9	14	18	37
35-49	677	7.3	53	1	1	6	10	16	19	34
50-64	1400	8.1	65	1	1	6	10	17	23	39
65+	5722	8.6	59	1	2	7	11	18	23	37
GRAND TOTAL	**8808**	**8.1**	**58**	**1**	**1**	**6**	**11**	**17**	**22**	**36**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.6	7	<1	<1	3	5	6	8	14
20-34	9	5.1	19	1	1	3	9	12	12	12
35-49										
50-64	2	9.5	5	8	8	9	11	11	11	11
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	3.7	7	1	1	3	5	7	8	14
20-34	38	5.5	23	1	1	4	7	12	16	22
35-49	16	7.4	28	1	2	5	12	15	17	18
50-64	4	7.3	10	3	3	8	9	10	10	10
65+	4	15.0	47	10	10	12	19	25	25	25
B. *Operated*										
0-19 YRS	8	17.5	206	2	3	14	28	39	42	42
20-34	11	15.7	70	3	5	17	22	26	31	31
35-49	1	23.0		23	23	23	23	23	23	23
50-64	1	20.0		20	20	20	20	20	20	20
65+	1	16.0		16	16	16	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	4.2	10	<1	<1	3	5	9	11	14
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	127	5.2	20	1	1	4	7	11	15	23
B. *Operated*	22	16.9	105	3	4	17	22	32	37	42
1. SINGLE DX	46	4.1	10	<1	<1	3	5	9	11	14
2. MULTIPLE DX	149	6.9	50	1	1	4	9	17	22	33
A. NOT OPERATED	172	4.9	18	<1	1	4	6	10	14	21
B. OPERATED	23	16.3	109	2	3	17	22	31	36	42
TOTAL 0-19 YRS	107	4.7	33	<1	1	3	5	8	14	37
20-34	58	7.4	47	1	1	5	10	18	22	30
35-49	18	8.1	40	1	2	5	13	17	21	23
50-64	7	9.7	27	3	4	9	11	18	20	20
65+	5	15.2	36	10	10	14	18	25	25	25
GRAND TOTAL	**195**	**6.2**	**42**	**<1**	**1**	**4**	**8**	**15**	**21**	**32**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	298	4.1	13	1	1	3	5	7	10	18
20-34	69	4.5	22	<1	<1	3	5	10	12	29
35-49	101	3.1	24	1	1	1	4	6	8	30
50-64	71	4.1	14	<1	<1	3	5	9	12	19
65+	87	4.9	23	<1	1	3	7	10	13	27
B. *Operated*										
0-19 YRS	157	6.3	20	1	2	5	8	12	14	24
20-34	123	7.1	22	2	3	6	9	12	16	26
35-49	87	8.4	39	3	3	7	11	14	18	39
50-64	90	8.2	26	2	3	7	11	15	21	24
65+	82	9.0	28	2	3	8	12	17	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	311	4.3	10	1	1	3	5	8	10	16
20-34	186	5.7	17	1	1	5	7	10	14	21
35-49	231	6.1	21	1	2	5	8	12	15	24
50-64	435	6.9	33	1	2	5	9	14	17	31
65+	873	8.1	52	1	2	6	10	16	22	34
B. *Operated*										
0-19 YRS	92	7.5	67	2	2	6	8	12	19	54
20-34	177	10.2	69	2	4	8	12	19	27	51
35-49	193	12.1	80	3	4	10	16	23	31	48
50-64	371	12.8	90	3	3	10	17	26	35	48
65+	623	14.2	133	3	4	11	18	28	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	626	4.1	18	1	1	3	5	8	11	19
B. *Operated*	539	7.6	27	2	3	6	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	2036	6.8	36	1	2	5	9	14	17	31
B. *Operated*	1456	12.6	106	3	3	10	16	25	35	55
1. SINGLE DX	1165	5.7	25	1	1	4	7	11	14	24
2. MULTIPLE DX	3492	9.2	74	1	2	7	12	19	26	44
A. NOT OPERATED	2662	6.2	33	1	1	5	8	13	16	30
B. OPERATED	1995	11.3	90	2	3	9	14	23	29	49
TOTAL 0-19 YRS	858	4.9	20	1	1	4	6	9	12	21
20-34	555	7.3	40	1	2	6	9	14	19	36
35-49	612	7.8	53	1	1	6	10	16	21	38
50-64	967	9.1	62	1	2	7	11	20	25	42
65+	1665	10.3	89	1	2	8	13	21	28	48
GRAND TOTAL	**4657**	**8.4**	**64**	**1**	**2**	**6**	**10**	**17**	**24**	**42**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1465	2.3	2	1	1	2	3	4	5	8
20-34	241	2.3	2	1	1	2	3	4	5	7
35-49	32	2.7	3	1	1	2	4	5	7	9
50-64	10	3.0	4	1	1	3	5	6	6	6
65+	4	4.0	7	2	2	3	6	8	8	8
B. *Operated*										
0-19 YRS	527	4.2	4	2	2	4	5	6	7	12
20-34	168	4.8	5	2	3	4	5	7	11	13
35-49	20	6.0	19	2	2	4	6	14	16	17
50-64	10	4.2	2	2	2	4	5	6	6	6
65+	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	731	3.0	4	1	1	3	4	5	7	9
20-34	120	3.2	5	1	1	2	4	6	8	11
35-49	26	3.8	5	1	1	3	5	7	8	9
50-64	9	3.6	2	2	2	3	4	6	6	6
65+	7	4.0	1	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	236	5.2	8	2	3	5	6	8	10	19
20-34	94	5.7	11	3	3	5	6	9	14	19
35-49	19	8.6	34	3	4	7	10	16	23	27
50-64	10	6.1	5	4	4	6	7	9	11	11
65+	3	9.0	91	3	3	4	16	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1752	2.3	2	1	1	2	3	4	5	8
B. *Operated*	727	4.4	5	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	893	3.1	4	1	1	3	4	6	7	9
B. *Operated*	362	5.6	11	2	3	5	6	9	12	21
1. SINGLE DX	2479	2.9	4	1	1	3	4	5	6	10
2. MULTIPLE DX	1255	3.8	7	1	1	3	5	7	8	14
A. NOT OPERATED	2645	2.6	3	1	1	2	3	5	6	8
B. OPERATED	1089	4.8	7	2	3	4	5	7	10	15
TOTAL 0-19 YRS	2959	3.1	4	1	1	3	4	5	7	10
20-34	623	3.7	6	1	1	3	5	6	8	13
35-49	97	4.8	18	1	1	4	6	9	13	23
50-64	39	4.2	4	1	1	4	6	6	8	11
65+	16	5.3	20	2	2	4	5	10	17	20
GRAND TOTAL	**3734**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	264	4.0	5	1	2	4	5	7	8	12
20-34	38	3.4	4	<1	1	3	5	6	7	8
35-49	14	3.6	5	<1	1	3	6	6	8	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	5	6.2	15	4	4	4	8	13	13	13
B. *Operated*										
0-19 YRS	148	3.7	11	1	1	2	5	8	10	16
20-34	101	3.3	5	1	1	3	4	7	8	11
35-49	69	3.5	9	1	1	3	4	7	10	16
50-64	27	4.9	16	1	2	4	5	11	12	19
65+	22	3.5	6	<1	1	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	4.7	8	1	2	4	6	8	10	14
20-34	42	4.6	10	<1	1	4	5	9	13	14
35-49	18	3.9	4	1	2	4	5	6	8	10
50-64	14	7.4	29	3	3	5	8	17	18	18
65+	15	8.4	46	1	2	6	11	17	24	26
B. *Operated*										
0-19 YRS	75	4.5	8	1	2	4	6	8	11	13
20-34	55	6.0	26	1	2	5	8	10	18	27
35-49	34	7.0	60	1	1	4	9	16	23	37
50-64	46	6.8	33	2	2	4	10	14	19	29
65+	38	11.4	111	2	2	8	16	24	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	4.0	5	1	2	4	5	7	8	12
B. *Operated*	367	3.7	9	1	1	3	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	272	5.0	12	1	2	4	6	9	12	17
B. *Operated*	248	6.7	44	1	2	4	8	14	21	29
1. SINGLE DX	689	3.8	7	1	1	3	5	7	9	14
2. MULTIPLE DX	520	5.8	28	1	2	4	7	11	15	27
A. NOT OPERATED	594	4.4	8	1	2	4	6	8	9	16
B. OPERATED	615	4.9	25	1	1	3	6	10	14	25
TOTAL 0-19 YRS	670	4.2	7	1	1	4	5	8	9	13
20-34	236	4.2	12	1	1	3	5	8	10	20
35-49	135	4.5	23	1	1	3	5	9	13	25
50-64	88	6.2	27	2	2	4	8	14	18	25
65+	80	8.4	74	1	2	5	11	21	25	46
GRAND TOTAL	**1209**	**4.6**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	7.9	133	1	1	5	7	24	40	41
20-34	46	13.0	170	<1	1	10	18	33	40	60
35-49	13	17.1	722	1	1	8	18	98	99+	99+
50-64	13	12.2	98	3	4	9	13	23	38	42
65+	34	12.0	117	1	2	7	18	32	35	38
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	28.0		28	28	28	28	28	28	28
50-64	1	13.0		13	13	13	13	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	10.3	142	1	1	6	14	27	40	44
20-34	46	12.3	114	1	2	10	17	27	32	50
35-49	45	11.4	101	1	2	9	14	25	35	42
50-64	61	13.0	217	2	3	9	14	28	51	79
65+	140	12.2	72	3	4	10	16	22	30	43
B. *Operated*										
0-19 YRS										
20-34	4	32.5	328	12	12	31	44	56	56	56
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	8	7.0	40	2	2	5	9	18	21	21
65+	10	14.4	125	4	4	10	20	33	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	12.6	200	1	2	8	16	34	41	99
B. *Operated*	3	15.0	147	4	4	13	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	307	12.1	114	2	3	9	15	25	34	51
B. *Operated*	23	14.4	197	1	2	10	21	33	42	56
1. SINGLE DX	120	12.7	197	1	2	8	16	33	41	99
2. MULTIPLE DX	330	12.3	119	2	3	9	16	27	34	54
A. NOT OPERATED	424	12.3	137	1	2	9	16	27	37	57
B. OPERATED	26	14.5	185	1	2	10	21	33	38	56
TOTAL 0-19 YRS	27	9.1	130	1	1	5	11	25	41	44
20-34	96	13.4	161	<1	2	10	18	29	41	58
35-49	60	12.7	234	1	2	8	14	33	43	99+
50-64	83	12.3	179	2	3	9	14	24	44	73
65+	184	12.3	83	3	3	10	16	25	33	43
GRAND TOTAL	**450**	**12.4**	**140**	**1**	**2**	**9**	**16**	**28**	**36**	**56**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	2.8	10	<1	1	2	3	5	8	17
20-34	195	5.3	53	1	1	3	6	10	17	37
35-49	77	9.2	151	<1	1	5	11	20	27	76
50-64	117	11.9	223	2	2	7	13	25	53	73
65+	840	10.0	92	1	2	7	13	21	28	46
B. *Operated*										
0-19 YRS	6	5.8	19	<1	<1	6	9	12	12	12
20-34	4	10.3	97	5	5	6	15	25	25	25
35-49	6	6.0	10	4	4	5	7	11	12	12
50-64	4	7.8	35	3	3	6	12	16	16	16
65+	35	14.3	155	2	3	12	20	27	40	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	5.0	94	1	1	2	5	8	16	51
20-34	352	7.9	85	1	2	5	9	17	25	55
35-49	220	10.2	100	1	2	7	13	24	31	52
50-64	493	13.6	128	2	3	10	18	30	35	64
65+	4567	11.7	90	3	4	9	15	23	30	50
B. *Operated*										
0-19 YRS	14	3.1	4	1	1	3	5	7	77	99+
20-34	38	12.8	290	1	2	9	13	23	45	95
35-49	26	19.3	245	3	4	15	27	53	67	99+
50-64	73	19.5	279	3	4	15	25	39	56	85
65+	490	19.7	185	5	7	16	24	39	51	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1468	8.3	95	1	1	5	10	18	25	49
B. *Operated*	55	11.7	121	2	3	8	16	25	34	59
2. MULTIPLE DX										
A. *Not Operated*	5886	11.3	97	2	3	9	14	23	30	52
B. *Operated*	641	18.9	208	3	5	15	24	39	52	72
1. SINGLE DX	1523	8.4	97	1	1	5	11	19	26	49
2. MULTIPLE DX	6527	12.0	113	2	3	9	15	25	32	57
A. NOT OPERATED	7354	10.7	98	2	2	8	14	22	29	51
B. OPERATED	696	18.4	204	3	4	15	23	38	52	71
TOTAL 0-19 YRS	513	3.9	53	1	1	2	4	7	10	47
20-34	589	7.4	91	1	1	5	8	15	24	55
35-49	329	10.6	127	1	2	7	14	25	33	62
50-64	687	13.9	164	2	3	10	18	31	37	67
65+	5932	12.1	104	2	3	9	15	24	32	55
GRAND TOTAL	**8050**	**11.4**	**112**	**2**	**2**	**8**	**15**	**24**	**32**	**57**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	34	10.4	36	3	3	9	15	18	22	26
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	18.0	76	8	8	22	23	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	13.0	50	8	8	13	18	18	18	18
50-64	15	15.3	204	3	5	13	18	21	52	63
65+	217	12.1	81	2	4	9	16	24	33	45
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	18.0		18	18	18	18	18	18	18
50-64	1	7.0		7	7	7	7	7	7	7
65+	22	19.3	165	4	5	17	25	45	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	10.4	36	3	3	9	15	18	22	26
B. *Operated*	3	18.0	76	8	8	22	23	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	234	12.3	88	3	4	10	16	24	33	46
B. *Operated*	24	18.7	157	4	5	17	24	42	68	99+
1. SINGLE DX	37	11.0	42	3	3	9	15	21	24	26
2. MULTIPLE DX	258	12.9	97	3	4	10	17	25	34	57
A. NOT OPERATED	268	12.1	81	3	3	10	16	23	32	45
B. OPERATED	27	18.6	145	5	5	17	24	40	62	99+
TOTAL 0-19 YRS										
20-34										
35-49	3	14.7	33	8	8	18	18	18	18	18
50-64	16	14.8	195	4	5	12	17	21	50	63
65+	276	12.5	85	3	4	10	16	24	33	48
GRAND TOTAL	**295**	**12.7**	**90**	**3**	**4**	**10**	**16**	**24**	**33**	**54**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	4	1	1	1	3	5	5	5
20-34	81	6.6	51	1	1	3	7	22	24	28
35-49	118	6.3	41	1	1	4	7	18	23	25
50-64	92	7.5	38	<1	2	5	11	17	22	26
65+	31	10.5	74	2	2	7	17	25	26	28
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	7.4	20	1	2	8	9	11	16	21
20-34	422	6.8	31	1	2	5	9	12	17	32
35-49	669	7.2	50	1	2	6	9	13	19	35
50-64	685	9.2	65	2	3	7	11	18	25	37
65+	245	11.3	85	2	3	9	14	23	28	53
B. *Operated*										
0-19 YRS										
20-34	10	8.7	36	2	2	9	14	52	96	99+
35-49	29	12.1	162	3	4	9	15	19	23	73
50-64	41	16.4	150	4	5	12	23	36	44	49
65+	32	20.3	162	8	8	16	26	45	48	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	7.1	47	1	1	4	9	20	24	27
B. *Operated*	2	12.5	1	12	12	12	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	2042	8.3	57	1	2	6	10	16	22	37
B. *Operated*	112	15.7	157	3	5	12	19	36	46	83
1. SINGLE DX	328	7.1	46	1	1	4	9	20	24	27
2. MULTIPLE DX	2154	8.7	65	1	2	7	11	17	24	45
A. NOT OPERATED	2368	8.1	56	1	2	6	10	16	23	36
B. OPERATED	114	15.6	154	3	5	12	19	36	46	82
TOTAL 0-19 YRS	25	6.5	21	<1	1	6	9	11	14	21
20-34	514	6.8	34	1	2	5	9	13	19	32
35-49	817	7.3	53	1	2	5	9	14	20	33
50-64	818	9.4	69	2	3	7	11	19	25	43
65+	308	12.1	99	2	3	10	15	25	32	52
GRAND TOTAL	**2482**	**8.5**	**63**	**1**	**2**	**6**	**10**	**17**	**24**	**42**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	9.3	209	<1	1	3	8	29	47	58
20-34	55	6.5	72	<1	1	4	7	14	23	42
35-49	13	6.7	56	<1	1	5	8	13	27	30
50-64	4	6.0	29	2	2	4	9	14	14	14
65+	5	7.8	85	1	1	3	13	23	23	23
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	13.3	302	1	1	7	13	43	45	89
20-34	213	9.2	61	1	2	9	10	15	21	47
35-49	67	10.9	103	2	3	9	12	20	30	56
50-64	68	10.2	83	2	3	7	12	23	26	49
65+	115	10.3	85	3	4	7	12	18	29	52
B. *Operated*										
0-19 YRS	1	82.0		82	82	82	82	82	82	82
20-34	6	10.7	61	1	1	11	15	21	22	22
35-49										
50-64	4	19.5	57	12	12	18	24	30	30	30
65+	10	13.1	131	3	4	10	16	30	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	7.2	97	<1	1	4	7	17	28	50
B. *Operated*	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	520	10.2	101	1	3	8	11	20	30	54
B. *Operated*	21	16.9	315	2	3	13	18	35	61	82
1. SINGLE DX	100	7.3	97	<1	1	4	7	17	27	50
2. MULTIPLE DX	541	10.5	111	1	3	8	11	20	31	55
A. NOT OPERATED	619	9.7	102	1	2	8	11	20	30	54
B. OPERATED	22	16.8	300	2	3	13	18	34	59	82
TOTAL 0-19 YRS	80	13.1	334	1	1	6	13	42	50	89
20-34	274	8.7	64	1	1	8	10	15	22	44
35-49	80	10.2	97	1	2	9	11	19	29	56
50-64	76	10.5	83	2	3	7	12	24	28	49
65+	131	10.5	87	3	4	7	12	19	31	51
GRAND TOTAL	**641**	**10.0**	**110**	**1**	**2**	**8**	**11**	**20**	**31**	**55**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	21.5	244	2	4	19	32	43	53	85
20-34	1623	17.1	214	2	3	14	22	36	47	76
35-49	738	17.3	186	3	4	14	22	34	45	66
50-64	319	18.6	171	3	5	16	25	34	40	78
65+	69	18.7	271	2	3	16	21	37	69	74
B. *Operated*										
0-19 YRS										
20-34	2	40.0	98	33	33	40	47	47	47	47
35-49	3	32.7	261	18	18	30	45	50	50	50
50-64	2	24.5	265	13	13	24	36	36	36	36
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	26.6	186	4	7	26	37	45	51	56
20-34	749	18.5	218	2	4	15	25	38	48	87
35-49	497	17.8	158	3	5	15	22	34	42	64
50-64	301	19.0	196	4	6	16	23	36	50	74
65+	131	21.6	219	5	6	18	28	41	52	66
B. *Operated*										
0-19 YRS	4	27.3	151	13	13	26	35	43	43	43
20-34	37	28.7	211	9	10	25	37	52	54	59
35-49	32	28.5	175	8	15	28	32	53	56	64
50-64	21	27.0	198	14	15	22	34	42	58	75
65+	16	29.1	210	11	12	23	37	50	59	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2903	17.6	206	2	3	14	23	36	46	73
B. *Operated*	8	29.6	224	10	11	31	41	49	50	50
2. MULTIPLE DX										
A. *Not Operated*	1739	18.9	199	3	5	16	25	38	48	74
B. *Operated*	110	28.3	190	10	13	26	35	51	55	68
1. SINGLE DX	2911	17.6	206	2	4	14	23	36	46	73
2. MULTIPLE DX	1849	19.4	203	3	5	17	26	38	50	74
A. NOT OPERATED	4642	18.1	204	2	4	15	24	37	47	74
B. OPERATED	118	28.4	190	10	13	26	35	50	55	68
TOTAL 0-19 YRS	219	23.0	230	3	4	21	34	43	52	75
20-34	2411	17.7	218	2	3	14	24	37	48	81
35-49	1270	17.8	178	3	4	15	23	35	44	65
50-64	643	19.1	185	4	6	17	25	35	43	75
65+	217	21.2	239	4	6	18	28	40	53	71
GRAND TOTAL	**4760**	**18.3**	**206**	**2**	**4**	**15**	**24**	**37**	**48**	**74**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	27.5	412	4	7	21	37	51	74	91
20-34	77	17.3	208	3	4	14	25	35	46	70
35-49	22	13.3	59	3	4	11	20	25	26	27
50-64	10	17.4	87	2	6	16	25	29	32	32
65+	2	11.0	72	5	5	11	17	17	17	17
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	41.8	553	8	9	40	52	76	89	91
20-34	45	16.2	124	4	6	14	21	32	35	61
35-49	21	17.1	116	4	5	16	23	37	69	99+
50-64	8	17.0	91	7	7	15	26	30	30	30
65+	5	15.4	70	5	5	13	22	27	27	27
B. *Operated*										
0-19 YRS										
20-34	3	36.7	1174	9	9	26	63	75	75	75
35-49	1	23.0		23	23	23	23	23	23	23
50-64	3	20.3	44	16	16	17	25	28	28	28
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	19.2	250	3	5	15	25	39	50	75
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	91	19.8	239	5	6	15	27	40	59	96
B. *Operated*	7	27.7	477	9	10	23	27	66	75	75
1. SINGLE DX	149	19.2	250	3	5	15	25	39	50	75
2. MULTIPLE DX	98	20.4	255	5	6	16	27	40	61	96
A. NOT OPERATED	240	19.5	245	4	5	15	25	39	50	91
B. OPERATED	7	27.7	477	9	10	23	27	66	75	75
TOTAL 0-19 YRS	50	30.9	474	5	8	26	41	65	75	91
20-34	125	17.4	200	3	5	14	24	34	43	71
35-49	44	15.4	88	4	5	15	21	27	36	99+
50-64	21	17.7	77	5	7	17	25	30	31	32
65+	7	14.1	63	5	5	13	19	26	27	27
GRAND TOTAL	**247**	**19.7**	**251**	**4**	**5**	**15**	**26**	**40**	**52**	**91**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	364	23.0	348	2	4	18	32	52	66	94
20-34	2684	17.3	231	2	3	13	23	38	48	82
35-49	1213	16.6	201	2	3	13	22	35	46	75
50-64	651	17.8	193	3	4	15	22	34	44	84
65+	166	17.7	167	3	5	15	22	36	41	73
B. *Operated*										
0-19 YRS										
20-34	8	34.3	555	2	3	34	46	67	76	76
35-49	5	20.6	169	3	3	18	31	37	37	37
50-64	6	22.5	40	15	15	22	26	31	32	32
65+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	22.3	373	2	3	16	30	49	72	98
20-34	1494	18.1	222	3	4	15	23	39	51	74
35-49	988	17.8	192	3	4	15	23	37	48	73
50-64	678	17.7	176	3	4	15	23	35	44	63
65+	282	17.7	181	3	5	15	22	36	45	63
B. *Operated*										
0-19 YRS	12	41.8	677	8	15	36	56	87	88	88
20-34	86	27.4	461	6	8	21	31	60	80	96
35-49	70	25.9	279	7	9	23	32	54	66	97
50-64	57	25.9	204	6	9	24	34	45	48	72
65+	25	26.9	154	12	13	25	35	41	50	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5078	17.6	227	2	3	14	23	38	48	82
B. *Operated*	20	26.9	290	2	5	26	34	46	61	76
2. MULTIPLE DX										
A. *Not Operated*	3647	18.2	212	3	4	15	24	38	48	75
B. *Operated*	250	27.3	337	7	10	23	34	52	67	96
1. SINGLE DX	5098	17.7	228	2	3	14	23	38	48	82
2. MULTIPLE DX	3897	18.7	225	3	4	15	25	39	50	77
A. NOT OPERATED	8725	17.9	221	2	4	14	23	38	48	78
B. OPERATED	270	27.3	332	6	9	23	34	50	67	95
TOTAL 0-19 YRS	581	23.1	370	2	4	18	32	52	67	96
20-34	4272	17.8	235	2	3	14	23	39	50	80
35-49	2276	17.4	202	2	4	14	23	36	47	76
50-64	1392	18.1	187	3	4	15	23	35	44	72
65+	474	18.2	178	3	5	16	24	37	45	65
GRAND TOTAL	**8995**	**18.1**	**227**	**2**	**4**	**14**	**24**	**38**	**49**	**79**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	26.4	628	3	3	19	45	70	98	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	36.1	1134	<1	2	49	87	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	22.8	197	1	2	27	32	37	38	38
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	26.4	628	3	3	19	45	70	98	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9	36.1	1134	<1	2	49	87	99+	99+	99+
B. *Operated*	6	22.8	197	1	2	27	32	37	38	38
1. SINGLE DX	25	26.4	628	3	3	19	45	70	98	99+
2. MULTIPLE DX	15	30.8	764	<1	1	30	61	98	99+	99+
A. NOT OPERATED	34	28.9	751	2	3	22	52	96	99+	99+
B. OPERATED	6	22.8	197	1	2	27	32	37	38	38
TOTAL 0-19 YRS	40	28.0	666	2	3	22	48	91	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**40**	**28.0**	**666**	**2**	**3**	**22**	**48**	**91**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	23.4	444	1	3	18	37	56	70	95
20-34	1416	15.5	182	2	3	12	21	34	43	63
35-49	1373	16.2	164	2	3	14	22	32	42	58
50-64	1100	19.0	202	2	4	16	26	40	47	71
65+	722	21.7	237	2	5	19	30	43	53	74
B. *Operated*										
0-19 YRS	1	49.0		49	49	49	49	49	49	49
20-34	8	25.4	118	12	13	23	30	43	47	47
35-49	9	27.2	133	12	13	28	34	43	48	48
50-64	6	27.5	178	18	18	23	29	51	53	53
65+	6	35.0	450	5	7	34	41	67	70	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	321	21.4	328	2	3	16	32	47	64	99+
20-34	2007	16.3	182	2	3	13	22	35	43	69
35-49	1907	17.3	179	3	4	14	23	35	44	67
50-64	1763	20.0	229	3	5	17	27	41	49	82
65+	1691	21.7	237	4	5	19	30	41	53	81
B. *Operated*										
0-19 YRS	12	25.8	252	6	9	21	34	49	60	62
20-34	150	26.8	332	6	9	21	37	60	70	99+
35-49	195	28.9	284	8	11	26	38	54	63	81
50-64	183	27.5	286	8	10	24	33	48	63	90
65+	192	31.0	328	7	10	29	44	54	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4881	17.8	210	2	3	14	24	38	47	71
B. *Operated*	30	29.1	200	12	14	27	36	48	53	70
2. MULTIPLE DX										
A. *Not Operated*	7689	18.8	215	3	4	15	26	39	48	78
B. *Operated*	732	28.6	306	7	10	25	38	53	67	99+
1. SINGLE DX	4911	17.9	211	2	3	14	25	38	47	71
2. MULTIPLE DX	8421	19.7	230	3	4	16	27	40	50	82
A. NOT OPERATED	12570	18.4	213	2	4	15	25	38	47	74
B. OPERATED	762	28.6	302	7	10	26	38	53	67	99
TOTAL 0-19 YRS	604	22.4	379	2	3	18	33	51	64	99+
20-34	3581	16.5	193	2	3	13	22	36	45	70
35-49	3484	17.5	187	2	4	14	23	36	44	67
50-64	3052	20.1	226	3	5	17	27	41	49	82
65+	2611	22.4	250	4	6	20	30	44	54	82
GRAND TOTAL	**13332**	**19.0**	**224**	**2**	**4**	**15**	**26**	**39**	**49**	**77**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	18.6	242	1	3	14	26	39	52	77
20-34	1229	16.4	172	2	3	14	21	33	40	66
35-49	1063	15.9	141	3	4	14	21	30	38	66
50-64	659	17.7	152	3	5	15	24	33	41	60
65+	220	20.9	253	3	6	18	27	38	57	90
B. *Operated*										
0-19 YRS										
20-34	4	19.0	3	17	17	19	20	21	21	21
35-49	9	27.4	691	7	9	19	30	70	94	94
50-64	13	23.8	272	7	8	18	39	49	54	55
65+	2	27.5	13	25	25	27	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	23.0	385	3	5	17	32	53	67	89
20-34	904	17.9	189	3	4	15	23	35	44	71
35-49	886	19.3	202	3	5	16	26	39	48	73
50-64	739	19.2	162	4	6	17	26	36	44	67
65+	392	23.5	221	5	7	21	31	45	53	73
B. *Operated*										
0-19 YRS	5	28.4	477	9	9	23	34	66	66	66
20-34	79	24.6	339	3	7	20	33	52	67	96
35-49	71	24.4	240	8	9	21	30	48	55	70
50-64	82	26.0	236	10	12	21	31	45	64	77
65+	34	32.5	358	7	11	32	42	65	72	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3362	16.9	169	2	4	14	22	33	41	70
B. *Operated*	28	24.5	335	7	8	19	29	45	59	94
2. MULTIPLE DX										
A. *Not Operated*	3086	19.6	204	3	5	16	26	38	48	73
B. *Operated*	271	26.0	289	7	9	21	34	50	65	83
1. SINGLE DX	3390	17.0	171	2	4	14	22	33	41	70
2. MULTIPLE DX	3357	20.1	214	3	5	17	27	40	48	73
A. NOT OPERATED	6448	18.2	187	3	4	15	24	36	45	70
B. OPERATED	299	25.9	292	7	9	21	34	50	65	85
TOTAL 0-19 YRS	361	20.7	314	2	4	17	28	44	60	84
20-34	2216	17.3	186	2	4	15	22	35	43	70
35-49	2029	17.7	178	3	4	15	23	36	44	72
50-64	1493	19.0	166	4	5	16	25	36	43	67
65+	648	23.1	244	4	7	20	30	45	56	79
GRAND TOTAL	**6747**	**18.5**	**195**	**3**	**4**	**16**	**24**	**36**	**46**	**72**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	14.7	241	1	1	11	20	31	41	77
20-34	613	13.5	160	1	2	10	19	29	38	59
35-49	350	12.9	110	1	2	11	18	26	34	46
50-64	289	14.1	125	1	2	12	20	29	36	54
65+	234	13.5	145	1	2	10	18	29	41	62
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	5.0	37	1	1	2	9	12	12	12
50-64	4	7.8	31	2	2	8	12	13	13	13
65+	10	9.5	129	1	2	5	8	30	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	15.2	260	1	2	10	19	41	53	82
20-34	539	14.3	146	1	2	11	19	31	40	58
35-49	355	15.5	175	2	3	12	22	34	39	64
50-64	477	14.7	155	2	3	12	19	30	38	64
65+	1020	11.8	98	2	3	9	15	24	31	49
B. *Operated*										
0-19 YRS	4	15.8	131	6	6	12	23	32	32	32
20-34	25	26.3	508	7	9	18	35	56	83	88
35-49	30	27.1	344	5	6	29	39	53	59	74
50-64	52	22.7	284	5	6	20	31	43	50	94
65+	116	20.3	201	3	5	18	27	40	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1614	13.6	147	1	2	11	19	29	37	62
B. *Operated*	19	8.3	83	1	1	4	12	21	31	36
2. MULTIPLE DX										
A. *Not Operated*	2504	13.6	139	2	3	10	18	29	38	60
B. *Operated*	227	22.3	274	4	6	18	30	46	57	96
1. SINGLE DX	1633	13.5	147	1	2	10	19	29	37	62
2. MULTIPLE DX	2731	14.3	156	2	3	11	19	31	39	63
A. NOT OPERATED	4118	13.6	142	1	2	10	18	29	37	61
B. OPERATED	246	21.2	273	3	5	17	30	45	56	95
TOTAL 0-19 YRS	246	14.9	245	1	1	10	19	35	51	73
20-34	1178	14.1	164	1	2	11	19	30	40	59
35-49	738	14.7	158	1	2	11	20	32	39	61
50-64	822	14.9	156	2	3	12	20	31	39	63
65+	1380	12.8	120	2	3	10	17	27	34	58
GRAND TOTAL	**4364**	**14.0**	**153**	**1**	**2**	**11**	**19**	**30**	**39**	**62**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	8.7	153	<1	1	3	9	28	38	56
20-34	655	5.8	47	<1	<1	3	7	14	19	35
35-49	511	6.1	51	<1	1	4	7	15	20	37
50-64	309	6.9	61	<1	1	4	8	16	22	40
65+	180	6.4	63	<1	1	4	7	13	21	41
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	5.0	17	2	2	3	7	11	11	11
35-49	8	6.4	22	1	1	6	10	13	14	14
50-64	11	5.4	16	1	1	4	8	11	13	13
65+	2	11.5	5	10	10	11	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	7.7	113	1	1	4	8	21	28	74
20-34	1091	8.5	78	1	1	5	11	21	27	41
35-49	1182	7.9	71	1	1	5	10	21	27	37
50-64	874	6.9	50	1	2	4	8	16	22	33
65+	886	6.7	45	1	2	5	8	14	21	36
B. *Operated*										
0-19 YRS	8	16.4	182	2	3	12	24	38	43	43
20-34	55	13.2	106	2	2	9	22	28	31	39
35-49	57	13.9	123	2	3	10	23	28	34	47
50-64	61	12.4	98	3	4	9	15	25	33	49
65+	39	14.1	191	3	4	10	18	34	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1823	6.4	62	<1	1	4	7	15	22	41
B. *Operated*	26	5.9	18	1	1	5	10	13	13	14
2. MULTIPLE DX										
A. *Not Operated*	4232	7.6	65	1	1	5	9	20	25	37
B. *Operated*	220	13.4	124	2	3	10	19	28	37	56
1. SINGLE DX	1849	6.4	62	<1	1	4	7	15	22	41
2. MULTIPLE DX	4452	7.9	70	1	1	5	10	20	26	39
A. NOT OPERATED	6055	7.2	65	1	1	4	8	18	25	38
B. OPERATED	246	12.6	118	2	3	9	17	28	35	51
TOTAL 0-19 YRS	376	8.3	133	1	1	4	8	24	33	62
20-34	1805	7.6	70	<1	1	4	10	21	26	38
35-49	1758	7.6	68	1	1	4	9	20	27	37
50-64	1255	7.1	56	1	1	4	9	17	23	37
65+	1107	6.9	55	1	2	5	8	14	21	42
GRAND TOTAL	**6301**	**7.4**	**68**	**1**	**1**	**4**	**9**	**19**	**25**	**39**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	541	21.0	387	1	2	15	31	53	67	99+
20-34	1926	11.5	126	1	2	8	15	26	33	54
35-49	1452	12.1	112	2	2	9	17	26	33	51
50-64	722	13.7	142	2	3	10	18	29	36	62
65+	331	14.9	171	1	3	11	20	31	40	64
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	12	13.5	96	3	4	12	17	27	36	38
35-49	14	25.1	362	3	6	20	36	48	67	73
50-64	5	5.8	6	2	2	6	8	8	8	8
65+	3	17.0	31	11	11	18	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	539	19.2	320	1	3	15	28	44	64	99+
20-34	2308	12.9	123	2	3	9	18	28	36	49
35-49	2007	13.3	135	2	3	10	18	30	37	51
50-64	1335	13.3	125	2	3	10	19	29	36	49
65+	1138	12.0	104	3	3	9	16	24	34	53
B. *Operated*										
0-19 YRS	38	25.6	311	4	5	23	41	51	70	99+
20-34	175	20.5	212	4	6	17	27	41	50	96
35-49	188	21.4	167	5	8	19	28	37	48	60
50-64	127	19.0	168	5	6	15	26	40	47	99+
65+	108	21.6	227	6	8	19	28	43	61	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4972	13.2	164	1	2	9	18	29	40	66
B. *Operated*	35	17.9	230	2	4	14	23	38	43	73
2. MULTIPLE DX										
A. *Not Operated*	7327	13.4	141	2	3	10	18	29	38	56
B. *Operated*	636	21.0	199	5	7	18	28	42	50	87
1. SINGLE DX	5007	13.3	164	1	2	9	18	29	40	66
2. MULTIPLE DX	7963	14.0	150	2	3	10	19	30	39	61
A. NOT OPERATED	12299	13.4	150	2	3	9	18	29	39	62
B. OPERATED	671	20.8	201	5	6	18	28	40	49	86
TOTAL 0-19 YRS	1119	20.3	353	1	2	15	30	49	66	99+
20-34	4421	12.6	131	1	2	9	17	28	36	53
35-49	3661	13.3	133	2	3	10	18	29	37	54
50-64	2189	13.8	134	2	3	10	19	30	37	55
65+	1580	13.3	133	3	3	10	17	28	36	62
GRAND TOTAL	**12970**	**13.7**	**156**	**2**	**3**	**10**	**19**	**30**	**39**	**63**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	384	14.1	324	1	1	6	19	42	59	95
20-34	886	10.6	131	1	1	7	15	26	34	55
35-49	422	9.7	120	1	1	6	13	22	29	54
50-64	196	9.1	104	<1	1	5	13	22	29	49
65+	76	10.2	149	1	1	7	13	21	35	66
B. *Operated*										
0-19 YRS	6	5.7	37	<1	<1	3	8	16	17	17
20-34	34	7.6	55	1	3	6	10	12	15	45
35-49	23	7.5	87	2	2	5	7	13	35	40
50-64	34	8.3	64	2	3	6	9	16	31	37
65+	9	6.2	8	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	562	15.3	313	1	2	9	22	42	62	99+
20-34	1524	12.0	168	1	2	7	16	28	38	69
35-49	737	12.3	150	1	2	9	16	29	38	59
50-64	475	11.0	126	1	2	7	15	25	33	49
65+	292	11.7	134	1	2	8	16	28	35	65
B. *Operated*										
0-19 YRS	30	16.2	323	2	3	9	28	44	81	99+
20-34	115	18.8	274	1	2	14	28	41	53	89
35-49	73	15.2	152	2	3	12	21	31	41	60
50-64	66	11.7	114	2	3	8	15	31	37	42
65+	38	19.3	287	3	4	16	28	48	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1964	10.9	167	1	1	6	14	27	38	67
B. *Operated*	106	7.6	59	2	2	6	8	13	24	42
2. MULTIPLE DX										
A. *Not Operated*	3590	12.4	180	1	2	8	17	30	40	73
B. *Operated*	322	16.4	225	2	3	12	23	39	47	87
1. SINGLE DX	2070	10.8	162	1	1	6	14	27	38	63
2. MULTIPLE DX	3912	12.7	185	1	2	8	17	30	41	76
A. NOT OPERATED	5554	11.9	176	1	1	7	16	29	39	71
B. OPERATED	428	14.2	198	2	3	9	20	34	44	83
TOTAL 0-19 YRS	982	14.8	316	1	1	8	21	42	59	99+
20-34	2559	11.8	161	1	1	7	16	28	37	66
35-49	1255	11.5	141	1	2	8	16	27	35	58
50-64	771	10.4	117	1	2	6	14	24	33	49
65+	415	12.0	153	1	2	8	16	29	36	72
GRAND TOTAL	**5982**	**12.1**	**178**	**1**	**1**	**7**	**16**	**29**	**40**	**72**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	531	14.4	180	<1	1	11	27	33	38	47
20-34	3235	14.4	119	1	2	14	25	29	30	35
35-49	2840	13.7	121	1	2	10	24	29	30	35
50-64	1440	13.4	121	1	2	8	25	29	30	36
65+	359	12.6	108	2	2	7	22	28	30	35
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	12	22.8	125	5	6	27	29	34	40	41
35-49	8	16.3	202	1	1	16	25	37	41	41
50-64	5	22.6	175	7	7	28	33	36	36	36
65+	4	17.0	91	6	6	17	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	997	22.4	235	1	2	24	37	42	44	52
20-34	4993	14.7	137	1	2	11	26	30	34	42
35-49	5040	12.5	113	2	2	8	22	29	31	39
50-64	3945	13.1	126	2	3	8	22	29	34	44
65+	1451	13.1	116	2	3	9	21	28	33	43
B. *Operated*										
0-19 YRS	18	19.5	246	<1	<1	22	32	40	43	43
20-34	206	20.9	161	2	4	22	29	35	42	59
35-49	280	18.5	117	4	6	17	27	32	37	43
50-64	287	20.0	164	5	6	17	28	35	41	76
65+	112	18.4	120	5	7	16	27	33	39	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8405	13.9	124	1	2	11	25	29	30	36
B. *Operated*	30	19.5	152	1	2	22	28	34	41	41
2. MULTIPLE DX										
A. *Not Operated*	16426	14.0	137	2	2	9	24	30	35	44
B. *Operated*	903	19.5	145	4	6	18	28	34	40	56
1. SINGLE DX	8435	13.9	124	1	2	11	25	29	30	36
2. MULTIPLE DX	17329	14.3	139	2	2	10	24	30	35	44
A. NOT OPERATED	24831	14.0	132	1	2	10	24	30	33	42
B. OPERATED	933	19.5	145	4	6	18	28	34	40	55
TOTAL 0-19 YRS	1547	19.6	231	1	1	21	32	40	44	51
20-34	8446	14.8	132	1	2	13	26	30	32	41
35-49	8168	13.1	117	1	2	9	23	29	31	38
50-64	5677	13.5	129	2	2	9	23	29	33	43
65+	1926	13.4	116	2	3	9	21	28	33	42
GRAND TOTAL	**25764**	**14.2**	**134**	**1**	**2**	**10**	**24**	**30**	**33**	**43**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	20.5	188	8	8	19	32	36	36	36
20-34	99	13.1	129	1	1	8	23	30	34	41
35-49	21	11.7	119	<1	<1	8	18	29	31	32
50-64	3	11.7	341	<1	<1	1	25	33	33	33
65+										
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	21.4	315	1	2	19	33	46	59	60
20-34	197	13.4	122	2	3	10	18	29	36	50
35-49	59	10.5	66	1	2	9	15	24	27	34
50-64	12	14.2	95	6	6	10	21	31	31	31
65+	7	18.0	93	5	6	21	25	29	30	30
B. *Operated*										
0-19 YRS										
20-34	21	16.1	121	3	5	13	21	34	39	43
35-49	4	21.3	285	10	10	14	32	46	46	46
50-64										
65+	3	21.0	252	9	9	15	33	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	13.1	131	<1	1	8	24	30	33	39
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	286	13.3	118	2	3	10	18	29	34	50
B. *Operated*	28	17.4	145	3	6	14	22	38	43	46
1. SINGLE DX	128	13.0	131	<1	1	8	23	30	33	39
2. MULTIPLE DX	314	13.6	122	2	3	10	19	29	36	49
A. NOT OPERATED	413	13.2	122	1	2	10	19	29	34	46
B. OPERATED	29	16.9	146	3	5	13	21	38	43	46
TOTAL 0-19 YRS	15	21.1	265	1	3	19	33	37	54	60
20-34	318	13.5	123	1	2	10	19	30	35	45
35-49	84	11.3	90	<1	2	9	16	26	30	42
50-64	15	13.7	124	<1	1	8	24	31	33	33
65+	10	18.9	120	5	6	18	26	34	39	39
GRAND TOTAL	**442**	**13.5**	**124**	**1**	**2**	**10**	**19**	**30**	**34**	**46**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	21.3	236	1	1	24	35	40	42	47
20-34	361	15.4	146	1	2	11	28	30	34	40
35-49	66	14.8	110	1	2	11	26	29	31	32
50-64	20	16.5	132	<1	2	16	23	30	37	44
65+	7	16.7	110	5	6	15	24	32	34	34
B. *Operated*										
0-19 YRS										
20-34	3	3.7		3	3	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	255	21.5	232	1	2	21	35	40	44	58
20-34	506	15.7	134	2	3	13	26	30	34	41
35-49	127	14.2	106	2	3	11	23	28	33	37
50-64	62	17.9	184	2	3	15	28	38	41	52
65+	32	16.9	128	2	3	15	28	29	30	44
B. *Operated*										
0-19 YRS	2	17.5	313	5	5	17	30	30	30	30
20-34	21	20.0	112	6	9	21	23	32	42	53
35-49	9	24.3	241	8	10	16	32	49	56	56
50-64	5	10.6	10	6	6	12	13	14	14	14
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	702	17.4	181	1	1	18	29	36	39	45
B. *Operated*	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	982	17.2	165	2	3	14	28	35	39	51
B. *Operated*	38	19.5	140	5	7	16	25	32	47	56
1. SINGLE DX	705	17.4	181	1	1	17	29	36	39	45
2. MULTIPLE DX	1020	17.3	164	2	3	14	28	35	39	52
A. NOT OPERATED	1684	17.3	172	1	2	15	28	35	39	47
B. OPERATED	41	18.3	147	4	5	15	23	32	45	56
TOTAL 0-19 YRS	505	21.3	233	1	1	22	35	40	43	53
20-34	891	15.6	139	2	3	13	27	30	34	41
35-49	202	14.8	116	2	3	12	24	29	32	38
50-64	87	17.2	163	1	3	14	27	36	40	52
65+	40	16.8	119	2	4	14	27	30	32	44
GRAND TOTAL	**1725**	**17.3**	**171**	**1**	**2**	**15**	**28**	**35**	**39**	**47**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	430	1.6	8	<1	<1	1	1	2	3	14
20-34	267	5.1	82	<1	<1	1	3	27	30	32
35-49	142	5.4	81	<1	<1	1	4	28	30	31
50-64	60	4.9	54	<1	<1	2	5	11	26	32
65+	36	3.9	32	<1	<1	2	3	11	20	24
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	3.3	48	<1	<1	1	2	6	15	32
20-34	478	3.7	31	<1	<1	2	4	9	15	30
35-49	273	4.4	24	<1	1	3	5	9	14	27
50-64	229	5.2	38	1	1	3	6	11	15	37
65+	116	5.6	30	1	1	4	7	11	17	31
B. *Operated*										
0-19 YRS	15	6.9	218	<1	<1	1	4	26	48	55
20-34	22	3.6	18	<1	<1	2	5	7	14	19
35-49	10	6.8	86	<1	<1	4	6	21	32	32
50-64	14	9.3	35	2	3	8	13	18	22	23
65+	10	10.4	69	1	1	9	18	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	935	3.5	47	<1	<1	1	2	6	28	31
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1398	4.2	35	<1	<1	2	5	9	15	30
B. *Operated*	71	6.8	81	<1	<1	4	9	18	23	50
1. SINGLE DX	937	3.5	47	<1	<1	1	2	6	28	31
2. MULTIPLE DX	1469	4.3	37	<1	<1	2	5	10	16	30
A. NOT OPERATED	2333	3.9	40	<1	<1	2	4	9	18	30
B. OPERATED	73	6.7	80	<1	<1	3	9	18	23	50
TOTAL 0-19 YRS	747	2.4	29	<1	<1	1	2	3	7	30
20-34	769	4.2	48	<1	<1	1	4	9	25	30
35-49	425	4.8	45	<1	<1	2	5	10	24	31
50-64	303	5.3	42	<1	1	3	6	12	19	35
65+	162	5.5	34	<1	1	3	7	11	20	30
GRAND TOTAL	**2406**	**4.0**	**41**	**<1**	**<1**	**2**	**4**	**9**	**19**	**30**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	11.2	136	1	1	6	20	30	33	43
20-34	228	10.6	133	<1	1	5	19	30	30	40
35-49	30	12.6	127	1	1	8	22	28	30	42
50-64	9	13.3	149	4	5	8	17	35	35	35
65+	2	15.0	50	10	10	15	20	20	20	20
B. *Operated*										
0-19 YRS										
20-34	3	13.0	61	8	8	9	19	22	22	22
35-49										
50-64	2	9.0	8	7	7	9	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	12.1	184	1	1	6	20	32	42	58
20-34	439	11.4	121	1	1	7	19	29	31	41
35-49	112	10.4	103	1	2	6	15	26	32	41
50-64	49	10.0	95	1	2	6	15	27	34	40
65+	28	10.8	66	2	4	8	13	25	29	32
B. *Operated*										
0-19 YRS	5	31.0	826	2	2	26	49	75	75	75
20-34	29	18.6	69	7	8	19	26	29	30	33
35-49	10	19.6	176	5	5	16	29	38	44	44
50-64	2	20.0	242	9	9	20	31	31	31	31
65+	5	19.2	152	7	7	16	30	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	388	11.0	133	<1	1	6	20	30	31	42
B. *Operated*	5	11.4	37	7	7	9	14	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	793	11.3	128	1	1	7	17	29	32	52
B. *Operated*	51	20.1	167	5	7	19	28	33	41	75
1. SINGLE DX	393	11.0	132	<1	1	6	20	30	31	42
2. MULTIPLE DX	844	11.8	135	1	1	7	20	29	33	52
A. NOT OPERATED	1181	11.2	129	1	1	6	19	29	32	46
B. OPERATED	56	19.4	161	5	7	18	27	33	39	73
TOTAL 0-19 YRS	289	12.1	179	1	1	6	20	31	41	58
20-34	699	11.4	125	<1	1	7	20	29	30	40
35-49	152	11.4	116	1	2	7	19	28	32	43
50-64	62	10.8	103	1	2	7	15	31	34	39
65+	35	12.2	81	2	4	9	15	29	31	35
GRAND TOTAL	**1237**	**11.6**	**134**	**1**	**1**	**7**	**20**	**29**	**32**	**46**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	4.1	16	1	1	3	5	7	9	17
20-34	192	4.0	10	<1	<1	3	5	8	11	15
35-49	118	4.0	9	<1	1	3	5	7	11	14
50-64	81	4.0	8	<1	1	4	5	8	10	12
65+	42	5.4	22	1	2	4	7	10	15	25
B. *Operated*										
0-19 YRS	8	4.4	8	1	1	4	6	8	9	9
20-34	17	5.5	12	1	1	5	8	11	12	12
35-49	16	6.3	19	1	2	5	8	14	15	15
50-64	9	3.8	3	2	2	4	5	6	6	6
65+	4	6.3	14	2	2	6	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	5.0	26	1	1	4	6	9	11	35
20-34	325	5.5	40	1	1	4	7	10	13	37
35-49	343	5.7	42	1	2	4	7	10	15	27
50-64	290	6.0	23	1	2	5	7	12	16	25
65+	307	5.9	21	1	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	9	5.1	3	3	3	5	6	8	8	8
20-34	38	7.7	105	1	1	5	9	15	26	57
35-49	39	10.5	122	3	3	8	12	17	25	69
50-64	37	11.3	80	2	3	9	16	20	26	49
65+	32	12.8	88	3	3	10	15	30	33	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	565	4.1	12	<1	1	3	5	8	11	15
B. *Operated*	54	5.3	12	1	2	5	7	11	12	15
2. MULTIPLE DX										
A. *Not Operated*	1421	5.7	31	1	2	4	7	10	14	29
B. *Operated*	155	10.2	97	1	3	7	12	18	30	57
1. SINGLE DX	619	4.2	12	<1	1	3	5	8	11	15
2. MULTIPLE DX	1576	6.1	40	1	2	4	7	11	16	31
A. NOT OPERATED	1986	5.2	26	1	1	4	6	10	13	27
B. OPERATED	209	8.9	79	1	2	7	11	17	27	52
TOTAL 0-19 YRS	305	4.6	21	1	1	4	6	8	10	31
20-34	572	5.2	34	<1	1	4	6	10	12	35
35-49	516	5.7	42	1	2	4	7	11	15	28
50-64	417	6.0	28	1	2	5	7	12	16	27
65+	385	6.4	30	1	2	5	8	12	16	31
GRAND TOTAL	**2195**	**5.6**	**32**	**1**	**1**	**4**	**7**	**11**	**14**	**29**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	769	15.7	283	1	2	10	22	39	53	82
20-34	825	7.0	62	1	1	4	9	16	21	41
35-49	433	7.7	64	1	1	5	9	17	26	39
50-64	148	7.3	67	<1	1	5	9	18	23	43
65+	69	8.1	56	<1	1	5	11	20	22	36
B. *Operated*										
0-19 YRS	4	9.0	89	1	1	7	16	21	21	21
20-34	5	5.6	29	2	2	3	7	15	15	15
35-49	5	10.6	13	6	6	11	14	14	14	14
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	744	15.7	326	1	2	8	21	43	58	96
20-34	1235	9.2	97	1	1	6	12	22	30	46
35-49	769	9.1	82	1	2	6	12	21	28	43
50-64	367	8.9	60	2	2	7	12	18	26	33
65+	280	9.9	104	1	2	7	12	23	28	45
B. *Operated*										
0-19 YRS	26	29.5	716	1	2	22	44	66	93	93
20-34	64	13.3	148	2	4	11	17	26	38	97
35-49	41	14.7	195	3	3	10	21	34	51	56
50-64	17	14.3	236	5	6	10	14	19	54	72
65+	19	16.7	342	4	5	11	16	45	65	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2244	10.2	154	1	1	6	13	25	36	61
B. *Operated*	15	8.3	36	1	2	8	13	15	19	21
2. MULTIPLE DX										
A. *Not Operated*	3395	10.6	147	1	2	6	13	25	36	62
B. *Operated*	167	16.7	303	2	4	11	19	43	56	93
1. SINGLE DX	2259	10.2	154	1	1	6	13	25	36	61
2. MULTIPLE DX	3562	10.9	156	1	2	7	14	26	37	65
A. NOT OPERATED	5639	10.5	150	1	1	6	13	25	36	61
B. OPERATED	182	16.0	286	2	3	11	18	42	55	93
TOTAL 0-19 YRS	1543	15.9	314	1	2	9	22	42	56	88
20-34	2129	8.5	87	1	1	5	11	20	27	45
35-49	1248	8.8	81	1	2	6	11	20	28	44
50-64	532	8.6	69	1	2	6	11	18	25	41
65+	369	9.9	109	1	2	7	12	22	29	50
GRAND TOTAL	**5821**	**10.6**	**155**	**1**	**1**	**6**	**13**	**25**	**36**	**63**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1351	19.3	451	1	2	10	29	55	73	99+
20-34	1091	8.6	102	<1	1	5	11	21	29	51
35-49	658	8.9	96	<1	1	5	11	22	30	45
50-64	368	10.2	107	<1	1	6	15	24	32	45
65+	217	10.6	140	<1	2	6	14	25	36	59
B. *Operated*										
0-19 YRS	23	15.5	568	<1	1	4	15	54	75	83
20-34	25	9.6	150	1	2	4	13	20	32	58
35-49	21	8.6	129	2	2	5	7	21	41	48
50-64	20	9.1	78	2	3	5	11	27	28	29
65+	5	9.0	33	2	2	7	13	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1385	20.5	428	2	3	13	32	56	71	99+
20-34	1901	11.0	146	1	2	7	14	25	36	62
35-49	1436	10.6	120	2	2	7	13	24	35	56
50-64	1103	11.6	126	2	3	8	15	26	36	51
65+	1066	11.8	118	2	3	8	15	25	35	55
B. *Operated*										
0-19 YRS	66	29.4	605	2	3	26	49	64	80	99+
20-34	135	17.0	250	3	3	11	25	40	57	99+
35-49	149	18.1	276	4	4	11	24	44	56	73
50-64	138	17.5	225	3	4	13	23	38	44	77
65+	135	18.5	239	4	5	14	24	37	53	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3685	12.8	256	<1	1	6	17	35	50	85
B. *Operated*	94	10.7	226	1	2	5	11	28	48	78
2. MULTIPLE DX										
A. *Not Operated*	6891	13.0	204	2	2	8	17	32	44	77
B. *Operated*	623	19.0	297	3	4	13	26	43	58	85
1. SINGLE DX	3779	12.8	255	<1	1	6	16	35	50	85
2. MULTIPLE DX	7514	13.5	214	2	2	8	18	34	46	77
A. NOT OPERATED	10576	13.0	222	1	2	7	17	33	46	79
B. OPERATED	717	17.9	295	2	3	12	24	42	57	83
TOTAL 0-19 YRS	2825	20.1	446	1	2	12	31	56	72	99+
20-34	3152	10.4	139	1	2	6	13	25	36	61
35-49	2264	10.6	128	1	2	7	13	24	34	57
50-64	1629	11.7	133	1	2	8	16	27	36	50
65+	1423	12.3	137	2	3	8	16	27	35	57
GRAND TOTAL	**11293**	**13.3**	**228**	**1**	**2**	**7**	**17**	**34**	**48**	**80**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	13.5	201	2	2	8	19	37	47	48
20-34	21	8.5	80	1	1	5	9	23	28	34
35-49	8	17.1	432	5	5	7	22	54	63	63
50-64	5	10.0	42	3	3	10	13	20	20	20
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	9.7	92	1	2	6	12	23	33	41
20-34	115	13.4	139	2	3	11	17	28	38	57
35-49	57	11.1	69	1	3	10	15	21	26	45
50-64	30	12.6	219	2	3	7	14	23	54	69
65+	12	10.0	77	3	3	6	15	23	30	31
B. *Operated*										
0-19 YRS	11	7.3	63	2	2	4	6	23	25	25
20-34	5	2.4	2	1	1	2	3	5	5	5
35-49	5	13.8	172	1	1	16	21	33	33	33
50-64	4	10.5	89	2	2	8	16	24	24	24
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	11.4	166	1	2	7	13	29	37	63
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	281	11.8	120	2	3	8	15	25	35	52
B. *Operated*	25	8.1	81	1	2	4	10	24	27	33
1. SINGLE DX	46	11.3	163	1	2	6	13	28	37	63
2. MULTIPLE DX	306	11.5	118	2	2	8	15	25	33	50
A. NOT OPERATED	326	11.8	126	2	3	8	15	26	35	56
B. OPERATED	26	8.0	78	1	2	4	8	24	27	33
TOTAL 0-19 YRS	90	9.8	101	2	2	6	12	24	32	45
20-34	141	12.3	131	1	2	8	16	27	37	50
35-49	70	12.0	113	1	2	10	16	25	33	60
50-64	39	12.1	180	2	3	8	14	23	41	69
65+	12	10.0	77	3	3	6	15	23	30	31
GRAND TOTAL	**352**	**11.5**	**123**	**2**	**2**	**8**	**15**	**25**	**34**	**54**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	519	10.9	25	2	3	11	14	16	19	25
20-34	96	8.2	71	1	2	6	12	14	15	54
35-49	61	10.3	79	2	3	9	13	18	22	60
50-64	29	8.4	24	1	2	8	11	15	17	22
65+	9	12.6	36	2	2	14	16	18	19	19
B. *Operated*										
0-19 YRS	63	13.2	41	4	7	11	15	22	29	35
20-34	29	15.4	272	2	3	10	23	32	60	70
35-49	46	13.8	228	2	3	8	15	41	53	59
50-64	32	14.1	145	2	2	12	19	34	40	46
65+	13	25.8	385	2	3	19	37	57	63	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	412	12.5	37	2	5	12	15	18	21	33
20-34	92	10.6	56	2	3	9	14	21	26	34
35-49	93	13.7	130	3	4	9	17	30	39	53
50-64	77	14.4	109	2	4	12	18	28	34	52
65+	64	20.1	253	3	5	15	26	40	53	76
B. *Operated*										
0-19 YRS	105	18.6	147	6	10	15	23	38	47	99+
20-34	57	23.6	382	2	4	20	32	55	79	99
35-49	85	18.5	343	2	3	14	26	48	87	99+
50-64	90	21.3	312	3	4	16	31	46	72	91
65+	55	29.2	384	4	6	28	42	65	72	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	714	10.4	37	2	3	11	14	16	19	26
B. *Operated*	183	14.8	172	2	3	11	18	33	45	63
2. MULTIPLE DX										
A. *Not Operated*	738	13.2	82	2	4	12	16	22	31	51
B. *Operated*	392	21.4	305	3	4	16	29	47	73	99+
1. SINGLE DX	897	11.3	67	2	3	11	14	18	23	50
2. MULTIPLE DX	1130	16.1	174	3	4	13	19	33	45	83
A. NOT OPERATED	1452	11.9	62	2	3	11	14	19	24	46
B. OPERATED	575	19.3	272	3	4	15	25	44	64	99+
TOTAL 0-19 YRS	1099	12.4	47	2	4	12	15	18	23	40
20-34	274	13.0	184	2	3	10	15	28	35	80
35-49	285	14.4	205	2	3	10	17	32	49	99+
50-64	228	16.4	201	2	3	12	22	36	46	76
65+	141	23.7	324	3	5	18	34	51	66	80
GRAND TOTAL	**2027**	**14.0**	**133**	**2**	**3**	**12**	**16**	**26**	**36**	**73**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	18	8.7	48	2	3	6	12	20	24	26
50-64	121	11.4	91	3	3	9	13	22	31	48
65+	315	9.9	50	2	3	9	13	19	24	34
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	11	9.2	52	2	2	9	14	20	24	24
65+	12	16.3	420	4	4	11	15	35	74	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	21.0	450	6	6	21	36	36	36	36
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	34	9.6	58	3	3	7	12	22	28	30
50-64	303	10.5	72	3	3	8	13	21	24	38
65+	1655	12.1	74	3	4	10	15	23	29	43
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	39	18.0	221	5	7	13	21	34	55	69
65+	223	20.5	203	5	6	17	26	39	47	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	10.2	61	2	3	9	13	20	25	43
B. *Operated*	25	12.4	230	2	3	10	14	17	38	80
2. MULTIPLE DX										
A. *Not Operated*	1996	11.8	74	3	4	10	15	22	29	43
B. *Operated*	263	20.1	206	5	6	17	26	38	47	80
1. SINGLE DX	482	10.3	70	2	3	9	13	20	25	43
2. MULTIPLE DX	2259	12.8	96	3	4	10	16	25	32	50
A. NOT OPERATED	2453	11.5	72	3	4	9	14	22	28	43
B. OPERATED	288	19.4	212	4	6	16	26	37	47	81
TOTAL 0-19 YRS	3	17.0	273	6	6	9	29	36	36	36
20-34	4	3.8	13	1	1	2	6	9	9	9
35-49	55	9.1	52	3	3	7	12	22	26	30
50-64	474	11.3	92	3	3	9	14	21	27	57
65+	2205	12.6	93	3	4	10	16	25	31	49
GRAND TOTAL	**2741**	**12.3**	**93**	**3**	**4**	**10**	**16**	**24**	**31**	**49**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	12.2	54	2	3	14	16	19	27	33
20-34	445	9.2	49	2	2	8	13	16	23	35
35-49	539	10.0	52	2	3	9	14	17	21	32
50-64	184	11.2	63	2	3	10	15	20	24	45
65+	27	10.4	52	2	2	12	15	19	22	29
B. *Operated*										
0-19 YRS	3	6.0	48	2	2	2	11	14	14	14
20-34	88	9.9	91	2	2	8	13	20	22	59
35-49	112	9.0	80	1	2	7	13	16	21	50
50-64	27	9.5	26	2	3	10	13	17	18	19
65+	4	12.8	178	2	2	8	21	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	12.3	416	1	2	7	11	31	70	76
20-34	293	11.8	107	2	3	9	14	24	32	96
35-49	502	11.9	91	2	3	10	16	22	29	58
50-64	325	13.1	102	3	4	11	17	24	33	63
65+	84	14.1	117	4	5	11	18	31	41	47
B. *Operated*										
0-19 YRS	2	19.5	365	6	6	19	33	33	33	33
20-34	97	17.5	260	2	3	12	21	42	52	75
35-49	163	17.3	196	3	5	13	22	39	50	74
50-64	126	17.6	183	3	5	15	23	34	43	70
65+	40	15.5	143	3	4	13	22	38	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1214	9.9	53	2	3	9	14	18	22	36
B. *Operated*	234	9.5	78	1	2	8	13	17	22	56
2. MULTIPLE DX										
A. *Not Operated*	1216	12.4	103	2	4	10	16	23	32	62
B. *Operated*	428	17.3	200	3	4	13	23	39	49	74
1. SINGLE DX	1448	9.9	57	2	3	9	14	17	22	36
2. MULTIPLE DX	1644	13.6	133	3	4	11	17	27	39	66
A. NOT OPERATED	2430	11.2	79	2	3	9	14	20	26	50
B. OPERATED	662	14.5	171	2	3	11	18	32	44	71
TOTAL 0-19 YRS	36	12.1	178	2	2	9	14	19	33	76
20-34	923	11.0	100	2	3	9	14	21	29	61
35-49	1316	11.6	92	2	3	9	14	21	28	56
50-64	662	13.3	108	3	3	11	17	24	33	61
65+	155	13.8	114	2	4	11	17	29	41	49
GRAND TOTAL	**3092**	**11.9**	**101**	**2**	**3**	**10**	**15**	**22**	**31**	**60**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	818	3.6	9	1	1	3	4	7	9	16
20-34	641	4.1	25	1	1	3	5	8	11	23
35-49	340	4.3	13	1	1	3	5	9	11	20
50-64	180	4.8	36	1	1	4	5	8	11	35
65+	136	4.7	12	1	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	16	7.3	23	2	4	5	10	15	18	19
20-34	35	8.6	71	2	2	5	11	22	26	38
35-49	16	6.8	16	2	2	6	10	12	14	15
50-64	20	5.6	19	1	1	4	8	12	15	16
65+	5	4.8	7	2	2	4	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	821	5.2	37	1	1	3	6	10	14	34
20-34	915	6.2	41	1	1	4	8	12	17	34
35-49	650	7.1	45	1	2	5	9	14	19	35
50-64	767	7.3	45	1	2	5	9	14	19	35
65+	776	8.2	49	2	2	6	10	17	23	35
B. *Operated*										
0-19 YRS	46	8.3	40	2	3	6	11	18	20	31
20-34	87	10.0	73	1	2	8	13	23	28	39
35-49	68	16.5	274	2	3	12	21	36	49	89
50-64	108	14.3	228	2	4	9	15	30	54	72
65+	92	16.0	236	3	4	11	22	32	48	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2115	4.0	17	1	1	3	5	8	11	20
B. *Operated*	92	7.2	39	2	2	5	10	15	21	33
2. MULTIPLE DX										
A. *Not Operated*	3929	6.8	44	1	2	5	8	14	19	34
B. *Operated*	401	13.4	190	2	3	9	17	28	42	72
1. SINGLE DX	2207	4.2	18	1	1	3	5	8	11	21
2. MULTIPLE DX	4330	7.4	61	1	2	5	9	15	21	40
A. NOT OPERATED	6044	5.8	36	1	1	4	7	12	16	33
B. OPERATED	493	12.3	167	2	3	8	15	25	38	68
TOTAL 0-19 YRS	1701	4.5	24	1	1	3	5	9	13	21
20-34	1678	5.7	39	1	1	4	7	12	16	33
35-49	1074	6.8	57	1	2	5	9	14	20	39
50-64	1075	7.6	67	1	2	5	9	15	20	49
65+	1009	8.4	68	2	2	6	10	18	24	42
GRAND TOTAL	**6537**	**6.3**	**49**	**1**	**1**	**4**	**8**	**13**	**18**	**35**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	327	4.3	18	1	1	3	5	9	12	23
20-34	453	5.5	25	1	1	4	8	11	14	25
35-49	367	6.5	36	1	1	5	8	13	17	34
50-64	303	7.3	53	1	2	5	9	16	22	42
65+	433	9.3	75	2	2	7	11	19	25	46
B. *Operated*										
0-19 YRS	254	5.9	43	1	2	4	7	11	16	44
20-34	256	7.3	43	1	2	6	10	14	17	35
35-49	275	7.3	38	1	2	6	10	15	21	28
50-64	241	8.5	100	2	2	5	11	17	23	60
65+	223	10.6	87	2	2	8	14	24	31	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	548	7.2	78	1	2	5	8	14	21	53
20-34	690	8.9	122	1	2	5	10	18	28	63
35-49	725	9.7	111	2	2	7	11	20	27	58
50-64	1146	11.4	136	2	3	8	13	24	35	67
65+	2777	12.2	112	3	3	9	15	24	31	56
B. *Operated*										
0-19 YRS	408	9.8	187	1	2	5	11	22	38	97
20-34	511	12.1	177	2	2	8	15	29	45	99+
35-49	493	13.4	180	2	2	10	17	30	41	92
50-64	705	14.5	173	2	3	11	19	31	47	99+
65+	1197	18.4	242	3	4	14	24	39	51	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1883	6.7	45	1	1	5	8	14	19	33
B. *Operated*	1249	7.8	63	1	2	5	10	16	22	43
2. MULTIPLE DX										
A. *Not Operated*	5886	10.8	117	2	3	8	13	22	31	58
B. *Operated*	3314	14.8	210	2	2	10	19	34	48	96
1. SINGLE DX	3132	7.1	52	1	2	5	9	15	21	37
2. MULTIPLE DX	9200	12.3	154	2	3	8	15	27	38	75
A. NOT OPERATED	7769	9.8	103	1	2	7	12	21	29	55
B. OPERATED	4563	12.9	179	2	2	9	17	30	42	84
TOTAL 0-19 YRS	1537	7.1	92	1	1	4	8	14	22	66
20-34	1910	8.7	109	1	2	5	10	18	28	70
35-49	1860	9.7	110	1	2	7	12	21	29	63
50-64	2395	11.5	138	2	2	8	14	25	35	69
65+	4630	13.4	150	2	3	10	17	28	38	66
GRAND TOTAL	**12332**	**11.0**	**133**	**2**	**2**	**7**	**14**	**24**	**34**	**67**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	431	3.1	5	1	1	3	4	5	7	11
20-34	1066	3.4	7	<1	1	3	4	7	8	12
35-49	612	4.0	11	<1	1	3	5	7	10	17
50-64	212	4.2	11	1	1	3	5	9	11	16
65+	64	4.6	13	1	1	4	6	9	12	18
B. *Operated*										
0-19 YRS	23	4.3	8	2	2	3	6	8	11	13
20-34	84	4.3	6	1	2	4	6	8	9	13
35-49	68	4.8	9	2	2	4	6	9	12	15
50-64	34	6.1	28	1	2	4	8	14	18	23
65+	11	6.0	10	1	2	6	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	264	3.7	6	1	1	3	5	7	8	13
20-34	992	5.0	15	1	2	4	6	9	12	19
35-49	918	5.7	21	1	2	4	7	11	13	24
50-64	469	5.8	22	1	2	5	7	11	14	26
65+	162	6.8	29	2	2	5	9	13	17	30
B. *Operated*										
0-19 YRS	22	6.2	17	2	3	5	7	10	16	20
20-34	112	7.6	29	2	3	6	10	15	19	27
35-49	116	8.6	56	2	3	7	10	16	18	45
50-64	83	8.8	58	3	3	7	10	14	18	50
65+	23	9.7	52	3	4	8	11	17	27	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2385	3.6	8	<1	1	3	4	7	9	14
B. *Operated*	220	4.8	11	1	2	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	2805	5.3	19	1	2	4	7	10	13	23
B. *Operated*	356	8.2	45	2	3	6	10	15	19	36
1. SINGLE DX	2605	3.7	8	<1	1	3	5	7	9	15
2. MULTIPLE DX	3161	5.7	22	1	2	4	7	10	14	25
A. NOT OPERATED	5190	4.5	14	1	1	4	6	9	11	19
B. OPERATED	576	6.9	35	2	2	5	9	13	16	35
TOTAL 0-19 YRS	740	3.4	6	1	1	3	4	6	8	13
20-34	2254	4.3	12	1	1	3	5	8	10	18
35-49	1714	5.3	21	1	2	4	6	10	13	23
50-64	798	5.7	25	1	2	4	7	11	14	27
65+	260	6.4	28	1	2	5	8	12	16	30
GRAND TOTAL	**5766**	**4.8**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	34	1.9	2	<1	<1	1	3	3	3	7
35-49	28	3.6	7	<1	<1	3	5	7	8	11
50-64	33	2.3	3	<1	<1	1	3	5	6	6
65+	12	2.9	4	<1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	48	2.3	2	1	1	2	3	3	4	9
20-34	999	2.2	2	<1	1	2	3	3	4	6
35-49	1721	2.4	3	1	1	2	3	4	5	10
50-64	1682	2.4	3	1	1	2	3	4	5	9
65+	963	2.7	5	1	1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	37	5.0	10	1	2	4	7	9	12	13
35-49	77	5.8	15	1	2	5	7	11	13	21
50-64	95	5.2	13	1	2	5	7	8	13	19
65+	55	5.6	19	1	2	4	7	12	14	22
B. *Operated*										
0-19 YRS	20	3.2	14	<1	<1	2	3	8	13	15
20-34	307	3.2	7	1	1	2	4	6	8	14
35-49	761	4.1	17	1	1	3	4	9	13	21
50 64	1149	4.0	15	1	1	3	4	8	11	19
65+	935	4.7	24	1	1	3	5	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	2.6	4	<1	<1	2	3	6	7	9
B. *Operated*	5413	2.4	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	267	5.4	14	1	2	5	7	11	13	19
B. *Operated*	3172	4.1	17	1	1	3	5	9	12	21
1. SINGLE DX	5522	2.4	3	1	1	2	3	4	5	10
2. MULTIPLE DX	3439	4.2	17	1	1	3	5	9	12	21
A. NOT OPERATED	376	4.6	13	<1	1	4	6	9	12	18
B. OPERATED	8585	3.1	9	1	1	2	3	5	8	16
TOTAL 0-19 YRS	73	2.7	5	1	1	2	3	4	6	14
20-34	1377	2.5	4	<1	1	2	3	4	5	10
35-49	2587	3.0	8	1	1	2	3	5	8	16
50-64	2959	3.1	8	1	1	2	3	5	8	16
65+	1365	3.7	15	1	1	2	4	8	11	19
GRAND TOTAL	**8961**	**3.1**	**9**	**1**	**1**	**2**	**3**	**6**	**9**	**16**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	6.8	43	1	2	4	8	16	21	31
20-34	394	6.4	69	<1	1	4	7	12	18	52
35-49	443	6.1	47	1	1	4	7	12	16	29
50-64	457	6.1	39	<1	1	4	8	12	17	34
65+	330	7.2	51	1	1	5	9	15	21	42
B. *Operated*										
0-19 YRS	158	4.4	28	1	2	3	4	8	13	24
20-34	1031	4.1	11	1	2	3	5	8	10	16
35-49	1283	4.6	23	1	2	3	5	9	13	23
50-64	1217	4.3	25	1	1	3	5	8	11	29
65+	498	4.7	20	1	2	3	6	10	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	6.1	42	1	1	4	7	12	19	82
20-34	401	6.6	41	1	2	5	8	12	16	40
35-49	744	7.7	47	2	2	6	9	14	19	42
50-64	1068	8.3	67	2	2	6	10	15	21	51
65+	1387	9.7	79	2	3	8	12	18	22	45
B. *Operated*										
0-19 YRS	72	7.4	150	2	2	4	6	14	35	97
20-34	526	6.8	67	2	2	4	8	14	17	53
35-49	837	7.7	57	2	2	5	10	16	22	34
50-64	1130	8.5	87	2	2	5	11	18	25	57
65+	661	12.0	150	2	2	9	16	27	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1786	6.4	50	<1	1	4	8	13	18	40
B. *Operated*	4187	4.4	20	1	2	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	3684	8.5	66	2	3	6	10	16	21	44
B. *Operated*	3226	8.7	93	2	2	6	11	19	27	73
1. SINGLE DX	5973	5.0	30	1	1	3	6	10	14	28
2. MULTIPLE DX	6910	8.6	78	2	2	6	11	17	24	54
A. NOT OPERATED	5470	7.8	61	1	2	6	10	15	21	42
B. OPERATED	7413	6.3	57	1	2	4	7	13	19	44
TOTAL 0-19 YRS	476	6.0	55	1	2	4	7	13	19	45
20-34	2352	5.5	40	1	2	4	6	11	14	37
35-49	3307	6.3	42	1	2	4	8	13	17	32
50-64	3872	6.9	60	1	2	4	8	14	20	43
65+	2876	9.1	88	2	2	7	11	19	25	67
GRAND TOTAL	**12883**	**6.9**	**59**	**1**	**2**	**5**	**9**	**14**	**20**	**43**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	3.7	6	<1	<1	4	5	6	6	6
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	5	2.0	3	1	1	1	3	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	87	4.4	7	2	2	4	5	8	10	14
20-34	162	4.8	9	2	2	4	6	8	9	21
35-49	175	4.6	9	1	2	4	6	7	11	14
50-64	509	4.7	8	2	2	4	6	7	9	16
65+	559	4.9	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	10	3.6	20	1	1	2	3	10	16	16
65+	20	6.1	38	<1	<1	4	7	13	20	27
B. *Operated*										
0-19 YRS	49	4.7	7	2	2	4	5	8	9	15
20-34	92	4.8	10	1	2	4	6	8	10	18
35-49	103	4.9	10	2	2	4	6	8	11	18
50-64	445	5.0	9	2	2	4	6	8	11	16
65+	580	5.4	12	2	2	5	7	9	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	3	<1	<1	1	3	5	6	6
B. *Operated*	1492	4.8	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	38	4.8	29	<1	<1	3	7	12	15	27
B. *Operated*	1269	5.2	11	2	2	4	6	9	11	18
1. SINGLE DX	1505	4.7	8	2	2	4	6	8	10	15
2. MULTIPLE DX	1307	5.2	11	2	2	4	6	9	11	19
A. NOT OPERATED	51	4.1	24	<1	<1	3	5	11	14	27
B. OPERATED	2761	4.9	9	2	2	4	6	8	10	17
TOTAL 0-19 YRS	140	4.5	7	2	2	4	5	8	10	15
20-34	261	4.7	9	1	2	4	6	8	10	20
35-49	282	4.7	9	1	2	4	6	8	10	16
50-64	969	4.8	9	2	2	4	6	8	10	16
65+	1160	5.2	11	2	2	4	6	8	11	18
GRAND TOTAL	**2812**	**4.9**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34										
35-49	7	2.1	1	1	1	2	3	3	3	3
50-64	26	2.2	2	1	1	2	3	4	6	7
65+	46	2.0	1	1	1	2	2	3	4	5
B. *Operated*										
0-19 YRS	10	3.6	16	1	1	2	5	10	14	14
20-34	19	3.2	1	2	2	3	4	5	5	5
35-49	86	3.1	5	1	1	3	4	5	8	13
50-64	206	3.4	9	1	1	3	4	6	7	11
65+	458	3.5	6	1	2	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	3	<1	<1	2	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	2.4	2	<1	<1	2	4	4	4	4
50-64	17	4.1	14	<1	1	3	4	10	13	15
65+	67	4.2	13	1	1	3	5	7	10	23
B. *Operated*										
0-19 YRS	4	3.3	4	1	1	3	5	6	6	6
20-34	10	3.2	3	1	1	3	4	5	6	6
35-49	19	5.2	9	1	2	5	7	10	11	11
50-64	110	4.4	11	1	1	3	5	9	10	18
65+	422	4.9	15	1	2	4	6	9	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.0	1	1	1	2	3	3	4	7
B. *Operated*	779	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	99	3.9	12	<1	1	3	5	7	10	20
B. *Operated*	565	4.8	14	1	2	4	6	9	12	20
1. SINGLE DX	861	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	664	4.6	14	1	2	4	6	9	12	20
A. NOT OPERATED	181	3.1	8	1	1	2	4	6	7	15
B. OPERATED	1344	4.0	10	1	2	3	5	8	10	17
TOTAL 0-19 YRS	24	3.0	8	<1	1	2	4	5	8	14
20-34	30	3.2	1	1	2	3	4	5	5	6
35-49	119	3.3	5	1	1	3	4	7	9	12
50-64	359	3.6	9	1	1	3	4	7	9	15
65+	993	4.1	11	1	2	3	5	8	10	18
GRAND TOTAL	**1525**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0		2	2	2	2	2	2	2
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	13	2.4	3	1	1	1	4	5	5	5
65+	32	2.1	4	<1	<1	1	3	4	6	10
B. *Operated*										
0-19 YRS	14	3.1	1	1	2	3	4	4	5	5
20-34	11	2.4	1	<1	1	2	3	4	4	4
35-49	39	3.4	3	1	2	3	4	6	8	9
50-64	104	3.1	5	1	1	2	4	5	8	12
65+	245	3.5	10	1	1	3	4	6	7	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	7.1	62	1	1	3	12	20	22	22
35-49	9	6.0	26	1	1	3	11	12	13	13
50-64	21	5.9	40	1	1	4	7	14	22	27
65+	61	5.5	26	1	1	5	6	11	17	26
B. *Operated*										
0-19 YRS	9	4.3	4	2	2	5	6	7	7	7
20-34	26	4.0	6	1	2	3	5	8	9	11
35-49	37	4.7	13	1	2	3	7	10	12	16
50-64	89	5.4	23	2	2	4	7	11	17	24
65+	305	4.6	15	1	2	3	5	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.1	3	<1	1	1	3	5	5	10
B. *Operated*	413	3.4	8	1	1	3	4	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	99	5.7	30	1	1	4	7	12	20	27
B. *Operated*	466	4.7	16	1	2	3	6	9	12	20
1. SINGLE DX	464	3.2	7	1	1	3	4	5	7	16
2. MULTIPLE DX	565	4.9	18	1	2	3	6	10	13	22
A. NOT OPERATED	150	4.5	24	1	1	3	6	10	13	27
B. OPERATED	879	4.1	12	1	2	3	5	8	11	20
TOTAL 0-19 YRS	25	3.4	3	1	1	3	4	6	6	7
20-34	46	4.0	14	1	1	3	4	8	11	22
35-49	88	4.1	10	1	1	3	5	9	11	15
50-64	227	4.2	16	1	1	3	5	9	12	23
65+	643	4.1	14	1	1	3	5	8	11	21
GRAND TOTAL	**1029**	**4.1**	**14**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	24	1.9	2	<1	<1	2	2	3	5	7
65+	82	2.2	3	<1	<1	2	3	3	5	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	943	2.5	2	1	2	2	3	4	4	6
50-64	6095	2.5	1	1	2	2	3	4	4	6
65+	22997	2.6	1	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	17	1.9	2	<1	<1	1	2	3	6	7
50-64	136	2.7	6	<1	1	2	3	6	9	12
65+	487	3.1	17	<1	1	2	3	7	10	20
B. *Operated*										
0-19 YRS										
20-34										
35-49	451	3.2	5	1	2	3	3	5	7	12
50-64	3938	3.2	6	2	2	3	3	5	7	11
65+	18331	3.5	8	2	2	3	4	5	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	2.1	2	<1	<1	2	3	3	4	9
B. *Operated*	30035	2.6	1	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	640	3.0	14	<1	1	2	3	7	9	19
B. *Operated*	22720	3.4	8	2	2	3	4	5	8	15
1. SINGLE DX	30144	2.6	1	1	2	2	3	4	4	7
2. MULTIPLE DX	23360	3.4	8	2	2	3	4	5	8	15
A. NOT OPERATED	749	2.9	13	<1	1	2	3	6	9	19
B. OPERATED	52755	3.0	4	2	2	3	3	4	6	11
TOTAL 0-19 YRS										
20-34										
35-49	1414	2.7	3	1	2	2	3	4	5	9
50-64	10193	2.8	3	1	2	2	3	4	5	10
65+	41897	3.0	5	2	2	3	3	4	6	12
GRAND TOTAL	**53504**	**3.0**	**4**	**2**	**2**	**3**	**3**	**4**	**6**	**11**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	113	2.4	1	1	1	2	3	4	4	7
20-34	76	2.6	1	1	1	2	3	4	5	7
35-49	133	2.2	1	1	1	2	3	3	3	5
50-64	322	2.5	1	1	2	2	3	4	4	6
65+	311	2.3	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	5	2.2	1	<1	<1	2	3	3	3	3
65+	9	4.1	26	1	1	2	5	12	17	17
B. *Operated*										
0-19 YRS	41	2.9	2	2	2	2	3	5	6	7
20-34	58	3.3	4	2	2	3	4	6	9	92
35-49	95	2.5	1	1	2	2	3	3	5	7
50-64	172	3.2	4	1	2	3	3	5	9	11
65+	226	3.3	4	1	2	3	4	5	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	955	2.4	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	21	2.9	12	<1	<1	2	3	5	11	17
B. *Operated*	592	3.1	3	1	2	3	3	5	8	11
1. SINGLE DX	960	2.4	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	613	3.1	4	1	2	3	3	5	8	11
A. NOT OPERATED	26	2.7	10	<1	<1	2	3	5	8	17
B. OPERATED	1547	2.7	2	1	1	2	3	4	5	9
TOTAL 0-19 YRS	161	2.5	1	1	1	2	3	4	5	7
20-34	135	2.9	3	1	2	2	3	5	6	23
35-49	231	2.4	1	1	1	2	3	3	4	6
50-64	499	2.8	2	1	2	2	3	4	5	10
65+	547	2.7	3	<1	1	2	3	4	5	11
GRAND TOTAL	**1573**	**2.7**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.0	5	<1	<1	1	2	4	7	13
20-34	16	5.4	7	1	2	6	7	9	10	10
35-49	10	4.0	7	2	2	3	4	8	11	11
50-64	14	5.6	13	1	3	5	7	9	14	16
65+	22	4.9	8	1	2	4	6	9	11	12
B. *Operated*										
0-19 YRS	2304	1.6		<1	<1	2	2	2	2	3
20-34	458	1.9	1	1	1	2	2	3	3	4
35-49	212	2.1	2	1	1	2	2	3	3	9
50-64	109	2.6	4	1	1	2	2	3	7	13
65+	84	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	1.6	2	<1	<1	1	1	3	4	9
20-34	24	4.7	31	1	1	3	5	8	15	29
35-49	23	6.2	18	1	2	5	8	12	15	16
50-64	57	6.4	24	1	1	5	8	13	16	25
65+	94	5.7	20	2	2	5	8	10	13	29
B. *Operated*										
0-19 YRS	404	1.8	1	1	1	2	2	2	3	5
20-34	117	2.3	3	1	1	2	2	4	5	12
35-49	88	2.5	2	1	1	2	3	4	5	11
50-64	104	4.5	23	1	1	2	5	11	16	23
65+	73	5.7	56	1	2	3	6	14	18	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.7	9	<1	<1	3	5	8	10	14
B. *Operated*	3167	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	275	4.6	20	<1	<1	3	6	10	13	26
B. *Operated*	786	2.7	11	1	1	2	2	4	7	18
1. SINGLE DX	3280	1.8	1	<1	1	2	2	2	3	7
2. MULTIPLE DX	1061	3.2	14	<1	1	2	3	6	10	18
A. NOT OPERATED	388	4.4	17	<1	<1	3	6	9	12	22
B. OPERATED	3953	1.9	3	<1	1	2	2	2	3	9
TOTAL 0-19 YRS	2836	1.7		<1	<1	2	2	2	2	3
20-34	615	2.2	3	1	1	2	2	3	4	10
35-49	333	2.5	4	1	1	2	2	4	7	12
50-64	284	4.2	18	1	1	2	5	10	14	20
65+	273	4.5	25	1	1	3	6	9	12	30
GRAND TOTAL	**4341**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**3**	**5**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	251	2.1	4	<1	<1	1	3	5	6	10
20-34	91	2.2	4	<1	<1	<1	3	5	6	10
35-49	38	2.7	12	<1	<1	1	3	7	11	17
50-64	58	3.9	21	<1	<1	2	5	10	15	19
65+	86	5.6	26	<1	<1	5	7	12	15	27
B. *Operated*										
0-19 YRS	203	1.9	2	<1	<1	2	2	3	4	9
20-34	264	2.8	6	1	1	2	3	5	6	12
35-49	300	2.4	2	1	1	2	3	4	5	9
50-64	551	2.4	3	<1	1	2	3	4	5	8
65+	838	2.8	4	1	1	2	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	3.8	5	1	1	3	5	7	8	11
20-34	85	3.4	10	<1	<1	3	4	8	10	17
35-49	62	4.6	14	<1	<1	4	6	9	14	17
50-64	75	5.0	14	<1	1	5	6	9	11	22
65+	181	6.9	35	1	1	5	9	14	18	40
B. *Operated*										
0-19 YRS	92	3.3	22	<1	1	2	3	6	8	32
20-34	112	3.7	11	1	1	3	4	7	13	18
35-49	270	3.5	14	1	1	3	3	7	10	22
50-64	567	3.5	10	1	1	3	4	6	10	17
65+	1139	4.2	18	1	1	3	5	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	524	2.9	11	<1	<1	1	4	6	10	17
B. *Operated*	2156	2.6	3	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	619	4.9	18	<1	1	4	6	10	14	21
B. *Operated*	2180	3.8	16	1	1	3	4	7	11	20
1. SINGLE DX	2680	2.6	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX	2799	4.1	16	1	1	3	5	8	12	20
A. NOT OPERATED	1143	4.0	16	<1	<1	3	5	8	12	19
B. OPERATED	4336	3.2	10	1	1	2	4	6	8	17
TOTAL 0-19 YRS	762	2.7	7	<1	<1	2	3	6	7	11
20-34	552	3.0	7	<1	<1	2	3	5	7	14
35-49	670	3.1	9	<1	1	2	3	5	8	17
50-64	1251	3.1	8	<1	1	2	4	6	8	16
65+	2244	3.9	16	1	1	3	5	7	11	20
GRAND TOTAL	**5479**	**3.4**	**11**	**<1**	**1**	**2**	**4**	**6**	**9**	**18**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	409	4.1	6	1	2	4	5	7	8	13
20-34	140	4.7	17	1	1	4	5	8	12	18
35-49	74	4.0	8	<1	1	3	5	8	10	14
50-64	83	4.3	13	<1	1	3	6	8	12	19
65+	128	5.0	16	1	1	4	7	10	12	21
B. *Operated*										
0-19 YRS	68	3.1	5	<1	1	2	4	5	8	13
20-34	84	3.4	4	1	2	3	4	6	8	10
35-49	111	3.7	9	1	2	3	4	7	10	16
50-64	427	3.0	5	1	1	2	3	5	7	13
65+	1017	2.9	4	1	2	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	341	4.8	10	1	2	4	6	8	10	14
20-34	105	5.7	17	1	1	5	7	11	15	19
35-49	122	5.6	18	1	2	4	7	10	14	21
50-64	189	5.9	24	1	2	5	7	11	16	25
65+	303	6.3	25	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	88	4.9	13	1	2	4	7	10	11	17
20-34	151	5.0	24	1	2	4	6	9	12	25
35-49	177	5.5	28	1	2	4	6	13	14	29
50-64	487	5.4	43	2	2	3	6	11	18	30
65+	1172	4.7	19	2	2	3	5	10	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	834	4.3	10	1	2	4	5	8	10	17
B. *Operated*	1707	3.0	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1060	5.6	19	1	2	4	7	10	13	22
B. *Operated*	2075	5.0	26	2	2	3	6	10	14	25
1. SINGLE DX	2541	3.4	7	1	1	3	4	6	8	14
2. MULTIPLE DX	3135	5.2	23	1	2	4	6	10	14	24
A. NOT OPERATED	1894	5.0	15	1	2	4	6	9	12	21
B. OPERATED	3782	4.1	17	1	2	3	4	8	11	20
TOTAL 0-19 YRS	906	4.3	8	1	2	4	5	8	9	14
20-34	480	4.8	17	1	2	4	6	9	12	21
35-49	484	4.9	19	1	2	4	6	10	13	21
50-64	1186	4.5	26	1	2	3	5	9	12	22
65+	2620	4.2	15	1	2	3	5	8	12	20
GRAND TOTAL	**5676**	**4.4**	**17**	**1**	**2**	**3**	**5**	**9**	**11**	**20**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.1	4	<1	1	3	4	5	7	9
20-34	30	2.8	3	<1	<1	2	4	5	7	8
35-49	31	4.3	9	<1	<1	4	6	8	10	14
50-64	35	3.7	7	<1	1	3	6	7	9	10
65+	19	3.6	4	1	2	3	5	7	8	8
B. *Operated*										
0-19 YRS	15	2.1	3	<1	1	2	2	4	7	8
20-34	14	2.3	1	<1	1	2	3	3	3	3
35-49	14	3.1	4	1	2	3	4	5	8	9
50-64	28	5.0	13	1	2	4	7	11	13	14
65+	32	4.0	12	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.5	5	<1	1	3	4	7	8	10
20-34	61	5.9	42	<1	1	5	6	10	13	39
35-49	52	5.6	25	1	1	4	8	11	13	31
50-64	99	6.1	24	1	2	5	8	12	18	24
65+	122	6.9	36	1	2	5	8	14	24	30
B. *Operated*										
0-19 YRS	18	2.9	3	1	1	2	3	6	7	7
20-34	30	5.2	20	1	2	4	6	13	15	19
35-49	46	4.8	11	1	1	3	7	10	11	14
50-64	78	5.8	19	2	2	4	9	12	14	21
65+	91	6.5	37	2	2	4	8	14	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	3.5	6	<1	1	3	5	7	8	11
B. *Operated*	103	3.6	9	1	1	2	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	375	6.0	30	1	2	4	7	11	17	30
B. *Operated*	263	5.6	23	1	2	4	8	12	15	24
1. SINGLE DX	244	3.6	7	<1	1	3	5	7	9	14
2. MULTIPLE DX	638	5.8	27	1	2	4	7	12	15	29
A. NOT OPERATED	516	5.3	24	1	1	4	7	10	14	27
B. OPERATED	366	5.1	20	1	2	3	6	11	14	22
TOTAL 0-19 YRS	100	3.1	4	1	1	2	4	6	8	10
20-34	135	4.7	26	<1	1	3	5	8	12	35
35-49	143	4.8	15	1	1	4	7	10	12	15
50-64	240	5.5	19	1	2	4	7	12	14	22
65+	264	6.2	33	1	2	4	8	13	19	30
GRAND TOTAL	**882**	**5.2**	**23**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1307	2.7	3	<1	<1	2	3	5	6	9
20-34	80	2.1	3	<1	<1	1	3	4	7	8
35-49	28	3.4	22	<1	<1	2	4	5	7	26
50-64	16	3.5	11	<1	<1	2	5	7	11	13
65+	13	4.8	10	<1	1	4	6	9	12	13
B. *Operated*										
0-19 YRS	3767	1.3	1	<1	<1	1	1	2	2	4
20-34	457	2.2	1	1	1	2	3	3	4	7
35-49	390	2.3	1	1	1	2	3	3	4	6
50-64	369	2.4	1	1	1	2	3	3	4	6
65+	118	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3603	3.6	6	1	1	3	4	6	8	13
20-34	138	4.4	23	<1	<1	3	6	8	11	30
35-49	84	4.8	20	<1	1	4	6	10	12	26
50-64	90	5.5	12	1	2	5	7	9	12	19
65+	103	6.9	25	1	2	6	9	14	17	26
B. *Operated*										
0-19 YRS	3088	1.9	4	<1	<1	2	2	3	4	9
20-34	549	2.5	3	1	1	2	3	3	4	9
35-49	505	3.0	6	1	2	2	3	5	7	16
50-64	535	3.1	8	1	2	2	3	5	8	15
65+	235	4.0	18	1	2	3	4	8	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1444	2.7	4	<1	<1	2	3	5	6	10
B. *Operated*	5101	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	4018	3.8	8	1	1	3	5	7	8	14
B. *Operated*	4912	2.3	5	<1	1	2	2	3	5	13
1. SINGLE DX	6545	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	8930	3.0	7	<1	1	2	3	5	7	14
A. NOT OPERATED	5462	3.5	7	<1	1	3	4	6	8	13
B. OPERATED	10013	1.9	3	<1	<1	2	2	3	4	9
TOTAL 0-19 YRS	11765	2.3	4	<1	<1	2	3	4	6	10
20-34	1224	2.6	5	<1	1	2	3	4	6	10
35-49	1007	2.9	6	1	1	2	3	5	6	13
50-64	1010	3.1	7	1	2	2	3	5	7	15
65+	469	4.3	18	1	2	3	5	8	13	21
GRAND TOTAL	**15475**	**2.5**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	3.6	7	<1	<1	3	5	7	9	11
20-34	157	2.8	7	<1	<1	2	4	5	8	14
35-49	51	3.9	8	<1	<1	3	6	7	8	14
50-64	28	4.7	33	<1	<1	3	6	9	15	29
65+	25	5.3	24	<1	<1	4	7	13	16	21
B. *Operated*										
0-19 YRS	422	1.6	2	<1	<1	1	2	3	4	7
20-34	88	2.5	3	<1	1	2	3	4	6	11
35-49	56	2.9	3	1	1	3	3	6	6	11
50-64	55	3.3	12	1	1	2	4	6	8	23
65+	34	3.9	29	1	1	2	3	6	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	3.9	8	1	1	3	5	7	9	13
20-34	125	4.3	10	<1	<1	3	6	8	10	16
35-49	81	4.5	10	<1	<1	4	7	9	10	15
50-64	79	5.9	16	1	2	5	7	10	16	21
65+	79	10.1	155	1	3	6	11	16	37	72
B. *Operated*										
0-19 YRS	441	2.4	8	<1	1	2	2	4	6	17
20-34	105	3.8	8	1	2	3	5	8	10	15
35-49	65	4.6	26	1	1	3	4	12	15	28
50-64	96	5.1	25	2	2	3	6	12	15	27
65+	72	8.3	87	1	2	4	10	26	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	3.5	10	<1	<1	3	5	7	9	14
B. *Operated*	655	2.1	5	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	706	4.9	30	<1	1	4	6	9	11	24
B. *Operated*	779	3.6	22	<1	1	2	3	7	12	28
1. SINGLE DX	1098	2.7	7	<1	<1	2	3	6	8	14
2. MULTIPLE DX	1485	4.3	26	<1	1	3	5	9	12	27
A. NOT OPERATED	1149	4.4	22	<1	<1	3	6	8	10	19
B. OPERATED	1434	2.9	15	<1	<1	2	3	6	9	24
TOTAL 0-19 YRS	1387	2.7	7	<1	<1	2	3	6	7	12
20-34	475	3.4	8	<1	<1	3	4	7	9	14
35-49	253	4.0	12	<1	1	3	5	7	11	16
50-64	258	4.9	21	<1	1	4	6	10	14	24
65+	210	7.9	100	1	2	4	9	16	28	53
GRAND TOTAL	**2583**	**3.6**	**19**	**<1**	**<1**	**2**	**4**	**7**	**10**	**22**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.6	6	1	1	3	5	7	8	13
20-34	284	3.9	12	1	1	3	5	7	9	18
35-49	440	4.1	6	1	1	4	5	7	9	12
50-64	609	3.9	8	1	1	3	5	7	9	14
65+	570	4.3	9	1	1	4	5	8	10	15
B. *Operated*										
0-19 YRS	5	3.4	3	2	2	3	4	6	6	6
20-34	57	3.3	2	1	2	3	4	5	6	8
35-49	93	3.8	7	1	2	3	5	7	10	15
50-64	127	3.7	6	2	2	3	4	6	8	15
65+	71	4.9	9	2	2	4	7	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.1	5	2	2	4	5	7	8	12
20-34	288	4.7	8	1	2	4	6	9	11	14
35-49	637	5.4	14	1	2	4	7	10	12	17
50-64	1279	5.2	12	1	2	4	7	10	11	17
65+	2164	5.9	18	2	2	5	7	11	14	20
B. *Operated*										
0-19 YRS	7	4.3	13	<1	<1	3	6	10	11	11
20-34	24	6.6	19	1	2	6	9	14	15	17
35-49	62	7.5	22	2	2	7	11	14	16	20
50-64	166	8.3	34	2	3	7	10	16	20	27
65+	185	9.5	42	3	4	8	13	17	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1950	4.1	9	1	1	3	5	7	9	14
B. *Operated*	353	3.9	7	2	2	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	4416	5.5	15	1	2	5	7	10	13	19
B. *Operated*	444	8.5	35	2	3	7	11	16	18	29
1. SINGLE DX	2303	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX	4860	5.8	17	2	2	5	7	11	14	20
A. NOT OPERATED	6366	5.1	13	1	2	4	7	9	12	18
B. OPERATED	797	6.5	28	2	2	5	9	13	16	26
TOTAL 0-19 YRS	107	3.9	6	1	2	3	5	7	8	12
20-34	653	4.3	10	1	1	4	5	8	10	14
35-49	1232	4.9	12	1	2	4	6	9	11	16
50-64	2181	5.0	13	1	2	4	6	9	11	18
65+	2990	5.8	19	2	2	5	7	11	14	21
GRAND TOTAL	**7163**	**5.2**	**15**	**1**	**2**	**4**	**7**	**10**	**12**	**19**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49										
50-64	3	3.3	10	<1	<1	2	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	38	2.3		1	2	2	3	3	4	4
20-34	315	2.4	1	1	1	2	3	3	4	5
35-49	478	2.4	1	1	1	2	3	3	4	5
50-64	413	2.5	1	1	2	2	3	3	4	5
65+	160	2.6	1	2	2	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	7	2.1	1	<1	<1	2	3	4	4	4
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	8	2.9	1	1	1	3	4	4	4	4
20-34	86	3.0	3	1	2	3	3	4	6	11
35-49	122	2.8	3	2	2	3	3	4	5	10
50-64	193	2.9	5	1	2	3	3	3	4	13
65+	98	3.0	2	2	2	3	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.6	4	<1	<1	2	3	6	7	7
B. *Operated*	1404	2.5	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	14	2.1	2	<1	<1	1	3	4	6	6
B. *Operated*	507	2.9	4	1	2	3	3	4	5	11
1. SINGLE DX	1411	2.5	1	1	2	2	3	3	4	6
2. MULTIPLE DX	521	2.9	4	1	2	3	3	4	5	11
A. NOT OPERATED	21	2.2	3	<1	<1	2	3	5	6	7
B. OPERATED	1911	2.6	2	1	2	2	3	4	4	6
TOTAL 0-19 YRS	48	2.4	1	1	1	2	3	3	4	4
20-34	407	2.5	1	1	1	2	3	4	4	6
35-49	602	2.5	1	1	2	2	3	3	4	6
50-64	616	2.7	2	1	2	3	3	3	4	7
65+	259	2.8	2	2	2	3	3	4	5	8
GRAND TOTAL	**1932**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.5	5	<1	<1	2	3	5	8	9
20-34	58	3.1	19	<1	<1	2	4	5	6	31
35-49	58	3.4	5	<1	<1	3	4	7	8	11
50-64	60	3.8	6	1	1	3	5	7	8	14
65+	32	4.6	11	<1	1	4	6	8	11	16
B. *Operated*										
0-19 YRS	903	1.9	3	<1	1	2	2	3	3	5
20-34	679	2.1	2	1	1	2	2	3	4	6
35-49	442	2.3	3	1	1	2	3	3	4	9
50-64	410	2.3	1	1	1	2	3	3	4	7
65+	175	2.3	2	1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.9	8	<1	<1	2	4	6	10	14
20-34	74	3.5	8	<1	<1	3	5	8	10	12
35-49	56	4.8	10	<1	1	4	7	8	8	17
50-64	109	6.1	35	1	1	4	8	11	17	37
65+	112	6.4	20	<1	2	6	8	10	13	27
B. *Operated*										
0-19 YRS	667	2.0	1	<1	1	2	2	3	3	6
20-34	455	2.5	3	1	1	2	3	3	4	13
35-49	376	2.7	4	1	1	2	3	4	6	13
50-64	422	3.3	9	1	1	2	3	6	9	17
65+	196	3.5	14	1	1	2	3	7	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	3.4	9	<1	<1	3	4	7	8	14
B. *Operated*	2609	2.1	3	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	399	5.1	21	<1	1	4	7	10	12	22
B. *Operated*	2116	2.6	5	1	1	2	3	4	6	14
1. SINGLE DX	2865	2.2	3	1	1	2	3	3	4	8
2. MULTIPLE DX	2515	3.0	8	1	1	2	3	6	8	16
A. NOT OPERATED	655	4.5	17	<1	<1	4	6	9	11	20
B. OPERATED	4725	2.3	4	1	1	2	3	3	4	11
TOTAL 0-19 YRS	1666	2.0	2	<1	1	2	2	3	3	6
20-34	1266	2.4	4	1	1	2	3	4	5	10
35-49	932	2.7	4	1	1	2	3	4	6	12
50-64	1001	3.2	10	1	1	2	3	6	8	17
65+	515	3.8	13	1	1	2	4	8	11	19
GRAND TOTAL	**5380**	**2.6**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	7.4	39	3	3	5	8	14	16	39
20-34	39	7.5	39	1	2	5	8	16	22	29
35-49	12	7.3	14	2	3	7	9	12	15	16
50-64	4	6.8	8	4	4	6	9	10	10	10
65+	8	10.8	43	3	3	10	15	20	22	22
B. *Operated*										
0-19 YRS										
20-34	2	9.0	32	5	5	9	13	13	13	13
35-49										
50-64	2	16.0	2	15	15	16	17	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.0	23	2	3	6	10	14	15	21
20-34	42	9.8	96	2	3	7	11	20	33	45
35-49	32	7.3	13	2	3	7	9	13	15	15
50-64	41	8.7	42	2	3	7	10	19	22	31
65+	51	11.5	76	3	4	10	15	19	23	55
B. *Operated*										
0-19 YRS	3	8.7	16	5	5	8	12	13	13	13
20-34	7	19.4	56	12	13	18	20	32	35	35
35-49	13	11.8	130	2	3	6	18	33	34	34
50-64	25	14.2	132	2	2	13	20	31	38	43
65+	25	17.2	306	2	2	15	21	33	50	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	7.6	36	2	3	6	9	15	17	38
B. *Operated*	4	12.5	28	5	5	14	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	201	9.1	56	2	3	7	11	17	21	45
B. *Operated*	73	15.1	180	2	2	13	20	33	36	78
1. SINGLE DX	152	7.7	37	2	3	6	9	15	17	38
2. MULTIPLE DX	274	10.7	95	2	3	8	14	21	30	45
A. NOT OPERATED	349	8.5	48	2	3	7	10	16	21	39
B. OPERATED	77	14.9	172	2	2	13	20	32	36	76
TOTAL 0-19 YRS	123	7.3	34	2	3	6	9	14	16	38
20-34	90	9.5	75	2	2	7	13	19	26	45
35-49	57	8.4	41	2	3	7	9	15	21	34
50-64	72	10.7	77	2	2	8	13	22	30	42
65+	84	13.1	145	2	3	11	17	22	32	77
GRAND TOTAL	**426**	**9.6**	**76**	**2**	**3**	**7**	**13**	**19**	**24**	**43**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.2	2	1	1	3	4	5	6	6
20-34	31	4.2	7	1	1	4	6	8	9	11
35-49	46	4.0	6	1	1	3	6	8	9	10
50-64	40	4.9	10	2	2	4	6	8	11	18
65+	22	7.0	25	2	3	6	8	12	18	25
B. *Operated*										
0-19 YRS	8	7.0	55	2	2	4	10	20	23	23
20-34	44	7.0	24	2	2	7	11	13	15	18
35-49	104	7.3	28	1	2	6	11	15	17	19
50-64	144	7.7	46	2	2	4	12	17	19	27
65+	67	9.6	63	2	2	8	16	20	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.3	5	2	3	5	7	9	9	9
20-34	109	7.0	49	2	2	5	8	13	17	42
35-49	240	6.1	23	1	2	5	8	11	14	22
50-64	420	7.1	23	2	2	6	10	13	16	22
65+	546	9.8	53	3	3	8	12	19	24	39
B. *Operated*										
0-19 YRS	15	9.3	120	2	2	8	10	21	38	44
20-34	69	13.1	139	2	2	10	17	34	38	55
35-49	295	10.1	99	2	2	8	14	20	25	51
50-64	572	12.1	123	2	2	11	17	25	32	61
65+	411	14.6	170	2	2	12	20	31	39	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	4.7	11	1	2	4	6	8	10	18
B. *Operated*	367	7.8	42	2	2	5	12	17	19	24
2. MULTIPLE DX										
A. *Not Operated*	1337	8.0	39	2	3	6	10	16	20	35
B. *Operated*	1362	12.4	135	2	2	11	17	26	35	63
1. SINGLE DX	519	6.9	35	2	2	4	10	16	18	24
2. MULTIPLE DX	2699	10.2	93	2	2	8	13	22	29	48
A. NOT OPERATED	1489	7.6	37	2	2	6	10	15	19	34
B. OPERATED	1729	11.4	119	2	2	10	16	24	32	59
TOTAL 0-19 YRS	58	6.1	44	2	2	4	8	10	17	42
20-34	253	8.3	73	2	2	6	11	17	26	40
35-49	685	7.9	59	2	2	5	11	16	20	36
50-64	1176	9.5	80	2	2	7	13	20	25	42
65+	1046	11.6	105	2	3	9	16	24	32	53
GRAND TOTAL	**3218**	**9.7**	**85**	**2**	**2**	**7**	**13**	**20**	**26**	**43**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	3.6	7	1	2	3	4	5	8	17
20-34	315	4.3	8	<1	1	4	5	7	10	16
35-49	795	4.7	9	1	2	4	6	8	10	15
50-64	963	4.8	13	<1	1	4	6	9	12	18
65+	815	4.7	14	<1	<1	4	6	9	11	17
B. *Operated*										
0-19 YRS	25	3.9	8	1	2	3	5	7	9	14
20-34	76	4.8	47	1	1	3	5	10	13	44
35-49	63	5.3	18	1	2	4	8	11	14	20
50-64	97	6.6	53	1	2	4	9	13	23	74
65+	44	6.2	78	1	2	4	5	13	20	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	5.0	11	1	2	4	6	8	11	19
20-34	987	5.7	15	2	2	5	7	10	13	21
35-49	3233	6.1	16	2	2	5	8	11	13	20
50-64	5406	6.6	23	2	2	6	8	12	15	24
65+	6237	7.5	32	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	23	6.7	32	1	2	5	11	15	18	22
20-34	184	7.8	59	1	2	6	10	15	20	34
35-49	582	9.8	59	2	2	8	13	19	24	41
50-64	1004	10.0	73	2	2	8	13	19	24	48
65+	838	12.1	78	2	3	10	15	23	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2964	4.7	11	<1	1	4	6	9	11	17
B. *Operated*	305	5.6	45	1	2	3	6	12	16	46
2. MULTIPLE DX										
A. *Not Operated*	15998	6.8	25	2	2	6	8	12	16	26
B. *Operated*	2631	10.4	72	2	2	8	14	20	26	44
1. SINGLE DX	3269	4.8	15	<1	1	4	6	9	11	18
2. MULTIPLE DX	18629	7.3	33	2	2	6	9	14	18	29
A. NOT OPERATED	18962	6.5	23	1	2	5	8	12	15	25
B. OPERATED	2936	9.9	71	2	2	8	13	20	25	45
TOTAL 0-19 YRS	259	4.6	12	1	2	4	6	8	11	19
20-34	1562	5.6	21	1	2	4	7	10	13	23
35-49	4673	6.3	22	2	2	5	8	12	15	24
50-64	7470	6.9	31	2	2	5	9	13	16	27
65+	7934	7.7	38	2	2	6	10	15	19	31
GRAND TOTAL	**21898**	**6.9**	**31**	**2**	**2**	**6**	**9**	**13**	**17**	**28**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	4.2	5	2	2	4	6	8	9	9
35-49	69	6.3	11	2	2	6	8	10	13	17
50-64	154	5.9	13	2	2	5	7	11	13	20
65+	239	7.6	25	2	3	6	10	14	16	25
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	15	4.9	19	1	2	2	9	11	13	14
50-64	36	5.7	53	1	2	3	7	14	16	40
65+	15	3.9	10	1	2	2	5	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	13.1	93	4	4	9	23	26	27	27
20-34	86	7.8	30	2	3	7	9	15	19	31
35-49	558	8.2	26	3	3	7	10	15	19	27
50-64	1810	8.8	37	3	3	7	11	16	20	30
65+	3984	10.3	59	3	4	8	12	19	25	39
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	13	10.0	24	2	4	9	12	17	19	19
35-49	129	9.0	45	2	2	8	12	18	22	30
50-64	351	11.8	103	2	2	9	15	26	32	46
65+	535	15.4	121	3	5	13	19	30	38	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481	6.7	19	2	2	6	8	13	15	21
B. *Operated*	67	5.1	35	1	2	2	7	11	14	36
2. MULTIPLE DX										
A. *Not Operated*	6446	9.6	50	3	3	8	12	18	23	36
B. *Operated*	1029	13.3	110	2	2	11	17	26	35	51
1. SINGLE DX	548	6.5	21	2	2	6	8	13	15	21
2. MULTIPLE DX	7475	10.1	60	3	3	8	12	19	25	41
A. NOT OPERATED	6927	9.4	49	3	3	8	12	17	22	35
B. OPERATED	1096	12.8	109	2	2	10	17	26	35	51
TOTAL 0-19 YRS	10	13.1	95	3	3	9	23	25	27	27
20-34	118	7.5	28	2	2	6	9	13	18	28
35-49	771	8.1	28	2	3	7	10	15	19	27
50-64	2351	9.0	48	2	3	7	11	17	22	39
65+	4773	10.7	67	3	4	8	13	20	26	43
GRAND TOTAL	**8023**	**9.9**	**58**	**2**	**3**	**8**	**12**	**19**	**24**	**40**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	3	1	1	3	4	6	6	6
20-34	15	4.5	19	1	1	3	6	11	15	17
35-49	22	4.8	4	1	2	5	6	8	9	9
50-64	26	7.5	25	2	2	7	9	16	19	21
65+	34	7.1	22	2	3	6	9	11	14	28
B. *Operated*										
0-19 YRS	13	4.3	12	1	1	3	6	10	12	12
20-34	19	5.7	21	1	1	5	8	12	16	17
35-49	45	11.7	171	1	2	8	13	24	45	67
50-64	43	8.4	55	2	2	5	12	20	25	29
65+	20	11.6	194	<1	1	8	13	23	43	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.6	10	1	1	3	6	10	11	11
20-34	42	5.1	23	1	1	4	6	11	18	20
35-49	93	8.4	53	1	2	7	10	16	20	45
50-64	260	9.7	47	2	3	8	13	18	23	34
65+	593	12.0	97	2	3	9	15	23	31	49
B. *Operated*										
0-19 YRS	12	10.9	26	5	5	9	13	19	22	23
20-34	87	10.8	86	1	2	8	13	23	35	40
35-49	149	13.1	108	2	3	10	18	28	32	49
50-64	280	12.7	116	2	3	10	17	26	35	59
65+	281	15.4	168	2	3	12	20	30	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	6.0	18	1	2	5	8	10	14	24
B. *Operated*	140	9.2	108	1	2	6	11	19	26	63
2. MULTIPLE DX										
A. *Not Operated*	1010	10.6	79	2	3	8	14	20	27	46
B. *Operated*	809	13.5	130	2	3	10	18	28	36	58
1. SINGLE DX	248	7.8	71	1	2	6	10	16	21	49
2. MULTIPLE DX	1819	11.9	103	2	3	9	16	24	31	52
A. NOT OPERATED	1118	10.2	75	2	3	8	13	20	26	44
B. OPERATED	949	12.8	129	2	2	10	18	27	35	60
TOTAL 0-19 YRS	58	5.6	19	1	1	4	8	11	13	23
20-34	163	8.1	63	1	1	6	11	19	24	38
35-49	309	10.9	99	2	2	8	14	23	30	50
50-64	609	10.9	81	2	3	9	15	21	28	50
65+	928	12.8	121	2	3	10	17	25	34	55
GRAND TOTAL	**2067**	**11.4**	**101**	**2**	**3**	**9**	**15**	**23**	**30**	**51**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	10.0	19	4	4	10	14	15	16	16
20-34	94	11.1	15	3	6	12	14	16	17	20
35-49	1089	11.4	20	4	7	11	14	16	18	24
50-64	2445	11.8	20	5	7	12	14	17	19	25
65+	2220	12.5	25	5	7	12	15	19	21	28
B. *Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	24	8.5	21	2	2	10	11	14	15	16
35-49	214	11.0	40	2	2	11	14	17	21	32
50-64	403	11.4	42	2	2	12	14	19	21	31
65+	167	14.5	68	2	3	14	18	22	28	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	17.2	76	5	7	15	25	30	31	33
20-34	138	11.1	36	2	4	11	14	17	20	38
35-49	2273	12.0	25	4	6	12	14	18	20	28
50-64	7930	13.0	31	5	7	12	15	19	23	33
65+	12809	14.7	51	6	8	13	17	23	27	40
B. *Operated*										
0-19 YRS	6	19.7	308	1	2	15	24	49	52	52
20-34	57	11.8	57	2	2	11	15	20	31	95
35-49	827	13.3	76	2	2	12	17	23	29	43
50-64	2263	15.7	100	2	3	14	20	27	34	53
65+	2235	20.3	148	5	9	17	25	35	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5857	12.0	22	5	7	12	14	17	20	26
B. *Operated*	810	11.9	48	2	2	12	15	19	23	33
2. MULTIPLE DX										
A. *Not Operated*	23173	13.9	42	6	7	13	16	21	25	37
B. *Operated*	5388	17.2	124	2	5	15	21	31	38	62
1. SINGLE DX	6667	12.0	25	4	6	12	14	17	20	27
2. MULTIPLE DX	28561	14.5	60	5	7	13	17	23	28	44
A. NOT OPERATED	29030	13.5	39	6	7	13	16	20	24	36
B. OPERATED	6198	16.5	117	2	4	15	20	29	37	59
TOTAL 0-19 YRS	40	15.5	102	2	4	14	19	29	32	52
20-34	313	11.0	33	2	3	11	14	17	19	37
35-49	4403	12.1	34	3	5	12	14	18	21	33
50-64	13041	13.2	43	4	7	12	16	20	24	38
65+	17431	15.2	65	6	8	14	18	24	30	46
GRAND TOTAL	**35228**	**14.0**	**54**	**5**	**7**	**13**	**16**	**22**	**27**	**41**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	6	1	1	3	6	6	6	6
20-34	93	4.1	5	1	2	4	5	7	9	12
35-49	667	4.5	10	1	1	4	6	8	10	15
50-64	1176	4.3	9	1	1	4	5	8	9	15
65+	1065	4.7	11	<1	1	4	6	9	11	17
B. *Operated*										
0-19 YRS										
20-34	18	2.8	2	2	2	2	3	4	6	8
35-49	199	3.6	9	1	2	2	4	8	10	16
50-64	422	3.7	14	1	1	2	4	9	12	18
65+	115	4.9	28	1	1	3	7	11	14	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	6.0	21	2	3	5	6	12	18	21
20-34	287	5.6	15	1	2	5	7	10	13	20
35-49	2589	5.5	14	2	2	5	7	10	12	17
50-64	7240	5.9	16	2	2	5	7	10	13	20
65+	10492	6.6	21	2	3	5	8	12	15	24
B. *Operated*										
0-19 YRS	7	11.9	50	3	4	9	17	22	23	23
20-34	89	6.3	23	2	2	4	10	13	16	19
35-49	1521	6.8	37	2	2	4	10	14	18	26
50-64	4648	7.6	48	2	2	5	11	16	20	30
65+	2319	10.0	76	2	2	8	14	21	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3006	4.5	10	1	1	4	6	8	10	15
B. *Operated*	754	3.8	15	1	1	2	5	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	20632	6.2	19	2	2	5	8	11	14	22
B. *Operated*	8584	8.1	55	2	2	6	12	17	22	34
1. SINGLE DX	3760	4.3	11	1	1	4	6	8	10	16
2. MULTIPLE DX	29216	6.8	30	2	2	5	9	13	17	27
A. NOT OPERATED	23638	6.0	18	2	2	5	8	11	14	21
B. OPERATED	9338	7.7	53	2	2	5	11	17	21	34
TOTAL 0-19 YRS	36	6.8	30	1	2	5	7	17	20	23
20-34	487	5.3	15	1	2	4	7	11	13	19
35-49	4976	5.7	21	2	2	4	8	11	14	22
50-64	13486	6.2	28	2	2	5	8	13	16	25
65+	13991	7.0	32	2	2	5	9	13	17	29
GRAND TOTAL	**32976**	**6.5**	**28**	**2**	**2**	**5**	**8**	**13**	**16**	**26**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	30	4.9	10	2	2	4	6	9	13	15
35-49	291	5.0	8	1	2	4	7	9	11	14
50-64	736	5.4	11	2	2	5	7	10	12	16
65+	670	6.5	18	2	2	5	8	11	15	22
B. *Operated*										
0-19 YRS										
20-34	4	10.0	79	1	1	9	17	21	21	21
35-49	68	9.4	28	2	3	9	11	17	19	26
50-64	158	8.2	26	2	2	8	11	13	19	23
65+	67	11.4	58	2	2	10	16	24	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	92	6.7	21	2	3	6	8	12	15	27
35-49	1321	6.7	23	2	2	6	8	12	15	25
50-64	4347	7.0	19	2	3	6	9	12	15	22
65+	6497	8.0	28	2	3	7	10	14	18	27
B. *Operated*										
0-19 YRS										
20-34	21	8.2	28	2	2	7	11	16	19	20
35-49	499	10.1	68	2	2	9	13	19	22	44
50-64	1605	10.9	59	2	2	10	15	20	24	36
65+	1215	13.6	94	2	3	12	18	25	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1730	5.7	13	2	2	5	7	10	13	19
B. *Operated*	297	9.2	35	2	2	8	12	18	22	27
2. MULTIPLE DX										
A. *Not Operated*	12258	7.5	25	2	3	6	9	13	17	25
B. *Operated*	3340	11.7	75	2	2	10	16	22	27	42
1. SINGLE DX	2027	6.3	18	2	2	5	8	11	14	22
2. MULTIPLE DX	15598	8.4	38	2	3	7	11	16	20	31
A. NOT OPERATED	13988	7.3	24	2	3	6	9	13	16	24
B. OPERATED	3637	11.5	72	2	2	10	15	22	27	41
TOTAL 0-19 YRS	4	4.5	6	2	2	4	6	7	7	7
20-34	147	6.6	22	2	2	5	8	13	15	21
35-49	2179	7.3	34	2	2	6	9	14	18	27
50-64	6846	7.8	31	2	2	6	10	14	18	28
65+	8449	8.7	41	2	3	7	11	16	20	31
GRAND TOTAL	**17625**	**8.2**	**37**	**2**	**3**	**7**	**10**	**15**	**19**	**30**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	8	2	2	4	7	8	8	8
20-34	26	4.2	6	<1	1	4	5	8	8	9
35-49	268	4.8	11	1	1	4	6	9	12	16
50-64	665	5.2	14	1	2	4	7	10	12	18
65+	746	6.1	20	1	2	5	8	11	15	21
B. *Operated*										
0-19 YRS	5	3.6	13	2	2	2	4	10	10	10
20-34	64	4.9	16	1	2	3	8	11	13	18
35-49	1362	5.5	25	1	2	3	9	13	15	20
50-64	3881	6.1	32	2	2	3	10	14	17	24
65+	1297	7.4	50	2	2	4	11	17	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.5	16	1	2	4	8	12	15	15
20-34	112	6.2	14	2	2	5	8	10	13	20
35-49	1587	6.5	23	2	2	5	8	12	15	23
50-64	6105	7.2	27	2	2	6	9	13	16	26
65+	13927	9.0	44	2	3	7	11	17	21	35
B. *Operated*										
0-19 YRS	14	4.8	15	1	1	3	8	11	11	11
20-34	155	6.0	33	2	2	3	9	12	18	25
35-49	3052	6.9	42	2	2	4	10	15	19	28
50-64	9914	8.6	65	2	2	7	12	18	22	38
65+	5722	12.2	111	2	2	10	16	24	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1709	5.5	16	1	2	5	7	10	13	20
B. *Operated*	6609	6.2	34	2	2	3	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	21750	8.3	38	2	3	7	10	15	20	32
B. *Operated*	18857	9.4	79	2	2	8	13	19	25	44
1. SINGLE DX	8318	6.1	30	2	2	3	9	14	16	24
2. MULTIPLE DX	40607	8.8	57	2	2	7	12	17	22	37
A. NOT OPERATED	23459	8.1	37	2	3	7	10	15	19	31
B. OPERATED	25466	8.6	69	2	2	7	12	18	23	39
TOTAL 0-19 YRS	42	5.0	14	1	1	3	8	10	12	15
20-34	357	5.7	22	2	2	4	8	11	14	25
35-49	6269	6.4	33	2	2	4	9	14	17	26
50-64	20565	7.6	47	2	2	6	11	15	19	31
65+	21692	9.6	64	2	2	8	12	19	24	41
GRAND TOTAL	**48925**	**8.3**	**54**	**2**	**2**	**7**	**11**	**17**	**21**	**36**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	9.7	5	5	7	10	12	12	12	12
20-34	162	9.4	15	3	4	9	12	15	17	19
35-49	231	10.2	18	3	5	10	13	15	17	24
50-64	236	10.2	26	4	5	10	13	15	17	25
65+	193	11.6	24	5	6	11	13	16	22	30
B. *Operated*										
0-19 YRS	2	11.5	1	11	11	11	12	12	12	12
20-34	25	11.9	60	3	5	9	14	24	28	36
35-49	31	11.5	25	4	6	11	14	19	22	24
50-64	45	12.1	34	4	5	11	14	21	25	27
65+	33	13.1	34	7	7	12	15	18	20	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	12.7	72	1	2	13	16	27	30	30
20-34	216	10.9	41	2	4	10	13	18	25	30
35-49	409	11.9	37	5	6	11	14	19	23	37
50-64	813	12.7	44	5	7	11	15	20	23	36
65+	1449	14.3	54	6	7	13	17	23	28	41
B. *Operated*										
0-19 YRS	5	11.8	15	8	8	13	14	17	17	17
20-34	56	16.1	94	6	7	14	20	29	39	52
35-49	159	16.6	123	6	8	14	19	27	32	74
50-64	251	17.8	137	7	8	15	22	29	39	63
65+	368	20.5	167	8	9	17	24	37	50	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	837	10.4	21	4	5	10	13	15	17	24
B. *Operated*	136	12.2	36	5	6	11	14	21	24	36
2. MULTIPLE DX										
A. *Not Operated*	2906	13.2	49	5	7	12	16	22	26	39
B. *Operated*	839	18.6	146	7	8	15	22	32	46	69
1. SINGLE DX	973	10.6	24	4	5	10	13	16	19	25
2. MULTIPLE DX	3745	14.4	76	5	7	12	17	24	29	51
A. NOT OPERATED	3743	12.6	44	5	6	11	15	20	25	37
B. OPERATED	975	17.7	136	7	8	15	21	30	42	67
TOTAL 0-19 YRS	41	11.4	38	2	5	11	13	18	26	30
20-34	459	11.0	43	2	4	10	13	18	24	36
35-49	830	12.3	52	4	6	11	14	20	25	38
50-64	1345	13.2	64	5	7	12	15	21	26	48
65+	2043	15.1	78	6	7	13	18	25	32	53
GRAND TOTAL	**4718**	**13.6**	**68**	**5**	**7**	**12**	**16**	**23**	**28**	**49**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	10.5	14	6	6	11	13	14	14	14
20-34	6	14.7	195	7	7	9	11	40	43	43
35-49	4	29.8	2	28	28	30	31	31	31	31
50-64	4	24.8	78	16	16	23	30	37	37	37
65+	4	30.8	206	11	11	34	41	44	44	44
B. *Operated*										
0-19 YRS	1	43.0		43	43	43	43	43	43	43
20-34	2	25.0	288	13	13	25	37	37	37	37
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+	3	39.3	290	23	23	38	52	57	57	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	31.5	232	3	11	29	43	50	54	54
20-34	65	23.4	205	2	4	26	37	42	44	48
35-49	46	26.3	210	6	7	27	38	45	49	58
50-64	44	26.9	182	4	6	28	38	43	46	47
65+	89	29.3	200	7	9	30	37	46	54	73
B. *Operated*										
0-19 YRS	3	47.0	79	40	40	44	54	57	57	57
20-34	53	37.1	338	4	11	41	49	62	68	99+
35-49	35	31.6	270	7	11	30	43	49	65	67
50-64	35	37.2	184	17	21	38	46	57	63	99+
65+	43	42.8	345	11	17	42	56	65	72	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	21.4	157	7	8	19	31	39	43	44
B. *Operated*	7	31.7	282	11	11	37	42	54	57	57
2. MULTIPLE DX										
A. *Not Operated*	254	26.9	204	4	7	28	37	44	48	64
B. *Operated*	169	37.6	300	7	15	40	48	63	67	97
1. SINGLE DX	29	23.9	198	7	8	23	37	43	45	57
2. MULTIPLE DX	423	31.2	269	4	8	30	43	52	61	85
A. NOT OPERATED	276	26.5	202	4	7	28	37	44	47	62
B. OPERATED	176	37.4	299	8	15	39	47	62	66	96
TOTAL 0-19 YRS	18	30.1	286	4	7	29	43	52	56	57
20-34	126	28.7	310	3	5	29	42	50	59	90
35-49	86	28.4	229	6	8	28	40	46	56	66
50-64	83	31.1	202	6	9	31	42	47	56	87
65+	139	33.8	280	7	13	32	42	57	64	85
GRAND TOTAL	**452**	**30.7**	**267**	**5**	**8**	**30**	**42**	**50**	**59**	**84**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.7	5	<1	1	2	3	6	7	10
20-34	86	2.8	4	<1	1	2	4	6	7	9
35-49	192	3.0	6	<1	1	2	4	6	8	12
50-64	238	2.8	4	<1	1	2	4	6	7	9
65+	175	3.7	7	<1	1	3	5	8	9	14
B. *Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	3	5.3	33	2	2	2	10	12	12	12
35-49	1	10.0		10	10	10	10	10	10	10
50-64	10	4.3	19	1	1	3	5	11	16	16
65+	6	9.3	67	2	2	7	10	23	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.0	3	1	1	3	4	6	7	8
20-34	140	3.7	7	1	1	3	5	7	10	12
35-49	264	4.2	10	1	1	3	5	9	10	17
50-64	654	4.8	12	1	1	4	6	10	11	17
65+	880	6.3	21	1	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	4	5.3	2	4	4	5	6	7	7	7
20-34	9	4.6	8	2	2	3	8	8	8	8
35-49	22	9.0	73	2	2	7	12	17	29	40
50-64	67	8.6	28	2	2	7	12	16	19	24
65+	99	13.3	138	4	5	10	15	24	32	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	744	3.1	5	<1	1	2	4	6	8	11
B. *Operated*	24	5.8	31	1	2	4	7	12	19	25
2. MULTIPLE DX										
A. *Not Operated*	1982	5.3	16	1	1	4	7	10	13	21
B. *Operated*	201	10.7	92	2	3	8	13	20	25	57
1. SINGLE DX	768	3.2	6	<1	1	2	4	6	8	12
2. MULTIPLE DX	2183	5.8	26	1	2	4	7	11	15	23
A. NOT OPERATED	2726	4.7	14	1	1	4	6	9	12	18
B. OPERATED	225	10.2	88	2	2	8	13	19	24	49
TOTAL 0-19 YRS	105	3.0	4	1	1	2	4	6	7	9
20-34	238	3.4	6	1	1	3	5	7	9	12
35-49	479	4.0	13	1	1	3	5	8	10	17
50-64	969	4.6	13	1	1	4	6	9	12	18
65+	1160	6.6	35	1	2	5	8	13	17	28
GRAND TOTAL	**2951**	**5.1**	**22**	**1**	**1**	**4**	**7**	**10**	**13**	**21**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	1	1	1	2	2	4	4	4
20-34	143	2.4	3	<1	1	2	3	4	5	12
35-49	234	3.0	6	<1	1	2	4	6	7	12
50-64	545	3.7	8	1	1	3	5	7	10	14
65+	648	4.5	12	1	1	4	6	8	11	18
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	2	2.0		2	2	2	2	2	2	2
35-49	7	5.7	20	2	2	5	6	13	15	15
50-64	45	5.4	16	1	2	4	8	11	14	17
65+	33	7.2	21	2	2	6	10	13	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	6.6	18	<1	1	6	9	13	14	15
20-34	179	3.6	7	1	1	3	5	7	9	13
35-49	491	4.4	13	1	1	3	5	9	11	18
50-64	2175	5.7	18	1	2	5	8	11	14	21
65+	5935	7.7	37	2	2	6	10	15	19	31
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	5	7.8	44	2	2	4	15	15	15	15
35-49	44	6.4	23	1	2	5	9	13	17	21
50-64	250	10.7	97	2	2	8	14	22	31	49
65+	741	14.1	106	3	4	11	18	26	36	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1579	3.8	10	1	1	3	5	7	10	16
B. *Operated*	89	6.0	18	2	2	5	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	8801	7.0	32	1	2	6	9	13	17	28
B. *Operated*	1042	12.9	104	2	3	10	17	25	33	51
1. SINGLE DX	1668	3.9	10	1	1	3	5	8	10	16
2. MULTIPLE DX	9843	7.6	43	1	2	6	10	15	19	33
A. NOT OPERATED	10380	6.5	30	1	2	5	8	13	16	27
B. OPERATED	1131	12.4	101	2	3	10	16	24	32	51
TOTAL 0-19 YRS	34	5.0	16	<1	1	4	7	11	14	15
20-34	329	3.1	7	1	1	2	4	6	8	15
35-49	776	4.1	12	1	1	3	5	8	10	18
50-64	3015	5.8	26	1	1	4	7	11	15	25
65+	7357	8.1	47	2	2	6	10	16	21	36
GRAND TOTAL	**11511**	**7.1**	**40**	**1**	**2**	**5**	**9**	**14**	**19**	**32**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	3.2	6	<1	1	2	4	6	8	12
20-34	295	3.5	6	<1	1	3	5	7	9	12
35-49	515	4.0	9	1	1	3	5	8	10	14
50-64	735	4.6	13	1	1	4	6	8	11	19
65+	839	5.3	19	1	1	4	7	10	12	22
B. *Operated*										
0-19 YRS	20	4.4	36	1	1	3	4	13	21	22
20-34	40	5.9	14	2	2	5	8	11	13	17
35-49	88	5.4	21	1	2	3	8	11	14	23
50-64	240	7.0	26	2	2	6	9	13	17	25
65+	657	8.2	25	3	3	7	10	14	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	4.3	19	1	1	3	5	8	11	39
20-34	688	5.1	15	1	2	4	7	9	12	20
35-49	1549	5.5	17	1	2	5	7	10	13	22
50-64	3976	6.7	29	2	2	5	8	12	16	26
65+	7996	7.9	36	2	3	6	10	15	19	31
B. *Operated*										
0-19 YRS	34	8.2	83	1	2	6	10	16	33	42
20-34	89	9.5	122	1	2	8	11	16	19	70
35-49	321	9.5	91	2	2	8	11	17	24	61
50-64	1266	10.7	78	2	3	9	13	21	26	44
65+	4512	12.4	71	4	5	10	15	22	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2498	4.5	13	1	1	4	6	9	11	19
B. *Operated*	1045	7.5	26	2	2	6	10	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	14369	7.2	32	2	2	6	9	13	17	29
B. *Operated*	6222	11.8	75	3	4	10	15	22	27	44
1. SINGLE DX	3543	5.4	19	1	1	4	7	11	14	22
2. MULTIPLE DX	20591	8.6	49	2	3	7	11	16	21	35
A. NOT OPERATED	16867	6.8	30	1	2	5	8	13	16	28
B. OPERATED	7267	11.2	70	2	4	9	14	21	26	42
TOTAL 0-19 YRS	328	4.3	24	1	1	3	5	8	12	38
20-34	1112	5.1	23	1	1	4	7	10	12	20
35-49	2473	5.7	28	1	2	5	7	11	14	26
50-64	6217	7.3	40	2	2	6	9	14	18	32
65+	14004	9.2	51	2	3	7	12	17	22	36
GRAND TOTAL	**24134**	**8.1**	**46**	**2**	**2**	**6**	**10**	**16**	**20**	**34**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3.	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	21	<1	1	3	6	11	16	18
20-34	8	5.8	21	1	1	5	10	12	12	12
35-49	75	6.5	21	1	2	5	7	12	17	24
50-64	468	7.2	33	1	2	6	9	13	16	34
65+	2379	7.9	35	2	3	6	10	15	19	31
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	12.0		12	12	12	12	12	12	12
35-49	6	10.8	111	2	2	7	13	29	31	31
50-64	35	9.7	78	2	2	7	15	22	30	35
65+	54	13.6	141	2	3	10	15	31	42	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	7.0	27	1	2	6	9	13	16	26
20-34	142	9.0	41	2	3	7	12	18	20	29
35-49	1030	8.8	38	2	3	7	11	16	21	32
50-64	6994	9.4	44	3	3	8	12	17	22	34
65+	32225	10.5	56	3	4	9	13	19	25	38
B. *Operated*										
0-19 YRS	29	14.4	139	1	3	9	26	33	43	99+
20-34	23	9.8	38	2	3	8	15	19	21	22
35-49	158	13.8	103	2	4	11	18	27	33	48
50-64	928	15.8	152	3	5	13	20	29	38	73
65+	3267	18.5	151	5	7	15	23	35	43	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2950	7.7	34	2	3	6	10	14	19	31
B. *Operated*	97	11.9	115	2	2	9	15	29	34	51
2. MULTIPLE DX										
A. *Not Operated*	40538	10.3	53	3	4	8	13	19	24	37
B. *Operated*	4405	17.7	151	4	6	15	23	33	42	64
1. SINGLE DX	3047	7.8	37	2	3	6	10	14	19	32
2. MULTIPLE DX	44943	11.0	68	3	4	9	14	21	26	43
A. NOT OPERATED	43488	10.1	52	3	4	8	13	19	24	37
B. OPERATED	4502	17.5	150	4	6	15	22	33	42	63
TOTAL 0-19 YRS	197	7.9	50	1	2	6	10	16	25	41
20-34	174	9.0	40	2	3	7	12	18	20	26
35-49	1269	9.3	48	2	3	7	11	18	23	34
50-64	8425	10.0	60	3	3	8	12	19	24	38
65+	37925	11.1	68	3	4	9	14	21	27	43
GRAND TOTAL	**47990**	**10.8**	**66**	**3**	**4**	**9**	**13**	**20**	**26**	**42**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	5.1	13	1	2	4	7	9	11	19
20-34	419	4.8	12	1	2	4	6	9	11	17
35-49	461	4.9	12	1	2	4	6	9	11	17
50-64	387	6.2	27	1	2	5	8	11	15	25
65+	316	7.1	27	2	2	6	9	13	19	26
B. *Operated*										
0-19 YRS	80	4.8	60	1	1	2	5	10	15	48
20-34	151	5.2	20	1	2	3	9	12	15	18
35-49	327	4.8	21	1	2	2	6	11	14	22
50-64	521	6.1	45	2	2	2	9	15	18	32
65+	250	7.5	55	2	2	4	12	17	20	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	6.1	39	1	2	4	7	11	14	33
20-34	681	6.4	33	1	2	5	8	12	16	31
35-49	1210	6.9	27	2	2	6	9	13	16	24
50-64	2480	8.4	41	2	3	7	10	16	21	32
65+	4085	9.9	52	3	3	8	12	18	24	37
B. *Operated*										
0-19 YRS	64	7.3	80	1	2	4	10	14	22	52
20-34	257	9.4	68	2	2	8	12	19	25	44
35-49	716	8.7	78	2	2	7	11	18	24	44
50-64	1828	10.2	95	2	2	8	14	22	28	49
65+	1802	13.4	138	2	2	11	18	28	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1716	5.6	19	1	2	4	7	10	14	23
B. *Operated*	1329	5.9	40	2	2	3	9	14	18	29
2. MULTIPLE DX										
A. *Not Operated*	8598	8.7	45	2	3	7	11	17	21	34
B. *Operated*	4667	11.1	111	2	2	9	15	24	31	52
1. SINGLE DX	3045	5.7	28	1	2	4	7	12	16	25
2. MULTIPLE DX	13265	9.5	70	2	2	7	12	19	25	43
A. NOT OPERATED	10314	8.2	42	2	3	7	10	16	21	33
B. OPERATED	5996	10.0	100	2	2	7	14	22	29	49
TOTAL 0-19 YRS	419	5.7	41	1	2	4	7	11	14	32
20-34	1508	6.3	34	1	2	5	8	12	17	29
35-49	2714	6.8	39	2	2	5	9	13	17	31
50-64	5216	8.6	61	2	2	6	11	18	23	38
65+	6453	10.6	79	2	3	8	14	21	28	46
GRAND TOTAL	**16310**	**8.8**	**64**	**2**	**2**	**7**	**11**	**18**	**24**	**40**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	5	3.8	5	2	2	3	5	7	7	7
50-64	15	4.1	9	1	1	3	5	7	11	13
65+	37	6.5	35	<1	1	5	6	14	19	30
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	2.6	1	2	2	2	3	5	5	5
50-64	26	8.0	51	1	2	6	14	18	21	28
65+	13	9.7	53	2	2	8	15	19	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	21	2	2	3	8	12	12	12
20-34	9	7.0	49	1	1	5	8	19	23	23
35-49	101	5.9	22	1	2	5	8	10	14	27
50-64	453	7.5	27	2	2	7	9	14	18	27
65+	1832	9.2	49	2	3	7	11	17	21	36
B. *Operated*										
0-19 YRS										
20-34	2	13.0	242	2	2	13	24	24	24	24
35-49	65	6.9	142	1	2	3	7	15	19	81
50-64	230	9.2	80	2	2	7	12	20	28	53
65+	384	14.5	143	2	3	11	19	29	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	5.5	26	1	1	4	6	12	17	29
B. *Operated*	46	7.6	48	1	2	5	14	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	2399	8.7	45	2	3	7	11	16	21	33
B. *Operated*	681	12.0	130	2	2	9	17	26	32	58
1. SINGLE DX	105	6.4	37	1	2	4	7	15	19	29
2. MULTIPLE DX	3080	9.4	66	2	3	7	12	19	24	40
A. NOT OPERATED	2458	8.6	45	2	3	7	11	16	21	33
B. OPERATED	727	11.7	126	2	2	9	16	26	32	53
TOTAL 0-19 YRS	4	5.3	21	2	2	3	8	12	12	12
20-34	13	7.2	62	1	2	3	8	23	24	24
35-49	178	6.1	65	1	2	4	7	11	16	31
50-64	724	8.0	45	2	2	6	10	17	20	33
65+	2266	10.0	69	2	3	8	12	19	26	42
GRAND TOTAL	**3185**	**9.3**	**65**	**2**	**2**	**7**	**12**	**19**	**24**	**40**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	9	<1	<1	6	7	8	8	8
20-34	7	5.4	28	<1	<1	3	9	13	14	14
35-49	6	7.3	50	1	1	5	15	17	17	17
50-64	7	7.7	122	<1	<1	2	12	27	30	30
65+	7	14.1	90	1	2	17	19	27	29	29
B. *Operated*										
0-19 YRS	4	9.5	14	5	5	9	12	14	14	14
20-34	33	18.1	129	3	5	16	23	38	41	45
35-49	50	23.4	302	3	6	20	28	46	55	88
50-64	53	24.1	328	2	5	19	32	44	78	99+
65+	18	26.6	508	8	10	18	31	83	95	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	9.0	70	<1	<1	4	16	20	21	21
35-49	5	14.2	228	1	1	10	20	40	40	40
50-64	25	13.5	330	<1	1	4	22	36	52	75
65+	43	19.4	267	2	3	17	25	34	44	94
B. *Operated*										
0-19 YRS	3	33.7	1344	12	12	13	60	76	76	76
20-34	31	22.9	209	5	10	18	30	51	53	99+
35-49	55	29.7	623	2	6	21	43	76	97	99+
50-64	107	35.4	520	7	12	30	50	81	96	99+
65+	51	28.2	326	7	8	23	37	48	67	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	8.1	68	<1	<1	5	14	18	28	30
B. *Operated*	158	22.5	296	3	6	18	29	45	66	99
2. MULTIPLE DX										
A. *Not Operated*	81	16.2	271	1	2	12	23	34	42	88
B. *Operated*	247	31.0	482	5	9	25	43	71	94	99+
1. SINGLE DX	190	20.1	286	1	3	17	26	42	55	96
2. MULTIPLE DX	328	27.4	470	2	4	22	38	63	87	99+
A. NOT OPERATED	113	13.9	226	<1	1	10	21	31	40	82
B. OPERATED	405	27.7	426	4	7	22	38	63	87	99+
TOTAL 0-19 YRS	13	12.7	379	<1	2	8	12	26	67	76
20-34	78	18.1	174	1	3	15	24	41	50	86
35-49	116	25.2	464	2	4	19	34	61	83	99+
50-64	192	28.4	500	2	3	25	38	69	92	99+
65+	119	24.0	333	3	6	19	31	47	70	96
GRAND TOTAL	**518**	**24.7**	**414**	**2**	**4**	**19**	**34**	**54**	**77**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	62.0		62	62	62	62	62	62	62
50-64										
65+	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	39.0		39	39	39	39	39	39	39
35-49	3	19.7	224	3	3	24	30	32	32	32
50-64	5	33.2	1065	11	11	21	40	91	91	91
65+	6	32.7	303	17	17	26	52	56	57	57
B. *Operated*										
0-19 YRS										
20-34	2	49.5	1105	26	26	73	93	99+	99+	99+
35-49	5	55.4	878	22	25	70	99	99+	99+	99+
50-64	2	39.0	50	34	34	39	44	44	44	44
65+	4	38.3	690	15	17	54	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	45.5	545	29	29	45	62	62	62	62
2. MULTIPLE DX										
A. *Not Operated*	15	30.7	480	5	11	24	37	57	82	91
B. *Operated*	13	46.7	628	18	23	60	99+	99+	99+	99+
1. SINGLE DX	2	45.5	545	29	29	45	62	62	62	62
2. MULTIPLE DX	28	38.1	594	12	17	34	74	99+	99+	99+
A. NOT OPERATED	15	30.7	480	5	11	24	37	57	82	91
B. OPERATED	15	46.5	577	18	24	56	99	99+	99+	99+
TOTAL 0-19 YRS										
20-34	3	46.0	589	26	26	56	86	99+	99+	99+
35-49	9	44.2	839	4	14	50	91	99+	99+	99+
50-64	7	34.9	726	11	13	23	41	82	91	91
65+	11	34.4	369	15	17	31	62	99+	99+	99+
GRAND TOTAL	**30**	**38.6**	**575**	**12**	**17**	**34**	**72**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.0	35	<1	<1	5	7	16	17	17
20-34	5	7.6	71	1	1	6	11	22	22	22
35-49	12	9.4	97	<1	<1	7	13	25	32	33
50-64	17	13.3	333	<1	1	7	13	47	61	65
65+	67	13.6	170	2	3	9	19	27	43	67
B. *Operated*										
0-19 YRS	12	13.2	77	3	5	10	17	26	34	35
20-34	26	12.3	231	1	2	9	13	23	59	62
35-49	23	13.7	144	2	3	12	15	19	36	64
50-64	51	14.4	127	4	5	10	16	34	42	48
65+	84	15.5	107	6	6	12	19	35	39	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.6	80	<1	1	6	12	19	31	35
20-34	6	4.5	8	2	2	4	4	9	10	10
35-49	19	16.1	152	1	2	14	21	36	41	44
50-64	94	15.8	213	2	3	12	19	33	49	75
65+	307	17.4	149	4	5	14	23	34	42	65
B. *Operated*										
0-19 YRS	16	19.1	259	1	2	14	27	41	55	60
20-34	26	18.2	144	5	9	16	21	37	69	99+
35-49	41	24.6	611	4	7	17	28	79	96	99+
50-64	125	25.1	371	7	9	19	37	68	88	99+
65+	280	25.7	278	7	9	21	35	49	59	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	12.4	176	<1	1	8	16	26	43	67
B. *Operated*	196	14.4	130	2	5	11	17	30	40	60
2. MULTIPLE DX										
A. *Not Operated*	440	16.6	162	3	4	14	22	33	44	65
B. *Operated*	488	24.8	323	7	9	20	34	53	69	99+
1. SINGLE DX	303	13.7	147	2	3	10	17	27	40	63
2. MULTIPLE DX	928	20.9	264	4	6	17	27	45	58	97
A. NOT OPERATED	547	15.8	167	2	4	12	21	33	43	65
B. OPERATED	684	21.8	289	5	7	16	28	47	62	99+
TOTAL 0-19 YRS	48	12.9	151	<1	1	9	17	33	36	60
20-34	63	13.6	177	2	2	11	20	23	59	95
35-49	95	18.3	368	1	2	13	20	43	72	99
50-64	287	19.5	296	3	5	14	25	47	67	99+
65+	738	20.0	215	4	6	16	26	40	51	69
GRAND TOTAL	**1231**	**19.1**	**244**	**3**	**5**	**15**	**25**	**41**	**54**	**93**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	12.5	5	11	11	12	14	14	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	22.5	365	9	9	22	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	13.5	313	1	1	13	26	26	26	26
35-49	7	22.6	288	5	6	14	37	48	50	50
50-64	34	22.6	367	3	4	17	32	54	82	99+
65+	119	23.3	206	6	7	21	29	44	49	91
B. *Operated*										
0-19 YRS	3	15.0	63	6	6	18	20	21	21	21
20-34	4	48.8	565	27	27	43	65	82	82	82
35-49	5	45.2	141	29	32	55	99+	99+	99+	99+
50-64	23	40.7	624	5	8	39	60	88	99+	99+
65+	48	34.9	454	9	13	29	48	68	78	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	12.5	5	11	11	12	14	14	14	14
B. *Operated*	2	22.5	365	9	9	22	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	162	23.0	240	5	7	21	30	44	53	99
B. *Operated*	83	37.0	492	8	12	35	55	81	99+	99+
1. SINGLE DX	4	17.5	156	9	9	12	25	36	36	36
2. MULTIPLE DX	245	27.8	368	5	7	24	38	58	83	99+
A. NOT OPERATED	164	22.9	239	5	7	20	30	44	53	98
B. OPERATED	85	36.7	490	8	10	35	53	81	99+	99+
TOTAL 0-19 YRS	3	15.0	63	6	6	18	20	21	21	21
20-34	6	37.0	733	1	3	32	48	79	82	82
35-49	12	32.0	344	6	10	41	58	99+	99+	99+
50-64	57	29.9	542	4	6	28	53	79	95	99+
65+	171	26.4	300	6	9	22	34	49	63	97
GRAND TOTAL	**249**	**27.6**	**366**	**5**	**7**	**24**	**38**	**58**	**83**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34										
35-49	10	5.4	11	1	2	5	7	10	11	11
50-64	53	3.8	9	1	1	2	4	9	10	12
65+	74	5.8	38	<1	1	4	7	11	14	35
B. *Operated*										
0-19 YRS	4	5.8	25	2	2	4	9	13	13	13
20-34	6	5.8	18	2	2	4	10	12	12	12
35-49	116	6.6	23	2	2	5	8	13	16	23
50-64	922	7.1	40	2	2	6	9	13	16	27
65+	1432	7.5	30	2	2	6	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.3	21	1	1	2	7	11	11	11
35-49	19	7.5	91	<1	1	5	8	31	71	99+
50-64	199	7.4	79	1	2	5	9	14	19	47
65+	452	7.9	49	2	2	6	9	15	22	35
B. *Operated*										
0-19 YRS	6	8.7	117	2	2	4	9	28	30	30
20-34	16	11.7	71	3	4	8	17	24	28	30
35-49	192	9.1	56	2	2	7	11	18	23	41
50-64	1979	10.1	68	2	3	8	12	19	25	43
65+	3428	11.3	73	2	3	9	15	22	28	43
SUBTOTALS:										
1. SINGLE DX										
A *Not Operated*	140	5.0	25	1	1	4	6	10	12	35
B. *Operated*	2480	7.3	33	2	2	6	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	674	7.7	59	2	2	6	9	15	21	41
B. *Operated*	5621	10.8	71	2	3	8	14	21	27	43
1. SINGLE DX	2620	7.2	33	2	2	6	9	13	17	26
2. MULTIPLE DX	6295	10.5	71	2	3	8	13	20	26	43
A. NOT OPERATED	814	7.3	54	1	2	5	9	14	20	36
B. OPERATED	8101	9.7	62	2	3	8	12	19	24	39
TOTAL 0-19 YRS	13	6.8	58	2	2	5	7	16	27	30
20-34	26	9.2	60	2	2	6	12	23	25	30
35-49	337	8.0	46	2	2	6	10	16	21	43
50-64	3153	8.9	62	2	2	7	11	17	22	40
65+	5386	9.9	63	2	3	8	13	19	25	39
GRAND TOTAL	**8915**	**9.5**	**62**	**2**	**2**	**7**	**12**	**19**	**24**	**39**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	21.0		21	21	21	21	21	21	21
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	14	14.9	216	1	2	10	22	51	88	99+
65+	33	19.4	268	4	5	13	28	37	57	74
B. *Operated*										
0-19 YRS										
20-34	4	18.5	104	10	10	15	25	33	33	33
35-49	15	19.9	505	6	6	12	20	45	81	93
50-64	85	17.3	282	2	4	14	22	43	94	99+
65+	135	19.7	224	4	6	15	28	43	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	12.0	50	7	7	12	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	50	17.7	243	2	4	12	25	38	60	99+
B. *Operated*	239	18.8	258	4	5	14	24	43	60	99+
1. SINGLE DX	2	12.0	50	7	7	12	17	17	17	17
2. MULTIPLE DX	289	18.6	255	3	5	14	24	42	60	99+
A. NOT OPERATED	50	17.7	243	2	4	12	25	38	60	99+
B. OPERATED	241	18.8	256	4	5	14	23	43	60	99+
TOTAL 0-19 YRS										
20-34	5	19.0	80	10	10	18	24	33	33	33
35-49	17	18.4	465	3	6	11	19	40	76	93
50-64	100	16.9	269	2	4	14	22	46	95	99+
65+	169	19.6	230	4	5	14	28	40	58	95
GRAND TOTAL	**291**	**18.6**	**253**	**3**	**5**	**14**	**24**	**41**	**60**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.7	8	2	2	5	8	10	10	10
20-34	9	6.9	7	2	3	7	9	10	10	10
35-49	35	10.8	224	1	3	8	11	16	29	90
50-64	112	11.5	112	2	3	8	15	27	39	48
65+	333	12.3	104	3	4	9	16	26	31	54
B. *Operated*										
0-19 YRS	4	8.3	9	5	5	8	10	12	12	12
20-34	15	16.7	258	2	2	11	25	38	55	61
35-49	29	9.3	32	2	2	8	15	18	19	21
50-64	69	9.8	73	2	3	7	12	18	24	52
65+	69	10.6	75	2	3	8	15	21	24	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.2	27	1	2	6	8	16	19	19
20-34	19	7.8	42	<1	1	7	11	18	22	24
35-49	129	10.6	70	3	3	9	12	20	26	46
50-64	705	13.8	166	3	4	10	16	28	37	80
65+	3017	15.6	138	4	5	12	20	30	40	62
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	20	11.9	82	2	3	10	14	20	33	43
35-49	67	16.1	189	4	5	12	20	38	45	95
50-64	328	17.5	243	3	5	13	22	41	59	99+
65+	600	20.0	238	5	6	16	25	41	54	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	11.8	112	2	3	9	15	25	32	53
B. *Operated*	186	10.5	83	2	3	8	14	20	27	55
2. MULTIPLE DX										
A. *Not Operated*	3880	15.0	142	4	5	12	19	29	39	62
B. *Operated*	1016	18.8	236	4	5	14	23	41	56	99+
1. SINGLE DX	681	11.5	104	2	3	9	15	23	31	54
2. MULTIPLE DX	4896	15.8	164	4	5	12	20	32	42	72
A. NOT OPERATED	4375	14.7	139	3	4	11	19	29	38	62
B. OPERATED	1202	17.5	221	3	5	13	22	38	53	93
TOTAL 0-19 YRS	21	7.3	20	2	3	6	9	14	17	19
20-34	63	11.1	110	1	2	9	13	23	31	59
35-49	260	11.9	122	2	3	9	14	22	37	72
50-64	1214	14.4	181	3	4	10	17	31	43	81
65+	4019	15.9	153	4	5	12	20	31	41	66
GRAND TOTAL	**5577**	**15.3**	**158**	**3**	**4**	**12**	**19**	**31**	**41**	**71**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	9.8	16	4	4	11	12	13	13	13
65+	10	14.3	99	4	4	11	19	29	38	38
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	5	26.8	681	2	3	25	68	97	99+	99+
35-49	40	18.6	358	3	3	13	20	44	68	81
50-64	302	20.9	274	5	6	15	29	45	59	75
65+	1324	20.6	203	6	7	17	26	39	48	82
B. *Operated*										
0-19 YRS	2	18.0	512	2	2	18	34	34	34	34
20-34	6	27.5	619	6	6	19	40	69	72	72
35-49	25	18.1	312	3	6	12	23	35	57	86
50-64	85	26.3	377	6	7	21	40	65	99+	99+
65+	217	27.1	300	7	9	24	36	52	60	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	13.0	77	4	4	11	16	22	34	38
B. *Operated*	3	13.7	156	5	5	8	23	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	1672	20.6	221	5	7	17	26	40	52	82
B. *Operated*	335	26.2	328	6	8	22	36	55	66	99+
1. SINGLE DX	17	13.1	82	4	4	11	17	26	34	38
2. MULTIPLE DX	2007	21.6	243	5	7	17	28	43	56	84
A. NOT OPERATED	1686	20.6	220	5	7	17	26	40	51	82
B. OPERATED	338	26.1	327	6	8	22	36	55	66	99+
TOTAL 0-19 YRS	3	27.3	517	2	2	34	43	46	46	46
20-34	12	25.6	560	3	5	17	47	78	96	99+
35-49	66	18.2	333	3	4	12	21	42	67	85
50-64	391	22.0	299	5	6	16	32	50	64	99+
65+	1552	21.5	221	6	7	18	27	40	52	82
GRAND TOTAL	**2024**	**21.5**	**242**	**5**	**7**	**17**	**28**	**43**	**56**	**84**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.4	6	1	1	3	5	7	8	8
20-34	56	4.4	7	1	2	4	6	8	9	15
35-49	161	4.3	12	1	1	3	6	8	10	20
50-64	531	4.5	9	1	2	4	6	8	10	15
65+	1489	4.9	12	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	15	4.3	7	1	2	4	6	8	10	11
35-49	95	5.7	11	2	2	5	7	10	13	16
50-64	335	5.7	17	2	2	5	8	11	13	20
65+	359	6.5	21	2	2	6	8	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.5	19	1	1	4	8	13	14	14
20-34	89	5.6	13	1	2	5	8	10	11	19
35-49	414	5.9	23	2	2	5	7	10	12	23
50-64	2261	6.4	19	2	2	5	8	11	15	21
65+	10320	7.8	32	2	3	6	10	14	18	29
B. *Operated*										
0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	30	9.4	32	2	3	8	12	15	19	30
35-49	223	8.4	40	2	2	7	11	16	20	33
50-64	1114	8.9	45	2	3	8	11	16	20	32
65+	2212	11.4	80	2	3	9	14	22	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2245	4.8	11	1	2	4	6	9	11	18
B. *Operated*	806	6.0	18	2	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	13107	7.4	30	2	3	6	9	14	17	28
B. *Operated*	3581	10.4	68	2	3	8	13	20	26	42
1. SINGLE DX	3051	5.1	13	1	2	4	7	10	12	19
2. MULTIPLE DX	16688	8.1	40	2	3	7	10	15	19	32
A. NOT OPERATED	15352	7.1	28	2	2	6	9	13	17	27
B. OPERATED	4387	9.6	61	2	3	8	12	18	24	40
TOTAL 0-19 YRS	35	5.2	16	1	1	4	8	12	14	14
20-34	190	5.7	16	1	2	5	8	11	13	21
35-49	893	6.2	26	2	2	5	8	11	14	27
50-64	4241	6.8	26	2	2	6	8	13	16	25
65+	14380	8.0	40	2	3	6	10	15	19	32
GRAND TOTAL	**19739**	**7.6**	**37**	**2**	**2**	**6**	**10**	**14**	**19**	**30**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	7.1	31	2	2	7	7	17	19	19
20-34	13	6.2	23	<1	1	6	9	12	17	18
35-49	43	7.8	34	1	3	7	10	14	17	33
50-64	267	10.1	81	2	3	7	13	22	32	44
65+	1318	12.3	101	2	3	9	16	25	31	47
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	10	8.1	31	2	2	8	11	16	19	19
35-49	19	7.9	36	1	2	5	13	16	19	21
50-64	70	9.4	62	2	2	7	12	18	23	40
65+	129	13.3	145	2	3	12	18	26	30	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.6	27	1	2	8	13	14	17	20
20-34	41	8.7	44	3	4	7	11	17	32	99+
35-49	196	11.8	99	3	3	9	15	22	32	52
50-64	1401	13.3	128	3	4	10	16	28	38	60
65+	7616	14.8	126	3	5	12	19	29	36	60
B. *Operated*										
0-19 YRS	3	7.7	49	1	1	7	13	15	15	15
20-34	19	18.8	201	4	6	13	24	37	50	59
35-49	86	15.0	177	3	5	10	17	35	52	59
50-64	458	18.4	264	3	4	12	24	44	57	99
65+	1147	21.5	253	5	6	17	29	44	55	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1648	11.7	97	2	3	9	15	24	31	47
B. *Operated*	229	11.4	109	2	2	9	15	23	28	44
2. MULTIPLE DX										
A. *Not Operated*	9273	14.5	126	3	4	12	18	28	36	60
B. *Operated*	1713	20.3	254	4	6	15	27	44	55	94
1. SINGLE DX	1877	11.7	98	2	3	9	15	24	31	47
2. MULTIPLE DX	10986	15.4	150	3	5	12	19	31	41	64
A. NOT OPERATED	10921	14.1	122	3	4	11	18	28	36	58
B. OPERATED	1942	19.3	245	3	5	14	26	42	54	93
TOTAL 0-19 YRS	30	8.2	27	1	2	7	13	15	19	20
20-34	83	10.6	94	2	3	8	13	23	35	86
35-49	344	11.9	112	2	3	9	15	23	34	55
50-64	2196	13.8	155	3	4	10	17	30	43	67
65+	10210	15.2	143	3	4	12	19	30	39	62
GRAND TOTAL	**12863**	**14.9**	**144**	**3**	**4**	**12**	**19**	**30**	**39**	**63**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	24	12.9	78	3	4	12	17	26	34	35
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64	1	16.0		16	16	16	16	16	16	16
65+	2	24.5	113	17	17	24	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	31.0	525	11	11	26	48	56	56	56
20-34	12	11.4	60	4	5	10	14	21	30	32
35-49	77	16.2	218	3	4	11	22	32	41	86
50-64	605	19.5	282	3	5	14	25	43	58	93
65+	3116	19.8	209	4	6	16	26	39	49	83
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	7	32.6	448	5	7	30	42	66	71	71
35-49	30	17.8	380	5	5	12	22	53	94	99+
50-64	175	26.1	370	6	7	22	36	60	81	99+
65+	467	29.8	365	8	10	25	40	61	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	12.9	78	3	4	12	17	26	34	35
B. *Operated*	4	20.0	65	15	15	16	24	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	3813	19.6	221	4	6	16	25	39	50	84
B. *Operated*	680	28.3	373	7	9	23	39	60	75	99+
1. SINGLE DX	28	13.9	80	3	4	13	17	30	33	35
2. MULTIPLE DX	4493	20.9	253	4	6	17	27	43	56	89
A. NOT OPERATED	3837	19.6	220	4	6	16	25	39	50	84
B. OPERATED	684	28.2	372	7	9	23	39	60	74	99+
TOTAL 0-19 YRS	4	27.3	406	11	11	21	41	56	56	56
20-34	20	19.0	281	4	5	14	28	39	57	71
35-49	107	16.7	261	3	4	12	22	33	51	99
50-64	781	20.9	308	3	5	16	28	48	63	99+
65+	3609	21.0	240	4	6	17	27	42	54	86
GRAND TOTAL	**4521**	**20.9**	**253**	**4**	**6**	**17**	**27**	**43**	**56**	**88**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	19	2	2	3	9	12	12	12
20-34	23	5.6	65	<1	1	3	6	10	22	40
35-49	87	4.8	9	1	1	4	7	8	10	16
50-64	162	5.1	13	1	2	4	7	10	13	16
65+	502	7.1	31	1	2	6	9	14	18	29
B. *Operated*										
0-19 YRS	8	9.9	90	<1	<1	7	17	24	24	24
20-34	21	10.5	118	1	2	7	14	24	34	45
35-49	65	8.1	49	2	2	6	11	21	25	88
50-64	206	7.2	38	2	2	5	9	16	19	35
65+	290	7.3	37	2	2	6	9	14	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.6	20	1	1	5	7	12	16	18
20-34	73	7.4	121	1	2	5	7	10	15	77
35-49	342	7.8	67	2	2	6	9	13	20	40
50-64	1124	9.1	87	2	3	7	11	17	25	53
65+	5773	10.0	67	3	3	8	12	19	25	43
B. *Operated*										
0-19 YRS	9	6.9	24	1	1	7	14	57	99+	99+
20-34	49	10.9	78	2	2	8	15	23	25	45
35-49	129	11.3	88	2	2	9	15	24	30	71
50-64	563	12.9	158	2	3	9	16	29	40	81
65+	1237	14.3	154	2	3	11	19	28	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	781	6.4	27	1	2	5	8	12	16	27
B. *Operated*	590	7.5	42	2	2	6	10	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	7328	9.8	71	2	3	7	12	19	25	44
B. *Operated*	1987	13.6	149	2	3	10	17	28	38	68
1. SINGLE DX	1371	6.8	34	1	2	5	9	14	18	31
2. MULTIPLE DX	9315	10.6	90	2	3	8	13	21	28	52
A. NOT OPERATED	8109	9.4	67	2	3	7	12	18	24	43
B. OPERATED	2577	12.2	131	2	2	9	16	26	35	66
TOTAL 0-19 YRS	40	6.7	35	1	1	5	10	16	24	99+
20-34	166	8.6	102	1	2	6	9	18	24	45
35-49	623	8.1	65	2	2	6	10	17	22	43
50-64	2055	9.6	101	2	2	7	11	19	30	60
65+	7802	10.4	81	2	3	8	13	20	27	48
GRAND TOTAL	**10686**	**10.1**	**84**	**2**	**3**	**8**	**12**	**20**	**27**	**50**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3		2	2	2	3	3	3	3
35-49	7	2.4	1	1	1	2	3	4	4	4
50-64	21	3.9	7	1	1	3	5	8	9	11
65+	81	8.3	171	1	2	5	9	14	19	87
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	6.0	14	1	1	7	8	11	12	12
35-49	77	8.7	57	2	2	8	12	14	18	48
50-64	311	7.7	44	1	2	6	12	15	18	27
65+	327	8.8	62	2	2	7	13	18	23	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	25	6	6	9	13	13	13	13
20-34	7	6.7	13	2	3	6	7	13	14	14
35-49	28	7.0	27	1	2	6	11	15	16	20
50-64	252	7.0	28	1	2	6	9	14	18	25
65+	1584	9.8	64	2	3	8	12	19	25	46
B. *Operated*										
0-19 YRS	4	25.3	652	4	4	19	45	58	58	58
20-34	25	10.0	81	2	2	8	13	24	55	99+
35-49	215	11.0	148	2	2	8	13	25	36	96
50-64	1116	12.4	135	2	2	10	16	26	37	61
65+	2101	17.8	233	2	3	14	24	38	51	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	6.9	129	1	2	4	7	13	17	83
B. *Operated*	725	8.3	53	1	2	7	12	16	20	36
2. MULTIPLE DX										
A. *Not Operated*	1873	9.4	60	2	3	7	12	18	24	43
B. *Operated*	3461	15.6	203	2	2	12	20	35	46	78
1. SINGLE DX	837	8.1	64	1	2	6	11	16	20	40
2. MULTIPLE DX	5334	13.4	162	2	2	10	17	29	40	68
A. NOT OPERATED	1985	9.2	64	2	3	7	12	18	23	43
B. OPERATED	4186	14.3	185	2	2	11	19	32	42	73
TOTAL 0-19 YRS	7	17.4	431	2	2	6	28	53	58	58
20-34	44	8.1	55	2	2	7	11	15	30	99+
35-49	327	10.0	116	2	2	8	12	19	30	73
50-64	1700	10.6	107	2	2	8	13	22	31	57
65+	4093	13.8	170	2	3	10	18	30	41	69
GRAND TOTAL	**6171**	**12.7**	**152**	**2**	**2**	**9**	**16**	**28**	**38**	**66**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64	19	3.2	5	<1	1	3	3	7	9	9
65+	71	4.5	14	<1	1	3	6	10	13	17
B. *Operated*										
0-19 YRS										
20-34	5	12.2	43	2	2	12	18	18	18	18
35-49	7	12.3	21	9	9	10	15	20	21	21
50-64	200	11.0	38	2	3	10	13	17	21	33
65+	451	12.2	55	2	2	12	15	20	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	4.0	10	1	1	3	6	8	8	8
35-49	4	3.8	1	3	3	4	4	5	5	5
50-64	72	6.0	25	1	1	5	8	12	14	27
65+	443	8.4	48	2	2	7	11	16	20	37
B. *Operated*										
0-19 YRS	2	11.0		11	11	11	11	11	11	11
20-34	14	11.5	61	2	3	10	16	21	29	31
35-49	30	14.2	113	1	2	12	16	31	36	42
50-64	651	15.8	121	3	5	13	19	28	39	70
65+	1710	17.8	148	3	6	15	21	31	42	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	4.1	12	<1	1	3	5	9	11	16
B. *Operated*	663	11.9	50	2	2	12	15	19	22	33
2. MULTIPLE DX										
A. *Not Operated*	524	8.0	45	1	2	6	10	15	20	36
B. *Operated*	2407	17.1	140	3	5	14	21	30	41	67
1. SINGLE DX	754	10.9	52	2	2	11	14	18	22	33
2. MULTIPLE DX	2931	15.5	135	2	4	13	19	29	37	64
A. NOT OPERATED	615	7.4	42	1	2	6	10	15	19	34
B. OPERATED	3070	16.0	125	2	4	13	19	28	37	64
TOTAL 0-19 YRS	4	7.0	24	1	1	8	11	11	11	11
20-34	23	10.3	54	1	2	10	15	19	24	31
35-49	41	12.9	95	2	2	11	16	28	34	42
50-64	942	13.8	105	2	3	12	16	24	33	63
65+	2675	14.9	128	2	3	13	19	28	36	61
GRAND TOTAL	**3685**	**14.6**	**122**	**2**	**3**	**12**	**18**	**27**	**35**	**62**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	6.3	30	<1	<1	6	10	12	12	12
50-64	10	4.6	17	<1	<1	3	6	11	12	12
65+	8	4.8	16	1	1	4	7	11	12	12
B. *Operated*										
0-19 YRS	7	4.1	9	2	2	3	7	9	9	9
20-34	28	7.7	29	1	2	7	12	16	17	17
35-49	35	8.0	48	1	1	7	11	15	25	30
50-64	101	8.8	35	2	2	8	11	17	20	28
65+	99	8.5	27	1	2	8	12	14	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	4	4.5	2	3	3	4	5	6	6	6
35-49	6	3.2	10	1	1	2	4	8	9	9
50-64	13	3.8	12	<1	1	2	4	11	11	11
65+	29	5.8	23	<1	1	4	8	14	17	18
B. *Operated*										
0-19 YRS	3	11.0	103	2	2	9	19	22	22	22
20-34	22	9.8	34	3	3	8	14	18	21	23
35-49	52	17.7	325	3	5	11	21	39	80	99+
50-64	208	14.6	207	2	2	10	18	31	50	88
65+	257	16.4	139	3	4	14	21	31	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.7	16	<1	1	4	7	12	12	12
B. *Operated*	270	8.3	33	2	2	8	11	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	55	4.7	17	<1	1	3	6	11	14	18
B. *Operated*	542	15.5	180	2	4	12	20	31	42	87
1. SINGLE DX	294	8.0	32	1	2	8	11	15	18	29
2. MULTIPLE DX	597	14.6	175	2	3	11	19	29	41	84
A. NOT OPERATED	79	4.7	16	<1	1	3	6	11	13	18
B. OPERATED	812	13.2	142	2	2	10	17	27	37	79
TOTAL 0-19 YRS	14	5.4	31	1	2	3	8	11	19	22
20-34	56	8.1	31	1	2	7	12	16	17	23
35-49	96	12.9	222	1	2	9	15	28	40	94
50-64	332	12.1	153	2	2	9	15	24	38	79
65+	393	13.4	117	2	3	11	17	27	36	56
GRAND TOTAL	**891**	**12.4**	**137**	**2**	**2**	**10**	**16**	**25**	**36**	**75**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	14	2	2	3	7	10	10	10
20-34	12	6.3	14	<1	1	6	9	11	12	12
35-49	19	5.9	16	1	1	5	9	12	14	14
50-64	50	5.9	30	1	1	4	8	12	18	27
65+	52	6.2	22	1	1	5	9	14	15	16
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	30	8.4	33	1	2	8	10	16	21	22
35-49	194	8.0	35	1	2	8	11	14	18	31
50-64	714	9.8	48	2	2	10	13	17	21	31
65+	678	10.0	58	2	2	9	13	19	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.4	11	2	2	8	9	11	11	11
20-34	20	8.7	32	2	3	8	10	17	21	23
35-49	34	8.0	50	1	2	5	10	18	20	34
50-64	137	7.6	34	1	1	6	11	15	19	29
65+	281	10.1	54	2	3	9	13	19	26	37
B. *Operated*										
0-19 YRS	4	14.8	34	8	8	15	19	21	21	21
20-34	60	11.9	67	3	3	9	17	23	28	35
35-49	362	13.0	115	2	3	11	16	24	32	53
50-64	1709	13.2	112	2	3	11	17	25	34	61
65+	2379	16.2	174	2	3	13	20	32	43	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	6.0	23	1	1	5	9	12	14	24
B. *Operated*	1618	9.6	51	2	2	9	13	18	22	33
2. MULTIPLE DX										
A. *Not Operated*	477	9.2	48	1	2	8	12	17	22	34
B. *Operated*	4514	14.8	147	2	3	12	18	29	39	68
1. SINGLE DX	1755	9.4	49	2	2	9	13	17	22	33
2. MULTIPLE DX	4991	14.2	140	2	3	11	18	28	37	67
A. NOT OPERATED	614	8.5	44	1	2	7	11	16	21	33
B. OPERATED	6132	13.4	126	2	2	11	17	26	35	65
TOTAL 0-19 YRS	15	8.3	33	2	2	8	11	18	20	21
20-34	122	9.9	50	2	3	8	14	21	24	34
35-49	609	10.9	89	2	2	9	13	20	27	46
50-64	2610	11.8	93	2	2	10	15	22	28	52
65+	3390	14.3	147	2	3	11	18	28	38	66
GRAND TOTAL	**6746**	**13.0**	**121**	**2**	**2**	**11**	**16**	**25**	**34**	**62**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	7.6	31	2	2	7	10	14	16	33
20-34	56	4.4	17	<1	1	3	5	11	13	19
35-49	81	4.8	23	1	1	4	6	8	13	30
50-64	119	5.0	20	<1	1	4	7	12	15	20
65+	129	5.8	21	1	1	5	8	12	15	20
B. *Operated*										
0-19 YRS	27	4.3	13	1	1	2	7	10	11	13
20-34	68	5.8	38	<1	<1	4	8	12	18	35
35-49	189	7.5	31	1	2	6	11	15	17	23
50-64	547	7.6	41	1	2	5	11	16	20	30
65+	547	8.4	71	2	2	6	11	17	25	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	6.7	32	1	2	5	8	13	16	30
20-34	88	7.6	69	1	2	5	8	17	22	50
35-49	189	7.1	36	1	2	6	9	15	17	30
50-64	432	7.4	42	1	2	5	9	16	21	34
65+	975	9.8	72	2	3	8	12	19	25	47
B. *Operated*										
0-19 YRS	24	12.5	339	2	2	[illegible]	13	27	47	90
20-34	109	9.7	70	2	2	[illegible]	13	21	25	41
35-49	361	10.5	104	2	2	8	13	23	31	56
50-64	1414	12.3	151	2	2	9	15	26	38	70
65+	2228	15.9	208	2	3	12	21	34	46	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	5.7	24	1	1	4	8	12	15	24
B. *Operated*	1378	7.8	52	1	2	6	11	16	20	36
2. MULTIPLE DX										
A. *Not Operated*	1762	8.7	60	2	2	7	11	17	23	39
B. *Operated*	4136	14.0	181	2	2	10	18	30	41	74
1. SINGLE DX	1880	7.2	45	1	2	5	10	15	19	33
2. MULTIPLE DX	5898	12.4	151	2	2	9	16	27	37	68
A. NOT OPERATED	2264	8.0	54	1	2	6	10	16	22	36
B. OPERATED	5514	12.4	156	2	2	9	16	27	37	68
TOTAL 0-19 YRS	246	7.4	62	1	2	6	9	14	18	32
20-34	321	7.4	57	<1	1	5	9	18	22	38
35-49	820	8.5	67	2	2	6	11	17	24	48
50-64	2512	10.1	109	2	2	7	13	21	29	60
65+	3879	12.9	161	2	2	9	16	28	39	68
GRAND TOTAL	**7778**	**11.1**	**130**	**2**	**2**	**8**	**14**	**24**	**33**	**62**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	7.1	20	<1	2	7	9	13	17	19
20-34	683	7.3	15	2	3	7	9	12	14	20
35-49	847	7.9	19	2	3	7	10	13	16	21
50-64	887	8.2	15	3	4	8	10	13	15	20
65+	760	9.0	21	3	4	8	11	14	17	24
B. *Operated*										
0-19 YRS	29	10.3	57	2	3	9	14	18	19	41
20-34	313	8.5	25	2	3	8	11	16	18	25
35-49	311	8.8	29	2	3	8	11	15	19	26
50-64	331	9.0	24	2	3	9	12	15	18	23
65+	229	10.5	26	3	4	10	13	18	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	7.8	18	1	3	7	11	12	17	18
20-34	660	9.3	29	3	4	8	11	15	20	29
35-49	1203	9.8	29	3	4	9	12	17	20	27
50-64	2088	10.1	30	4	5	9	12	17	19	29
65+	2833	10.7	34	4	5	10	13	18	21	31
B. *Operated*										
0-19 YRS	29	8.8	24	2	3	8	12	14	16	24
20-34	368	11.1	55	2	4	9	14	21	25	41
35-49	616	11.6	59	3	4	10	14	21	26	43
50-64	959	12.0	65	3	4	10	15	21	28	45
65+	1204	14.0	100	4	5	12	16	23	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3245	8.1	18	2	3	8	10	13	16	21
B. *Operated*	1213	9.1	27	2	3	9	12	16	19	25
2. MULTIPLE DX										
A. *Not Operated*	6849	10.2	32	4	5	9	13	17	20	29
B. *Operated*	3176	12.6	77	3	4	11	15	22	29	48
1. SINGLE DX	4458	8.4	20	2	3	8	11	14	17	23
2. MULTIPLE DX	10025	11.0	47	3	4	10	13	19	23	37
A. NOT OPERATED	10094	9.5	28	3	4	9	12	16	19	28
B. OPERATED	4389	11.6	65	3	4	10	14	20	25	44
TOTAL 0-19 YRS	191	8.1	26	1	3	7	11	14	18	22
20-34	2024	8.8	30	2	3	8	11	15	19	29
35-49	2977	9.5	34	3	4	8	12	16	20	29
50-64	4265	10.1	36	3	4	9	12	17	20	32
65+	5026	11.3	50	4	5	10	14	19	23	39
GRAND TOTAL	**14483**	**10.2**	**40**	**3**	**4**	**9**	**12**	**17**	**21**	**33**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	5.0	34	<1	<1	2	6	12	19	25
35-49	33	8.8	45	<1	2	7	11	19	25	26
50-64	61	10.4	66	1	3	9	13	18	25	49
65+	156	13.0	90	1	2	11	17	27	32	46
B. *Operated*										
0-19 YRS	43	3.7	3	1	1	3	5	6	7	8
20-34	932	4.3	7	2	2	4	5	7	8	14
35-49	1252	4.6	12	2	2	4	5	7	9	21
50-64	1029	5.5	29	2	2	4	6	9	14	28
65+	324	9.7	95	2	3	6	11	25	31	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	37	1	1	2	9	12	12	12
20-34	39	6.4	17	1	1	7	9	11	14	19
35-49	108	8.7	37	1	2	8	12	16	21	29
50-64	245	11.7	77	2	3	10	15	22	28	49
65+	866	14.0	97	3	4	12	18	27	34	50
B. *Operated*										
0-19 YRS	10	9.8	152	2	3	5	6	30	43	43
20-34	230	5.6	24	2	2	4	6	9	14	31
35-49	506	6.8	40	2	3	5	8	13	19	31
50-64	782	9.4	83	3	3	6	11	20	28	50
65+	648	17.7	209	3	4	13	25	37	46	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	11.3	80	<1	2	9	16	23	29	45
B. *Operated*	3580	5.2	25	2	2	4	5	8	13	29
2. MULTIPLE DX										
A. *Not Operated*	1261	12.8	89	2	3	11	17	25	31	48
B. *Operated*	2176	10.9	126	2	3	6	13	26	36	54
1. SINGLE DX	3851	5.7	31	2	2	4	6	10	16	31
2. MULTIPLE DX	3437	11.6	113	2	3	8	15	25	34	52
A. NOT OPERATED	1532	12.6	88	2	3	10	16	25	31	47
B. OPERATED	5756	7.4	71	2	2	5	7	16	25	44
TOTAL 0-19 YRS	56	4.8	34	1	1	4	5	7	11	41
20-34	1222	4.6	11	2	2	4	5	7	9	19
35-49	1899	5.5	23	2	2	4	6	10	14	26
50-64	2117	7.8	61	2	3	5	9	16	23	42
65+	1994	14.4	140	3	4	11	19	30	38	55
GRAND TOTAL	**7288**	**8.5**	**79**	**2**	**3**	**5**	**10**	**19**	**27**	**44**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.4	1	<1	<1	2	3	5	5	5
20-34	124	2.4	2	<1	<1	2	3	4	5	7
35-49	144	3.1	4	<1	1	3	4	6	7	10
50-64	118	3.1	4	<1	1	3	4	6	8	9
65+	93	3.5	8	<1	<1	3	4	7	10	14
B. *Operated*										
0-19 YRS	32	3.8	4	1	1	4	5	6	8	9
20-34	735	4.6	3	2	2	4	6	7	8	10
35-49	884	5.0	5	2	3	5	6	7	9	11
50-64	650	5.2	5	2	3	5	6	8	10	13
65+	198	5.7	6	3	3	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.0	5	1	1	3	4	4	8	11
20-34	222	3.8	6	1	1	3	5	7	8	13
35-49	335	4.3	9	1	1	4	5	8	10	15
50-64	445	4.5	9	1	2	4	6	8	10	14
65+	545	5.7	19	1	2	5	7	11	13	25
B. *Operated*										
0-19 YRS	107	5.1	5	2	3	5	6	8	10	13
20-34	2335	5.4	7	3	3	5	6	8	10	14
35-49	3485	5.8	9	3	3	5	7	9	11	17
50-64	2847	6.4	16	3	3	5	7	10	13	21
65+	1294	7.9	24	3	4	6	10	14	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	3.0	4	<1	1	3	4	6	7	11
B. *Operated*	2499	4.9	5	2	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	1565	4.8	13	1	1	4	6	9	11	16
B. *Operated*	10068	6.2	13	3	3	5	7	10	12	20
1. SINGLE DX	2994	4.6	5	1	2	4	6	7	9	12
2. MULTIPLE DX	11633	6.0	13	2	3	5	7	10	12	20
A. NOT OPERATED	2060	4.3	11	1	1	4	6	8	11	16
B. OPERATED	12567	5.9	12	3	3	5	7	9	12	19
TOTAL 0-19 YRS	173	4.4	5	1	2	4	5	7	9	12
20-34	3416	5.0	7	2	3	5	6	8	9	13
35-49	4848	5.5	8	2	3	5	6	9	10	16
50-64	4060	5.9	14	2	3	5	7	10	12	19
65+	2130	6.9	22	2	3	6	9	13	16	24
GRAND TOTAL	**14627**	**5.7**	**12**	**2**	**3**	**5**	**7**	**9**	**12**	**19**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.3	14	<1	1	3	5	11	13	16
20-34	179	6.6	26	<1	1	6	9	13	15	25
35-49	199	7.1	22	1	2	6	10	13	15	23
50-64	243	7.0	31	1	?	6	10	13	14	23
65+	330	7.5	35	1	2	6	10	14	17	26
B. *Operated*										
0-19 YRS	187	3.3	12	1	1	2	3	7	10	18
20-34	538	4.1	19	1	1	3	4	10	15	22
35-49	214	6.2	31	1	1	5	9	13	16	22
50-64	209	8.5	46	1	2	8	12	16	19	38
65+	223	10.3	84	2	2	8	14	19	24	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	5.5	30	1	2	4	7	10	16	34
20-34	327	7.1	37	1	2	6	10	14	17	27
35-49	547	7.8	33	1	2	6	10	15	18	27
50-64	1146	8.0	35	2	3	7	10	14	18	29
65+	2487	8.8	44	2	3	7	11	16	21	32
B. *Operated*										
0-19 YRS	87	6.3	38	1	2	4	9	14	18	32
20-34	606	6.2	50	1	1	3	8	15	20	34
35-49	377	9.8	82	2	2	8	13	21	26	45
50-64	745	12.6	106	2	3	10	16	25	31	49
65+	1085	15.1	152	3	4	12	19	29	35	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1006	7.0	29	1	2	6	10	13	15	24
B. *Operated*	1371	6.0	41	1	1	3	8	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	4598	8.3	40	2	2	7	11	15	20	31
B. *Operated*	2900	11.6	118	2	2	9	15	23	31	56
1. SINGLE DX	2377	6.4	36	1	1	5	9	14	16	26
2. MULTIPLE DX	7498	9.6	73	2	?	8	12	19	25	43
A. NOT OPERATED	5604	8.1	38	2	2	7	10	15	19	30
B. OPERATED	4271	9.8	100	1	2	7	13	21	28	49
TOTAL 0-19 YRS	420	4.5	23	1	1	3	5	10	14	24
20-34	1650	5.8	36	1	1	3	8	13	16	28
35-49	1337	8.0	47	1	2	6	11	16	20	35
50-64	2343	9.4	63	2	2	8	12	18	23	42
65+	4125	10.4	81	2	3	8	13	20	26	48
GRAND TOTAL	**9875**	**8.8**	**66**	**1**	**2**	**7**	**12**	**18**	**23**	**40**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5471	2.9	3	1	1	2	4	5	6	9
20-34	937	2.8	4	<1	<1	3	4	5	6	9
35-49	297	3.3	6	<1	<1	3	4	6	7	11
50-64	220	3.8	8	<1	<1	3	5	7	8	13
65+	214	4.5	10	<1	<1	4	6	8	11	15
B. *Operated*										
0-19 YRS	899	2.1	3	1	1	2	2	3	4	10
20-34	368	2.4	3	1	1	2	3	4	5	9
35-49	61	4.0	25	1	1	2	5	8	9	32
50-64	43	3.8	7	1	1	3	6	7	9	12
65+	25	3.6	9	1	1	2	4	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8341	3.6	5	1	1	3	5	6	8	12
20-34	1596	4.0	6	<1	1	3	5	7	8	12
35-49	906	4.9	11	1	2	4	6	9	11	19
50-64	980	5.9	17	2	2	5	7	10	13	24
65+	1771	7.5	34	2	3	6	9	14	17	29
B. *Operated*										
0-19 YRS	566	3.2	13	1	1	2	3	7	9	16
20-34	195	5.0	24	1	2	3	6	11	15	22
35-49	102	7.8	33	2	2	6	11	17	18	25
50-64	133	8.4	52	1	2	6	12	19	23	29
65+	130	13.4	152	2	3	10	17	28	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7139	2.9	4	<1	1	3	4	5	6	10
B. *Operated*	1396	2.3	4	1	1	2	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	13594	4.4	12	1	2	4	5	8	10	17
B. *Operated*	1126	5.7	48	1	1	3	7	14	19	31
1. SINGLE DX	8535	2.9	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	14720	4.5	15	1	2	4	5	8	11	20
A. NOT OPERATED	20733	3.9	10	1	1	3	5	7	9	16
B. OPERATED	2522	3.9	27	1	1	2	4	8	14	27
TOTAL 0-19 YRS	15277	3.3	5	1	1	3	4	6	7	11
20-34	3096	3.5	7	<1	1	3	4	6	8	13
35-49	1366	4.7	14	<1	1	4	6	9	11	19
50-64	1376	5.8	20	1	2	5	7	10	14	25
65+	2140	7.5	42	2	2	6	9	14	18	32
GRAND TOTAL	**23255**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6991	4.0	5	1	2	4	5	7	8	11
20-34	500	4.0	4	1	2	4	5	7	8	11
35-49	477	4.7	7	1	2	4	6	8	10	13
50-64	443	5.1	7	2	2	5	6	8	10	15
65+	546	6.0	14	2	3	5	7	11	13	19
B. *Operated*										
0-19 YRS	19	6.9	20	1	1	7	11	13	14	15
20-34	14	5.6	17	1	2	4	10	11	14	15
35-49	21	7.1	20	1	2	6	10	14	15	16
50-64	23	7.6	24	1	2	7	10	13	19	20
65+	22	8.3	38	1	2	6	11	16	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5857	4.6	6	2	2	4	6	8	9	13
20-34	1146	5.6	14	2	2	5	7	10	12	19
35-49	1551	6.2	16	2	3	5	8	11	13	21
50-64	3337	7.1	21	2	3	6	9	12	15	24
65+	5964	8.4	30	3	3	7	10	15	19	29
B. *Operated*										
0-19 YRS	83	7.5	23	2	3	6	10	14	17	23
20-34	87	9.5	50	2	3	8	14	17	24	38
35-49	157	10.2	81	2	3	8	13	18	22	37
50-64	314	11.7	81	2	3	9	15	24	28	43
65+	448	14.0	86	4	5	12	18	27	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8957	4.2	6	1	2	4	5	7	8	12
B. *Operated*	99	7.3	24	1	2	6	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	17855	6.6	21	2	3	5	8	12	15	23
B. *Operated*	1089	11.9	80	3	4	9	15	23	28	45
1. SINGLE DX	9056	4.2	6	1	2	4	5	7	9	13
2. MULTIPLE DX	18944	6.9	26	2	3	6	8	12	16	26
A. NOT OPERATED	26812	5.8	17	2	2	5	7	10	13	21
B. OPERATED	1188	11.5	77	2	3	9	15	23	28	44
TOTAL 0-19 YRS	12950	4.3	6	1	2	4	5	7	9	12
20-34	1747	5.3	15	2	2	4	6	10	12	19
35-49	2206	6.2	20	2	3	5	8	11	14	22
50-64	4117	7.3	26	2	3	6	9	13	16	27
65+	6980	8.6	34	3	3	7	11	15	19	31
GRAND TOTAL	**28000**	**6.0**	**21**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	10	1.4	1	<1	<1	1	1	3	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64	4	2.8	12	<1	<1	1	5	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	846	2.3	1	1	1	2	3	4	4	5
20-34	1909	2.4	2	1	1	2	3	4	4	6
35-49	837	2.4	1	1	1	2	3	4	4	6
50-64	433	2.5	1	1	1	2	3	4	5	6
65+	118	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.7	2	<1	<1	1	2	4	5	5
20-34	44	1.7	2	<1	<1	1	2	3	4	10
35-49	15	2.5	8	<1	<1	1	3	8	9	10
50-64	17	2.2	2	<1	<1	2	3	4	5	5
65+	5	2.6	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	1369	2.7	2	1	1	2	3	4	5	7
20-34	3396	2.7	2	1	1	3	3	4	5	8
35-49	2029	3.0	3	1	2	3	4	4	5	10
50-64	1192	3.2	4	1	2	3	4	5	7	12
65+	316	3.4	7	1	2	3	4	5	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.6	2	<1	<1	1	2	3	5	8
B. *Operated*	4143	2.4	2	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	99	1.9	3	<1	<1	1	2	4	5	10
B. *Operated*	8302	2.9	3	1	1	3	3	4	5	9
1. SINGLE DX	4167	2.4	2	1	1	2	3	4	4	6
2. MULTIPLE DX	8401	2.9	3	1	1	3	3	4	5	9
A. NOT OPERATED	123	1.9	3	<1	<1	1	2	4	5	10
B. OPERATED	12445	2.7	2	1	1	2	3	4	5	8
TOTAL 0-19 YRS	2239	2.5	2	1	1	2	3	4	5	7
20-34	5359	2.6	2	1	1	2	3	4	5	7
35-49	2884	2.8	3	1	1	3	3	4	5	9
50-64	1646	3.0	4	1	1	3	3	5	6	12
65+	440	3.2	5	1	2	3	3	5	7	12
GRAND TOTAL	**12568**	**2.7**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	9.0	8	7	7	9	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	39	2.8	7	1	1	2	3	5	7	16
20-34	99	2.2	1	<1	<1	2	3	4	5	5
35-49	126	2.1	1	<1	1	2	2	3	4	7
50-64	157	2.7	11	1	1	2	3	4	5	24
65+	122	2.6	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	9	3.0	5	<1	<1	3	4	6	8	8
65+	6	4.8	8	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	75	2.9	3	1	1	2	4	5	6	11
20-34	178	3.0	7	1	1	3	4	5	5	19
35-49	289	3.0	4	1	1	3	4	5	6	10
50-64	350	3.2	7	1	1	3	4	5	8	15
65+	205	3.9	12	1	2	3	4	7	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.2	16	1	1	5	8	11	11	11
B. *Operated*	543	2.5	5	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	25	2.8	6	<1	1	2	4	7	8	9
B. *Operated*	1097	3.2	7	1	1	3	4	5	7	15
1. SINGLE DX	548	2.5	5	<1	1	2	3	4	5	11
2. MULTIPLE DX	1122	3.2	7	1	1	3	4	5	7	15
A. NOT OPERATED	30	3.2	8	<1	1	2	4	8	9	11
B. OPERATED	1640	3.0	6	1	1	2	3	5	6	15
TOTAL 0-19 YRS	118	2.8	4	1	1	2	4	5	6	14
20-34	280	2.7	5	<1	1	2	3	4	5	7
35-49	421	2.7	3	1	1	2	3	5	5	8
50-64	518	3.1	8	1	1	2	3	5	7	16
65+	333	3.4	9	1	1	2	4	6	9	18
GRAND TOTAL	**1670**	**3.0**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**14**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	1.8	2	<1	<1	1	2	4	5	7
20-34	41	2.2	2	<1	1	2	3	4	5	7
35-49	6	2.3	4	1	1	2	3	6	6	6
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	24323	1.8	1	1	1	2	2	2	3	4
20-34	5391	2.1	1	1	1	2	2	3	4	5
35-49	494	2.3	1	1	1	2	3	3	4	6
50-64	99	2.6	4	1	1	2	3	4	6	13
65+	36	2.1	1	1	1	2	3	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	488	1.8	3	<1	<1	1	2	4	5	9
20-34	81	2.5	5	<1	<1	2	3	4	6	12
35-49	6	4.0	6	<1	<1	5	5	7	7	7
50-64	7	3.7	17	<1	<1	2	7	10	11	11
65+	4	4.5	16	1	1	3	7	10	10	10
B. *Operated*										
0-19 YRS	12196	1.8	1	1	1	2	2	2	3	5
20-34	1157	2.5	3	1	1	2	3	4	5	9
35-49	164	2.9	4	1	1	2	3	5	7	12
50-64	71	3.2	4	1	1	3	4	6	7	13
65+	32	3.9	13	1	1	3	4	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	30343	1.8	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	586	1.9	3	<1	<1	1	2	4	5	10
B. *Operated*	13620	1.9	1	1	1	2	2	3	3	6
1. SINGLE DX	30552	1.8	1	1	1	2	2	2	3	4
2. MULTIPLE DX	14206	1.9	1	1	1	2	2	3	3	6
A. NOT OPERATED	795	1.9	3	<1	<1	1	2	4	5	9
B. OPERATED	43963	1.9	1	1	1	2	2	2	3	5
TOTAL 0-19 YRS	37165	1.8	1	1	1	2	2	2	3	4
20-34	6670	2.2	1	1	1	2	2	3	4	6
35-49	670	2.4	2	1	1	2	3	4	5	8
50-64	179	2.9	5	1	1	2	3	5	7	13
65+	74	3.0	8	1	1	2	3	6	9	17
GRAND TOTAL	**44758**	**1.9**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	648	3.1	3	1	1	3	4	5	6	8
20-34	501	3.2	4	<1	1	3	4	5	7	9
35-49	232	3.5	12	<1	1	3	4	6	8	18
50-64	143	3.0	6	<1	1	2	4	6	7	15
65+	94	3.7	10	<1	1	3	5	7	10	16
B. *Operated*										
0-19 YRS	808	2.5	5	1	1	2	3	4	5	10
20-34	1220	2.4	3	1	1	2	3	4	5	9
35-49	998	2.4	3	1	1	2	3	4	5	9
50-64	987	2.4	3	<1	1	2	3	4	5	10
65+	487	3.0	10	1	1	2	3	5	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	603	4.1	6	1	1	4	5	7	9	13
20-34	455	4.6	14	1	1	4	6	8	10	22
35-49	360	4.9	13	1	1	4	6	9	11	22
50-64	418	5.3	17	1	2	4	6	10	13	22
65+	422	6.6	23	2	2	5	8	12	16	25
B. *Operated*										
0-19 YRS	660	3.3	12	1	1	2	4	6	9	16
20-34	1160	3.2	5	1	1	3	4	5	7	12
35-49	1049	3.7	13	1	1	3	4	7	9	17
50-64	1192	4.3	28	1	2	3	5	8	12	23
65+	632	5.7	45	1	2	3	6	12	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1618	3.2	5	<1	1	3	4	6	7	11
B. *Operated*	4500	2.5	4	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	2258	5.0	15	1	2	4	6	9	12	21
B. *Operated*	4693	3.9	20	1	1	3	4	7	11	22
1. SINGLE DX	6118	2.7	5	1	1	2	3	5	6	10
2. MULTIPLE DX	6951	4.3	18	1	1	3	5	8	11	22
A. NOT OPERATED	3876	4.2	12	1	1	3	5	8	10	18
B. OPERATED	9193	3.2	13	1	1	2	3	6	8	18
TOTAL 0-19 YRS	2719	3.2	7	1	1	2	4	6	7	13
20-34	3336	3.1	6	1	1	2	4	5	7	11
35-49	2639	3.3	10	1	1	2	4	6	8	16
50-64	2740	3.7	17	1	1	2	4	7	10	19
65+	1635	5.0	29	1	1	3	6	10	14	27
GRAND TOTAL	**13069**	**3.5**	**13**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15409	4.7	7	2	2	4	6	8	9	13
20-34	3369	5.4	11	2	2	5	7	9	11	15
35-49	2247	6.0	10	2	3	5	7	10	12	16
50-64	1869	6.7	16	2	3	6	8	11	14	20
65+	2665	8.0	23	3	4	7	10	13	17	24
B. *Operated*										
0-19 YRS	73	8.7	58	1	2	7	12	15	21	42
20-34	74	8.7	28	2	2	8	11	16	18	24
35-49	148	10.2	55	2	3	9	13	19	26	36
50-64	197	10.1	39	2	3	9	14	18	22	31
65+	183	12.1	79	2	3	10	15	24	28	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12110	5.3	11	2	2	5	7	9	11	16
20-34	2842	6.4	17	2	3	5	8	11	14	22
35-49	3097	7.5	23	3	3	6	9	13	16	25
50-64	6092	8.7	33	3	4	7	11	15	19	29
65+	17986	11.2	52	4	5	9	14	20	25	38
B. *Operated*										
0-19 YRS	239	11.6	81	3	4	10	14	22	29	53
20-34	263	15.2	163	3	5	11	19	28	39	75
35-49	452	15.0	130	3	5	12	18	26	37	72
50-64	1096	16.8	157	4	6	13	21	33	42	78
65+	2178	19.3	170	5	7	16	24	35	46	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25559	5.4	11	2	2	5	7	9	11	17
B. *Operated*	675	10.4	55	2	3	9	14	19	24	38
2. MULTIPLE DX										
A. *Not Operated*	42127	8.5	39	2	3	7	11	16	20	32
B. *Operated*	4228	17.5	161	4	6	14	22	33	43	78
1. SINGLE DX	26234	5.5	13	2	2	5	7	9	12	18
2. MULTIPLE DX	46355	9.4	57	2	3	7	12	18	23	39
A. NOT OPERATED	67686	7.3	31	2	3	6	9	14	17	28
B. OPERATED	4903	16.5	153	4	5	13	21	31	41	75
TOTAL 0-19 YRS	27831	5.0	10	2	2	4	6	8	10	15
20-34	6548	6.3	24	2	3	5	7	11	14	25
35-49	5944	7.6	32	2	3	6	9	13	17	29
50-64	9254	9.3	52	3	4	8	11	17	22	38
65+	23012	11.6	67	4	4	10	14	21	26	44
GRAND TOTAL	**72589**	**8.0**	**45**	**2**	**3**	**6**	**10**	**15**	**20**	**34**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	394	2.7	2	1	1	2	3	4	5	9
20-34	249	3.1	5	1	1	3	4	6	7	11
35-49	160	3.2	3	1	1	3	4	6	7	9
50-64	158	4.1	10	1	1	4	5	6	8	15
65+	223	5.2	12	1	2	4	7	9	12	17
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	4	6.0	23	2	2	4	9	13	13	13
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	493	3.5	5	1	1	3	4	6	7	12
20-34	408	4.0	13	1	1	3	5	7	9	16
35-49	303	4.7	9	2	2	4	6	8	9	17
50-64	474	5.4	15	2	2	4	7	10	12	23
65+	1087	6.9	25	2	3	6	9	12	15	26
B. *Operated*										
0-19 YRS	5	7.4	25	3	3	6	9	16	16	16
20-34	13	8.9	67	1	2	5	13	22	26	27
35-49	10	13.0	137	<1	2	11	13	29	44	44
50-64	33	13.9	320	3	3	9	15	24	52	96
65+	46	12.8	81	4	4	10	16	28	33	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1184	3.5	7	1	1	3	4	6	8	14
B. *Operated*	9	5.1	12	2	2	4	6	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	2765	5.4	18	1	2	4	7	10	13	21
B. *Operated*	107	12.4	155	2	3	9	15	24	34	73
1. SINGLE DX	1193	3.5	7	1	1	3	4	6	8	14
2. MULTIPLE DX	2872	5.6	25	1	2	4	7	10	14	25
A. NOT OPERATED	3949	4.8	15	1	2	4	6	9	12	19
B. OPERATED	116	11.9	147	2	3	9	14	22	33	69
TOTAL 0-19 YRS	895	3.2	4	1	1	3	4	6	7	11
20-34	674	3.8	11	1	1	3	4	7	9	17
35-49	473	4.4	12	1	2	4	6	8	9	17
50-64	666	5.5	32	1	2	4	6	10	13	26
65+	1357	6.8	26	2	2	5	8	12	16	28
GRAND TOTAL	**4065**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1912	3.7	5	1	1	3	5	6	8	11
20-34	307	3.8	8	<1	<1	3	5	7	8	15
35-49	328	4.9	13	<1	2	4	6	9	11	17
50-64	481	6.0	17	1	2	5	7	11	13	22
65+	655	6.4	17	1	2	6	8	11	13	21
B. *Operated*										
0-19 YRS	17	7.1	92	<1	1	5	7	13	32	42
20-34	45	4.4	12	1	1	4	6	8	10	19
35-49	66	4.5	12	1	1	3	7	11	11	14
50-64	125	5.4	25	<1	1	4	8	11	16	24
65+	85	6.8	56	1	2	4	9	13	19	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1874	4.3	8	1	2	4	5	7	9	13
20-34	525	5.1	22	1	2	4	7	9	10	21
35-49	883	6.5	23	2	2	5	8	13	15	24
50-64	1885	7.5	27	2	3	6	10	13	17	26
65+	3645	8.8	40	3	3	7	11	16	21	32
B. *Operated*										
0-19 YRS	28	7.0	14	1	2	7	9	12	14	15
20-34	79	8.4	44	2	2	6	11	17	24	30
35-49	211	8.5	45	2	2	7	11	18	22	33
50-64	513	9.9	90	2	2	8	12	21	25	59
65+	547	11.8	111	2	3	9	15	24	32	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3683	4.6	11	1	1	4	6	8	11	17
B. *Operated*	338	5.5	33	1	1	4	8	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	8812	7.1	31	2	2	6	9	13	17	28
B. *Operated*	1378	10.3	89	2	2	8	13	21	27	49
1. SINGLE DX	4021	4.7	13	1	1	4	6	9	11	18
2. MULTIPLE DX	10190	7.5	40	2	2	6	9	14	19	32
A. NOT OPERATED	12495	6.4	26	1	2	5	8	12	16	26
B. OPERATED	1716	9.4	81	2	2	7	12	20	26	46
TOTAL 0-19 YRS	3831	4.0	7	1	2	3	5	7	9	12
20-34	956	4.9	20	<1	1	4	6	9	11	23
35-49	1488	6.4	25	1	2	5	8	12	15	26
50-64	3004	7.6	38	2	2	6	10	14	18	31
65+	4932	8.8	47	2	3	7	11	16	21	34
GRAND TOTAL	**14211**	**6.7**	**34**	**1**	**2**	**5**	**8**	**13**	**17**	**29**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	1	1	4	4	4	4	4
20-34	6	5.5	16	2	2	4	6	12	13	13
35-49	36	6.6	35	<1	2	6	7	13	15	34
50-64	198	7.4	21	2	3	6	10	14	16	23
65+	276	8.3	39	2	3	7	10	15	18	27
B. *Operated*										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	2	9.0	2	8	8	9	10	10	10	10
35-49	10	7.8	19	<1	<1	8	10	13	15	15
50-64	14	10.0	75	<1	2	7	16	22	29	31
65+	6	10.5	60	4	4	9	11	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	11.3	34	5	5	10	15	19	19	19
20-34	10	6.0	8	3	3	6	7	10	11	11
35-49	186	8.0	32	2	3	6	11	15	21	27
50-64	1014	9.5	58	2	3	7	12	17	23	38
65+	2052	10.1	58	2	3	8	13	19	24	38
B. *Operated*										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	19	13.3	73	3	4	12	17	27	32	34
35-49	44	16.8	242	2	3	14	21	34	67	99+
50-64	151	14.1	136	3	5	11	17	28	34	87
65+	261	17.2	205	3	5	13	23	36	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	519	7.7	32	2	3	6	10	14	17	27
B. *Operated*	34	9.4	45	<1	2	8	11	17	24	31
2. MULTIPLE DX										
A. *Not Operated*	3266	9.8	56	2	3	8	12	18	24	38
B. *Operated*	479	15.9	182	3	4	12	20	33	46	99+
1. SINGLE DX	553	7.8	33	2	3	6	10	15	17	27
2. MULTIPLE DX	3745	10.6	77	2	3	8	13	20	27	45
A. NOT OPERATED	3785	9.5	53	2	3	8	12	18	23	37
B. OPERATED	513	15.5	175	3	4	12	20	32	45	99+
TOTAL 0-19 YRS	13	6.8	25	1	2	5	10	13	18	19
20-34	37	9.8	54	3	3	8	13	17	28	34
35-49	276	9.2	76	2	3	7	12	17	26	58
50-64	1377	9.7	64	2	3	8	12	18	24	41
65+	2595	10.6	75	2	3	8	13	20	27	45
GRAND TOTAL	**4298**	**10.2**	**72**	**2**	**3**	**8**	**13**	**19**	**26**	**44**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10988	3.8	4	1	2	3	5	6	8	10
20-34	2556	4.3	7	1	2	4	6	8	9	13
35-49	1913	5.1	11	1	2	4	6	9	11	15
50-64	1856	6.0	14	2	2	5	8	11	12	19
65+	1370	6.6	14	2	3	6	9	12	14	18
B. *Operated*										
0-19 YRS	30	6.7	18	1	2	6	9	13	15	18
20-34	16	8.8	12	4	5	8	10	14	15	16
35-49	36	7.3	17	1	3	7	9	13	15	19
50-64	35	7.6	21	2	2	7	10	15	16	18
65+	26	11.5	33	2	5	11	17	18	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6340	4.4	7	2	2	4	5	7	9	14
20-34	2186	5.4	15	2	2	4	7	9	12	21
35-49	2666	6.6	19	2	3	6	8	12	14	24
50-64	4442	7.8	29	2	3	7	10	13	17	29
65+	4961	[illegible]	34	3	3	7	11	16	19	31
B. *Operated*										
0-19 YRS	110	7.8	24	2	3	7	10	13	17	28
20-34	132	12.3	115	3	4	9	16	22	27	58
35-49	207	12.1	74	4	5	11	15	21	28	49
50-64	348	14.1	126	3	5	11	17	26	38	57
65+	275	14.4	105	4	5	12	19	26	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18683	4.4	8	1	2	4	6	8	9	14
B. *Operated*	143	8.2	22	2	2	7	11	15	17	20
2. MULTIPLE DX										
A. *Not Operated*	20595	6.6	24	2	2	5	8	12	15	25
B. *Operated*	1072	12.9	102	3	4	11	16	23	31	57
1. SINGLE DX	18826	4.4	8	1	2	4	6	8	10	14
2. MULTIPLE DX	21667	6.9	29	2	2	5	8	13	16	28
A. NOT OPERATED	39278	5.5	17	2	2	4	7	10	13	21
B. OPERATED	1215	12.4	95	3	4	10	15	22	29	53
TOTAL 0-19 YRS	17468	4.1	6	1	2	4	5	7	8	12
20-34	4890	5.0	15	1	2	4	6	9	11	19
35-49	4822	6.2	20	2	2	5	8	11	14	22
50-64	6681	7.6	33	2	3	6	9	13	17	30
65+	6632	8.5	35	2	3	7	11	15	19	31
GRAND TOTAL	**40493**	**5.7**	**21**	**2**	**2**	**5**	**7**	**11**	**14**	**23**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	4.5	5	2	2	4	6	8	9	10
20-34	45	4.8	10	1	2	4	6	9	11	14
35-49	253	6.3	20	1	2	5	8	12	15	22
50-64	1329	7.1	28	1	2	6	9	13	17	27
65+	1874	7.8	31	2	3	6	10	14	17	27
B. *Operated*										
0-19 YRS	8	6.0	25	2	2	5	7	14	17	17
20-34	17	7.1	44	2	2	5	7	13	24	30
35-49	25	9.0	37	2	3	7	12	17	23	23
50-64	82	9.4	150	2	3	6	10	16	27	79
65+	69	10.4	76	2	2	9	13	19	32	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	5.4	19	1	2	5	7	8	15	25
20-34	136	6.8	21	2	3	5	9	12	16	24
35-49	992	7.7	32	2	3	6	9	14	18	29
50-64	6028	9.0	42	2	3	7	11	16	21	34
65+	11885	9.9	55	3	3	8	12	18	24	37
B. *Operated*										
0-19 YRS	6	13.3	388	2	2	5	11	49	53	53
20-34	28	9.8	97	2	3	8	11	16	29	53
35-49	177	13.8	151	3	4	11	18	27	36	89
50-64	852	14.1	145	3	4	11	17	28	38	80
65+	1426	17.6	198	4	5	14	22	35	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3535	7.3	29	2	2	6	9	14	17	27
B. *Operated*	201	9.3	96	2	2	7	12	17	26	74
2. MULTIPLE DX										
A. *Not Operated*	19096	9.5	50	3	3	8	12	18	22	36
B. *Operated*	2489	16.0	179	3	5	12	20	32	43	80
1. SINGLE DX	3736	7.4	32	2	2	6	9	14	17	28
2. MULTIPLE DX	21585	10.2	69	3	3	8	13	19	25	43
A. NOT OPERATED	22631	9.2	47	2	3	7	11	17	22	35
B. OPERATED	2690	15.5	176	3	4	12	19	32	42	80
TOTAL 0-19 YRS	103	5.6	36	1	2	4	7	8	14	38
20-34	226	6.8	31	2	2	5	9	12	15	28
35-49	1447	8.2	49	2	3	6	10	15	20	35
50-64	8291	9.2	55	2	3	7	11	17	22	38
65+	15254	10.4	71	3	3	8	13	19	26	43
GRAND TOTAL	**25321**	**9.8**	**65**	**2**	**3**	**8**	**12**	**18**	**24**	**42**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	3.5	6	1	1	3	4	7	8	12
20-34	251	3.8	7	1	1	3	5	7	9	12
35-49	58	4.8	13	1	1	4	6	9	13	17
50-64	25	5.0	5	2	3	5	6	8	9	11
65+	13	5.5	7	2	3	5	7	10	11	11
B. *Operated*										
0-19 YRS	118	6.8	22	2	3	6	8	12	14	29
20-34	721	6.4	15	2	3	5	8	11	14	19
35-49	213	6.6	20	2	3	5	8	13	15	23
50-64	99	8.0	33	3	3	6	11	17	19	29
65+	55	10.5	58	2	3	8	13	21	28	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.2	8	1	1	4	6	7	10	15
20-34	64	4.3	8	1	1	4	6	8	9	16
35-49	40	5.3	11	1	2	5	6	10	13	15
50-64	55	9.6	82	2	4	8	10	16	28	57
65+	109	10.6	63	2	3	9	14	19	26	43
B. *Operated*										
0-19 YRS	46	11.1	50	4	5	9	15	22	24	33
20-34	239	9.7	41	3	4	8	13	17	20	31
35-49	145	11.9	99	3	4	8	15	26	36	47
50-64	230	12.4	98	3	4	9	15	25	34	56
65+	305	15.0	154	4	5	11	19	31	38	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	4.0	8	1	1	3	5	7	9	14
B. *Operated*	1206	6.8	21	2	3	6	8	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	305	7.6	49	1	2	6	10	15	19	33
B. *Operated*	965	12.4	103	4	4	9	15	24	33	55
1. SINGLE DX	1647	6.1	19	2	2	5	7	11	14	21
2. MULTIPLE DX	1270	11.3	94	2	4	8	14	22	31	53
A. NOT OPERATED	746	5.5	28	1	1	4	7	11	14	27
B. OPERATED	2171	9.3	65	3	3	7	11	18	24	45
TOTAL 0-19 YRS	295	6.1	26	1	2	5	7	12	16	27
20-34	1275	6.4	22	2	2	5	8	12	16	21
35-49	456	8.0	51	2	3	6	9	15	21	44
50-64	409	10.5	80	3	3	8	13	20	31	53
65+	482	13.2	124	3	4	10	16	26	34	65
GRAND TOTAL	**2917**	**8.3**	**58**	**2**	**3**	**6**	**10**	**16**	**22**	**42**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	678	3.7	8	1	1	3	5	6	9	15
20-34	364	3.6	10	<1	1	3	4	8	9	16
35-49	320	4.3	12	<1	1	3	6	8	11	19
50-64	383	5.2	22	1	1	4	6	10	13	27
65+	514	6.6	31	1	1	5	8	14	17	27
B. *Operated*										
0-19 YRS	62	7.0	97	1	1	4	7	13	28	53
20-34	148	8.3	72	1	2	6	10	17	24	50
35-49	243	7.6	38	1	2	7	10	13	17	30
50-64	464	8.3	52	2	2	6	11	18	23	36
65+	334	8.2	44	2	2	7	11	17	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1019	5.2	22	1	2	4	6	10	13	23
20-34	610	5.6	22	1	1	4	7	12	15	25
35-49	894	6.5	30	1	2	5	8	12	16	28
50-64	2161	7.9	43	2	2	6	10	15	20	34
65+	5335	10.0	59	2	3	8	13	19	24	39
B. *Operated*										
0-19 YRS	158	10.2	143	1	2	7	12	27	37	67
20-34	301	11.4	148	2	2	8	14	23	34	67
35-49	530	13.1	153	2	3	9	17	27	37	69
50-64	1355	13.1	134	2	3	10	17	27	35	67
65+	1889	15.5	155	2	4	12	20	31	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2259	4.7	18	1	1	4	6	9	13	21
B. *Operated*	1251	8.1	52	1	2	6	10	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	10019	8.5	50	2	2	7	11	17	22	36
B. *Operated*	4233	14.0	149	2	3	11	18	29	38	64
1. SINGLE DX	3510	5.9	32	1	1	4	8	12	16	28
2. MULTIPLE DX	14252	10.1	86	2	2	7	13	21	27	49
A. NOT OPERATED	12278	7.8	46	1	2	6	10	16	21	34
B. OPERATED	5484	12.6	133	2	2	9	16	27	35	61
TOTAL 0-19 YRS	1917	5.1	32	1	1	4	6	10	14	32
20-34	1423	6.6	59	1	1	4	8	14	19	41
35-49	1987	8.0	71	1	2	6	10	16	22	47
50-64	4363	9.3	77	2	2	7	11	19	26	47
65+	8072	11.0	86	2	3	8	14	22	28	48
GRAND TOTAL	**17762**	**9.3**	**78**	**1**	**2**	**7**	**12**	**19**	**26**	**46**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.9	5	<1	<1	2	4	5	7	12
20-34	116	2.4	5	<1	<1	1	3	5	7	11
35-49	53	3.0	6	<1	<1	2	4	7	9	9
50-64	30	5.4	36	<1	<1	4	6	11	25	25
65+	13	5.6	35	<1	1	3	6	17	19	20
B. *Operated*										
0-19 YRS	2961	2.0	2	<1	<1	2	2	4	4	6
20-34	2794	2.2	3	<1	<1	2	3	4	5	7
35-49	1087	2.5	5	<1	1	2	3	4	5	9
50-64	682	2.5	3	<1	1	2	3	4	5	10
65+	241	2.8	4	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	3.4	6	<1	<1	3	4	6	9	12
20-34	179	4.1	14	<1	<1	3	5	8	11	20
35-49	117	4.3	15	<1	1	3	6	9	10	20
50-64	97	5.2	52	1	1	3	5	11	17	44
65+	100	5.9	32	1	1	4	7	14	18	27
B. *Operated*										
0-19 YRS	1183	2.7	5	<1	1	2	4	5	6	9
20-34	1663	2.8	5	<1	1	2	3	5	6	11
35-49	1322	3.0	9	<1	1	2	3	5	8	15
50-64	1499	3.4	17	1	1	2	3	6	9	20
65+	887	3.8	18	1	2	3	4	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	3.1	10	<1	<1	2	4	6	9	18
B. *Operated*	7765	2.2	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	670	4.4	21	<1	1	3	5	9	12	24
B. *Operated*	6554	3.1	11	1	1	2	3	5	8	16
1. SINGLE DX	8069	2.2	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX	7224	3.2	12	<1	1	2	4	6	8	17
A. NOT OPERATED	974	4.0	18	<1	<1	3	5	8	11	23
B. OPERATED	14319	2.6	7	<1	<1	2	3	5	6	12
TOTAL 0-19 YRS	4413	2.2	3	<1	<1	2	3	4	5	8
20-34	4752	2.5	5	<1	<1	2	3	5	6	10
35-49	2579	2.9	8	<1	1	2	3	5	7	13
50-64	2308	3.2	15	1	1	2	3	5	8	18
65+	1241	3.8	17	1	2	3	4	7	11	22
GRAND TOTAL	**15293**	**2.7**	**7**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	3.9	5	1	2	3	5	7	9	11
20-34	57	3.8	7	<1	<1	4	5	7	9	14
35-49	41	4.1	6	<1	1	4	6	8	9	10
50-64	48	3.4	4	<1	<1	3	5	6	7	10
65+	53	5.2	13	<1	2	5	6	10	13	21
B. *Operated*										
0-19 YRS	213	2.8	4	<1	1	2	3	6	8	10
20-34	227	3.1	5	<1	1	3	4	5	8	14
35-49	232	3.4	5	1	2	3	4	6	7	15
50-64	282	3.4	7	1	1	3	4	5	8	17
65+	205	3.7	6	1	1	3	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	4.2	5	1	2	4	5	7	9	12
20-34	86	4.4	7	<1	1	4	5	8	10	14
35-49	76	6.0	15	1	2	5	8	11	14	18
50-64	122	6.9	21	2	3	6	8	12	16	26
65+	262	7.7	22	2	3	7	10	14	17	25
B. *Operated*										
0-19 YRS	89	4.5	38	1	1	3	5	8	10	40
20-34	137	4.5	14	1	2	3	5	8	12	22
35-49	200	5.1	56	1	2	3	5	9	13	29
50-64	275	5.4	35	1	2	4	6	10	14	26
65+	318	6.6	51	1	2	4	8	13	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	4.1	7	<1	1	4	5	7	9	14
B. *Operated*	1159	3.3	6	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	830	5.9	16	1	2	5	8	11	14	20
B. *Operated*	1019	5.5	42	1	2	4	6	11	16	30
1. SINGLE DX	1517	3.5	6	1	1	3	4	6	8	14
2. MULTIPLE DX	1849	5.7	30	1	2	4	7	11	14	26
A. NOT OPERATED	1188	5.3	14	1	2	4	7	10	13	18
B. OPERATED	2178	4.3	24	1	1	3	5	8	11	21
TOTAL 0-19 YRS	745	3.8	9	1	1	3	5	7	9	12
20-34	507	3.8	8	<1	1	3	5	7	9	16
35-49	549	4.4	26	1	2	3	5	8	10	18
50-64	727	4.7	21	1	2	3	5	9	12	21
65+	838	6.1	31	1	2	4	8	12	16	27
GRAND TOTAL	**3366**	**4.7**	**21**	**1**	**2**	**3**	**6**	**9**	**12**	**20**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	306	3.5	10	1	1	3	4	6	8	12
20-34	279	3.6	6	<1	1	3	5	7	9	12
35-49	378	3.8	10	<1	1	3	5	7	9	16
50-64	334	4.1	12	1	1	3	5	8	9	16
65+	278	4.7	14	1	1	3	6	10	12	17
B. *Operated*										
0-19 YRS	79	6.0	60	1	1	3	7	16	22	42
20-34	143	5.2	17	1	1	4	7	10	12	20
35-49	189	7.3	52	1	2	6	9	13	15	38
50-64	244	6.7	24	1	2	6	9	13	16	24
65+	312	6.9	35	1	2	5	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	382	5.4	22	1	2	4	6	9	14	27
20-34	615	4.9	10	1	2	4	6	9	10	17
35-49	1249	5.3	15	1	2	4	7	10	12	19
50-64	1619	5.9	22	1	2	5	7	11	13	21
65+	2062	6.8	28	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	117	9.9	129	1	2	6	12	21	32	89
20-34	315	7.2	27	2	2	7	9	13	15	28
35-49	654	9.0	52	2	3	7	10	18	23	36
50-64	1123	9.2	67	2	2	7	11	18	23	50
65+	1740	10.9	105	2	3	8	14	22	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1575	3.9	11	1	1	3	5	8	10	15
B. *Operated*	967	6.6	35	1	1	5	9	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	5927	5.9	22	1	2	5	7	11	14	23
B. *Operated*	3949	9.8	81	2	3	8	12	19	26	51
1. SINGLE DX	2542	5.0	22	1	1	4	6	10	13	23
2. MULTIPLE DX	9876	7.5	49	2	2	6	9	14	19	37
A. NOT OPERATED	7502	5.5	20	1	2	4	7	10	13	22
B. OPERATED	4916	9.2	73	2	2	7	11	18	24	48
TOTAL 0-19 YRS	884	5.4	39	1	1	4	6	10	16	35
20-34	1352	5.2	15	1	1	4	7	10	12	19
35-49	2470	6.2	30	1	2	5	8	12	15	27
50-64	3320	6.9	39	1	2	5	9	13	18	32
65+	4392	8.3	63	2	2	6	10	16	22	43
GRAND TOTAL	**12418**	**7.0**	**44**	**1**	**2**	**5**	**9**	**13**	**18**	**35**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.5	6	1	1	4	6	8	9	10
20-34	152	4.6	10	1	2	4	6	9	10	17
35-49	218	4.9	13	1	2	4	6	9	11	14
50-64	214	5.2	12	1	2	4	6	10	12	15
65+	171	5.9	15	1	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	8	6.1	16	1	1	6	8	12	13	13
20-34	78	8.0	29	2	3	7	9	14	18	32
35-49	184	8.3	29	2	4	7	10	16	19	29
50-64	205	8.0	31	2	3	7	10	15	19	28
65+	185	9.0	41	2	3	7	13	17	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	5.4	14	1	2	4	7	11	14	17
20-34	242	6.4	22	2	2	5	8	12	14	21
35-49	508	7.0	22	2	3	6	9	13	15	21
50-64	764	7.1	23	2	3	6	9	13	16	24
65+	1293	8.5	34	3	3	7	11	15	20	32
B. *Operated*										
0-19 YRS	8	7.8	34	2	2	6	13	16	17	17
20-34	170	9.8	53	2	3	8	13	17	24	46
35-49	449	9.7	65	2	3	8	12	18	22	38
50-64	744	11.3	73	3	4	9	14	21	26	46
65+	1066	12.4	76	3	5	10	15	23	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	5.1	12	1	2	4	6	10	12	17
B. *Operated*	660	8.3	33	2	3	7	11	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	2847	7.7	28	2	3	6	10	14	18	30
B. *Operated*	2437	11.4	73	3	4	9	14	21	28	45
1. SINGLE DX	1453	6.6	24	1	2	5	8	13	16	24
2. MULTIPLE DX	5284	9.4	52	2	3	8	12	17	23	36
A. NOT OPERATED	3640	7.1	26	2	3	6	9	13	17	27
B. OPERATED	3097	10.7	66	3	4	9	13	20	25	41
TOTAL 0-19 YRS	94	5.3	13	1	2	4	7	10	13	17
20-34	642	7.1	32	2	2	6	9	14	17	30
35-49	1359	7.7	39	2	3	6	9	14	18	33
50-64	1927	8.6	47	2	3	7	11	16	21	36
65+	2715	9.9	55	3	3	8	13	19	24	36
GRAND TOTAL	**6737**	**8.8**	**48**	**2**	**3**	**7**	**11**	**17**	**21**	**35**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.5	6	2	3	3	6	9	9	9
20-34	52	4.8	8	1	2	4	6	8	10	18
35-49	109	5.6	6	3	3	5	7	9	10	14
50-64	158	5.5	6	3	3	5	7	8	11	13
65+	153	7.2	13	3	4	6	9	10	15	23
B. *Operated*										
0-19 YRS	5	7.0	8	4	4	7	9	11	11	11
20-34	53	9.4	15	3	5	9	11	15	18	22
35-49	68	9.5	30	4	4	7	12	16	19	32
50-64	130	9.5	33	3	4	8	12	15	19	35
65+	147	11.7	46	4	4	10	15	21	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.5	2	2	3	6	6	7	8	8
20-34	69	5.6	10	2	2	5	7	10	10	20
35-49	175	6.2	14	2	3	5	7	10	13	20
50-64	427	7.1	18	3	3	6	9	12	15	23
65+	968	9.7	45	3	4	8	12	17	22	37
B. *Operated*										
0-19 YRS	6	10.8	126	2	2	8	9	31	33	33
20-34	59	13.0	117	3	5	10	16	22	28	70
35-49	175	11.9	111	3	4	9	13	21	31	56
50-64	446	13.4	104	4	5	11	16	24	33	61
65+	978	15.4	131	4	6	12	19	29	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	6.0	9	3	3	6	7	10	11	17
B. *Operated*	403	10.3	36	3	4	9	13	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	1650	8.5	35	3	3	7	10	15	19	32
B. *Operated*	1664	14.4	122	4	5	11	18	27	35	61
1. SINGLE DX	889	7.9	26	3	3	7	10	15	17	27
2. MULTIPLE DX	3314	11.4	88	3	4	9	14	22	29	52
A. NOT OPERATED	2136	7.9	30	3	3	6	9	14	18	31
B. OPERATED	2067	13.6	108	4	5	11	17	25	32	57
TOTAL 0-19 YRS	36	6.2	27	2	3	6	7	9	11	33
20-34	233	8.1	48	2	3	7	10	15	20	31
35-49	527	8.4	54	3	3	7	10	15	19	43
50-64	1161	9.6	61	3	4	8	12	18	23	45
65+	2246	12.1	89	4	4	9	15	22	29	52
GRAND TOTAL	**4203**	**10.7**	**77**	**3**	**4**	**8**	**13**	**20**	**27**	**49**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	250	3.8	5	1	1	3	5	7	8	13
20-34	835	4.1	6	1	2	4	5	7	9	13
35-49	805	4.5	7	1	2	4	6	8	10	14
50-64	583	4.9	8	1	2	4	6	9	10	14
65+	389	5.2	8	2	2	5	7	9	10	15
B. *Operated*										
0-19 YRS	6	5.7	3	3	3	6	7	8	8	8
20-34	108	9.8	31	3	3	9	12	18	21	27
35-49	185	9.8	27	3	4	9	12	18	21	26
50-64	154	10.0	40	2	3	9	12	19	24	32
65+	75	9.9	37	2	4	9	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	5.1	12	2	2	4	6	9	12	17
20-34	1008	5.3	11	2	2	5	7	9	11	17
35-49	1541	6.2	16	2	2	5	8	11	14	21
50-64	1827	6.3	14	2	3	5	8	11	14	20
65+	2315	7.7	25	2	3	7	10	14	18	27
B. *Operated*										
0-19 YRS	19	8.8	66	2	3	5	12	21	27	32
20-34	246	9.7	40	3	4	8	12	18	23	29
35-49	444	11.8	73	3	4	10	15	21	26	42
50-64	617	11.8	81	3	4	10	14	21	27	49
65+	595	13.5	92	4	5	11	16	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2862	4.5	7	1	2	4	6	8	10	14
B. *Operated*	528	9.8	32	3	4	9	12	18	22	29
2. MULTIPLE DX										
A. *Not Operated*	6889	6.6	19	2	3	6	8	12	15	23
B. *Operated*	1921	12.0	78	3	4	10	15	22	27	45
1. SINGLE DX	3390	5.3	15	1	2	4	7	10	12	20
2. MULTIPLE DX	8810	7.8	37	2	3	6	10	14	18	30
A. NOT OPERATED	9751	6.0	16	2	2	5	8	11	14	21
B. OPERATED	2449	11.5	69	3	4	9	14	21	26	44
TOTAL 0-19 YRS	473	4.6	11	1	2	4	6	8	11	17
20-34	2197	5.6	17	1	2	5	7	10	14	22
35-49	2975	6.8	29	2	2	5	9	12	17	26
50-64	3181	7.3	33	2	3	6	9	13	17	28
65+	3374	8.5	41	2	3	7	10	16	20	34
GRAND TOTAL	**12200**	**7.1**	**32**	**2**	**2**	**6**	**9**	**13**	**17**	**28**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.0	3	1	1	4	5	6	7	8
20-34	289	5.1	10	2	2	4	6	9	10	19
35-49	320	5.3	6	2	3	5	6	9	10	13
50-64	340	5.6	8	2	3	5	7	9	12	14
65+	380	6.8	14	3	3	6	8	11	13	22
B. *Operated*										
0-19 YRS	13	6.3	8	<1	2	6	8	9	11	11
20-34	99	8.6	18	3	5	8	10	13	17	28
35-49	129	9.6	25	5	5	9	11	15	20	30
50-64	182	9.8	22	4	5	9	12	15	19	28
65+	174	13.7	44	5	7	12	17	24	27	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.1	15	2	3	5	7	10	14	23
20-34	238	5.7	11	2	2	5	7	9	12	18
35-49	376	5.9	10	2	3	5	7	10	12	18
50-64	832	7.2	17	3	3	6	9	12	15	22
65+	1509	9.4	42	3	4	8	11	16	20	35
B. *Operated*										
0-19 YRS	20	9.1	28	2	3	8	11	16	20	24
20-34	114	13.7	129	5	6	10	15	24	36	66
35-49	221	12.0	62	4	5	10	14	21	28	42
50-64	401	14.8	111	4	6	12	18	26	37	56
65+	819	18.0	170	5	7	14	22	36	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1371	5.7	10	2	3	5	7	9	11	17
B. *Operated*	597	10.6	32	4	5	9	12	18	23	31
2. MULTIPLE DX										
A. *Not Operated*	3005	8.0	30	3	3	7	10	14	18	29
B. *Operated*	1575	15.9	140	5	6	12	19	29	41	65
1. SINGLE DX	1968	7.2	22	2	3	6	9	12	16	27
2. MULTIPLE DX	4580	10.7	82	3	4	8	13	20	27	52
A. NOT OPERATED	4376	7.3	25	2	3	6	9	13	16	26
B. OPERATED	2172	14.5	116	5	6	11	17	26	36	60
TOTAL 0-19 YRS	125	5.9	15	1	2	5	7	10	14	23
20-34	740	7.1	39	2	2	6	8	12	16	33
35-49	1046	7.5	29	3	3	6	9	12	17	29
50-64	1755	8.9	49	3	3	7	11	16	21	40
65+	2882	11.8	92	3	4	9	14	22	29	55
GRAND TOTAL	**6548**	**9.7**	**67**	**3**	**3**	**8**	**11**	**18**	**24**	**46**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	16	5.9	15	2	3	5	7	10	16	18
35-49	30	5.8	12	2	2	5	7	11	13	16
50-64	27	6.7	15	1	1	6	9	12	13	17
65+	36	9.2	45	2	3	7	12	18	21	35
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	18	11.4	16	5	7	11	14	18	20	20
35-49	39	13.8	38	6	7	14	18	22	23	33
50-64	57	14.8	77	6	7	13	19	22	25	59
65+	49	13.8	51	5	6	13	17	22	27	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	12.4	238	2	3	7	12	30	54	60
35-49	42	7.0	14	2	3	7	9	11	12	23
50-64	60	6.9	12	2	3	6	9	12	13	17
65+	144	10.4	48	3	4	8	14	21	25	33
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	21	18.0	124	7	8	14	23	35	41	47
35-49	75	18.7	150	5	7	16	24	33	45	94
50-64	159	18.4	141	5	7	16	23	35	41	67
65+	207	21.0	169	7	8	18	26	40	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	7.1	26	1	2	6	9	13	17	27
B. *Operated*	164	13.8	54	6	7	12	17	22	24	42
2. MULTIPLE DX										
A. *Not Operated*	260	9.1	46	3	3	7	11	17	23	33
B. *Operated*	463	19.6	155	6	8	16	25	37	47	84
1. SINGLE DX	275	11.1	53	2	4	10	15	20	23	35
2. MULTIPLE DX	723	15.8	141	3	5	13	21	30	41	70
A. NOT OPERATED	371	8.5	41	2	3	7	10	16	22	32
B. OPERATED	627	18.1	134	6	7	15	23	33	43	73
TOTAL 0-19 YRS	5	4.0	13	1	1	3	5	10	10	10
20-34	68	12.3	107	3	4	10	15	23	34	58
35-49	186	12.9	102	3	4	10	18	25	31	67
50-64	303	14.4	117	3	5	11	19	26	36	58
65+	436	15.7	131	4	5	13	21	30	40	72
GRAND TOTAL	**998**	**14.5**	**121**	**3**	**4**	**11**	**19**	**28**	**37**	**62**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1321	2.9	3	1	1	2	4	5	6	9
20-34	1894	3.5	5	<1	1	3	5	6	8	12
35-49	1233	4.1	8	1	1	3	5	7	9	15
50-64	800	4.2	11	1	1	4	5	7	9	15
65+	520	5.0	19	1	1	4	6	9	12	18
B. *Operated*										
0-19 YRS	27	5.3	8	2	2	5	7	10	11	11
20-34	113	6.0	15	2	2	5	7	11	12	22
35-49	143	7.5	45	2	2	6	9	15	16	41
50-64	127	7.4	31	2	3	6	9	13	17	30
65+	82	7.3	34	1	2	6	9	13	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1794	3.6	6	1	1	3	4	7	8	12
20-34	3540	4.9	13	1	2	4	6	9	11	18
35-49	3823	5.7	16	2	2	5	7	10	13	20
50-64	3953	6.2	19	2	2	5	8	11	14	22
65+	4485	7.3	26	2	3	6	9	13	16	28
B. *Operated*										
0-19 YRS	87	6.6	16	2	3	6	9	13	14	18
20-34	587	8.3	33	2	3	7	10	15	19	30
35-49	919	9.5	43	3	4	8	12	17	22	35
50-64	1078	9.9	46	3	4	8	12	18	22	36
65+	1184	11.4	61	3	4	9	15	21	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5768	3.7	8	1	1	3	5	7	8	13
B. *Operated*	492	7.0	31	2	2	6	9	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	17595	5.9	19	2	2	5	7	11	14	22
B. *Operated*	3855	10.0	49	3	4	8	12	18	23	36
1. SINGLE DX	6260	4.0	10	1	1	3	5	7	9	15
2. MULTIPLE DX	21450	6.6	27	2	2	5	8	12	16	27
A. NOT OPERATED	23363	5.3	17	1	2	4	7	10	13	20
B. OPERATED	4347	9.6	47	3	3	8	12	17	22	36
TOTAL 0-19 YRS	3229	3.4	5	1	1	3	4	6	8	11
20-34	6134	4.8	14	1	1	4	6	9	11	19
35-49	6118	6.0	22	2	2	5	7	11	14	24
50-64	5958	6.7	26	2	2	5	8	12	16	26
65+	6271	7.9	36	2	3	6	10	15	19	31
GRAND TOTAL	**27710**	**6.0**	**24**	**1**	**2**	**5**	**8**	**11**	**15**	**25**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	3.3	4	1	1	3	4	6	7	10
20-34	355	3.7	7	1	1	3	5	7	8	12
35-49	277	4.0	8	1	1	3	5	7	9	15
50-64	198	3.9	6	1	1	3	5	7	9	13
65+	153	4.8	10	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	114	4.8	14	2	2	4	5	9	10	23
20-34	42	9.6	79	2	2	6	12	22	30	42
35-49	59	11.7	43	3	4	11	14	20	22	39
50-64	55	12.8	65	2	4	11	17	24	29	35
65+	54	14.9	89	2	3	13	21	26	35	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	331	3.9	10	1	1	3	5	7	9	16
20-34	620	5.0	13	1	2	4	6	9	12	20
35-49	697	5.6	18	1	2	5	7	10	13	22
50-64	818	5.8	18	1	2	5	7	11	14	21
65+	1003	6.8	27	2	2	6	9	12	16	28
B. *Operated*										
0-19 YRS	58	8.7	64	2	3	7	11	16	24	48
20-34	128	11.9	105	2	3	9	15	23	32	51
35-49	228	12.8	87	3	4	10	16	26	32	47
50-64	345	15.6	154	3	5	12	20	32	40	64
65+	419	19.2	240	3	5	15	26	36	52	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1222	3.9	7	1	1	3	5	7	9	14
B. *Operated*	324	9.7	64	2	3	7	13	21	25	38
2. MULTIPLE DX										
A. *Not Operated*	3469	5.7	20	1	2	5	7	11	14	23
B. *Operated*	1178	15.6	171	3	4	12	20	32	41	70
1. SINGLE DX	1546	5.1	25	1	1	4	6	10	15	25
2. MULTIPLE DX	4647	8.2	77	2	2	6	10	17	25	45
A. NOT OPERATED	4691	5.2	17	1	2	4	7	10	13	21
B. OPERATED	1502	14.3	154	3	4	11	18	30	37	66
TOTAL 0-19 YRS	742	4.2	15	1	1	3	5	7	10	18
20-34	1145	5.5	30	1	1	4	7	11	15	30
35-49	1261	6.8	39	1	2	5	8	14	18	34
50-64	1416	8.2	72	1	2	5	10	17	24	44
65+	1629	10.1	113	2	2	7	12	22	31	55
GRAND TOTAL	**6193**	**7.4**	**65**	**1**	**2**	**5**	**9**	**15**	**22**	**42**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.1	12	<1	1	2	4	5	7	24
20-34	37	2.6	5	<1	<1	2	4	5	6	12
35-49	13	2.9	4	<1	<1	3	4	6	7	7
50-64	9	4.7	16	1	1	4	5	11	14	14
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	6509	3.8	2	2	2	4	4	6	7	9
20-34	4616	4.0	3	2	2	4	5	6	7	10
35-49	1147	4.6	5	2	3	4	5	7	8	12
50-64	533	5.3	6	3	3	5	6	8	10	16
65+	169	6.5	9	3	3	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.8	2	1	1	2	4	5	5	6
20-34	26	4.4	9	<1	1	4	6	8	11	11
35-49	8	4.4	9	1	1	4	6	8	9	9
50-64	7	5.1	18	1	1	4	6	12	14	14
65+	9	9.9	9	4	5	11	12	13	13	13
B. *Operated*										
0-19 YRS	1048	5.4	10	2	3	5	6	9	11	19
20-34	973	5.7	13	2	3	5	7	10	12	21
35-49	405	7.0	20	3	3	6	8	13	16	22
50-54	315	8.6	40	3	4	7	10	15	18	34
65+	190	10.1	24	4	5	9	13	18	20	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.1	9	<1	1	2	4	6	7	17
B. *Operated*	12974	4.0	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	77	4.5	11	1	1	4	6	11	12	14
B. *Operated*	2931	6.4	18	3	3	5	8	11	14	22
1. SINGLE DX	13100	4.0	3	2	2	4	5	6	7	10
2. MULTIPLE DX	3008	6.3	18	2	3	5	8	11	14	22
A. NOT OPERATED	203	3.6	10	<1	1	3	5	7	11	14
B. OPERATED	15905	4.4	7	2	2	4	5	7	9	14
TOTAL 0-19 YRS	7649	4.0	4	2	2	4	5	6	7	11
20-34	5652	4.3	5	2	2	4	5	7	8	12
35-49	1573	5.2	10	2	3	4	6	8	10	17
50-64	864	6.5	21	3	3	5	8	11	14	23
65+	370	8.4	20	3	4	7	10	14	18	22
GRAND TOTAL	**16108**	**4.4**	**7**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	5.6	17	1	2	4	7	13	14	15
20-34	22	6.7	15	2	2	6	8	13	15	15
35-49	8	8.0	28	2	3	7	10	17	19	19
50-64	9	9.2	23	3	3	9	13	16	16	16
65+	6	9.5	47	1	1	7	15	19	20	20
B. *Operated*										
0-19 YRS	1161	7.5	12	3	4	7	9	12	14	20
20-34	725	7.2	11	3	3	7	9	12	13	18
35-49	414	8.1	10	3	4	8	10	12	13	19
50-64	333	9.4	15	5	5	9	11	13	17	24
65+	159	11.1	25	5	6	10	14	16	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.1	13	2	2	6	10	12	12	12
20-34	8	8.8	16	3	4	8	11	15	16	16
35-49	11	7.8	28	4	4	6	9	15	22	23
50-64	12	13.3	77	3	4	12	18	24	33	35
65+	10	10.4	31	3	4	9	13	18	23	23
B. *Operated*										
0-19 YRS	531	10.6	49	4	5	9	12	18	22	38
20-34	388	10.4	43	4	5	9	12	18	23	36
35-49	301	11.9	60	5	6	10	14	18	22	46
50-64	433	13.9	95	5	7	11	16	24	31	56
65+	436	16.1	79	7	8	14	20	27	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	7.1	21	2	2	6	9	15	15	20
B. *Operated*	2792	7.9	14	3	4	7	10	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	48	9.8	39	3	4	8	12	18	23	35
B. *Operated*	2089	12.6	70	5	6	10	15	22	28	48
1. SINGLE DX	2859	7.9	14	3	4	7	10	12	15	22
2. MULTIPLE DX	2137	12.5	70	5	6	10	15	22	28	48
A. NOT OPERATED	115	8.2	30	2	3	7	11	15	19	27
B. OPERATED	4881	9.9	43	4	4	8	12	16	22	35
TOTAL 0-19 YRS	1721	8.5	26	3	4	8	10	14	17	26
20-34	1143	8.3	25	3	4	7	10	13	17	27
35-49	734	9.6	35	4	5	9	11	15	18	31
50-64	787	11.9	65	5	6	10	13	19	26	48
65+	611	14.6	69	6	7	12	18	25	30	44
GRAND TOTAL	**4996**	**9.9**	**43**	**4**	**4**	**8**	**12**	**16**	**21**	**35**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	2.4	3	1	1	2	3	5	6	8
20-34	107	2.6	3	1	1	2	3	5	6	10
35-49	30	2.5	3	<1	<1	2	3	5	6	7
50-64	14	3.9	5	1	2	3	5	8	9	9
65+	5	3.8	4	2	2	4	5	7	7	7
B. *Operated*										
0-19 YRS	709	4.4	5	2	2	4	5	7	9	14
20-34	454	4.8	6	2	3	4	6	8	9	14
35-49	117	5.7	10	2	3	5	6	9	13	19
50-64	52	6.6	18	3	3	6	8	10	11	31
65+	18	8.4	24	3	4	6	13	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	3.1	4	1	1	2	4	6	8	10
20-34	55	3.4	5	<1	1	3	4	7	8	10
35-49	20	4.7	3	2	2	5	6	7	8	8
50-64	17	4.6	12	1	1	4	5	8	14	16
65+	9	6.4	10	4	4	5	7	12	12	12
B. *Operated*										
0-19 YRS	441	5.4	8	2	3	5	6	9	10	16
20-34	339	6.5	21	3	3	5	7	10	14	28
35-49	79	8.4	25	3	3	7	11	14	20	26
50-64	59	10.8	43	4	4	8	13	23	25	28
65+	43	12.0	93	4	4	10	14	19	24	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	286	2.6	3	1	1	2	3	5	6	9
B. *Operated*	1350	4.8	7	2	3	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	191	3.6	6	1	1	3	5	7	8	12
B. *Operated*	961	6.6	23	3	3	5	8	11	15	26
1. SINGLE DX	1636	4.4	7	1	2	4	5	7	9	14
2. MULTIPLE DX	1152	6.1	21	2	3	5	7	11	14	24
A. NOT OPERATED	477	3.0	4	1	1	2	4	6	7	10
B. OPERATED	2311	5.6	15	2	3	5	6	9	12	21
TOTAL 0-19 YRS	1370	4.5	7	1	2	4	5	7	9	15
20-34	955	5.1	13	1	2	4	6	8	11	18
35-49	246	6.1	17	2	2	5	7	11	14	22
50-64	142	7.8	33	2	3	7	9	15	23	28
65+	75	9.9	67	3	4	8	13	17	20	54
GRAND TOTAL	**2788**	**5.1**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	1.3		<1	<1	1	2	2	3	4
20-34	33	1.7	1	<1	<1	1	2	4	4	4
35-49	33	2.0	2	<1	<1	2	2	3	4	8
50-64	25	2.8	6	<1	<1	2	4	6	8	10
65+	39	3.3	8	<1	1	2	5	8	10	11
B. *Operated*										
0-19 YRS	4595	2.2	2	<1	1	2	3	4	4	6
20-34	4829	3.5	2	2	2	3	4	5	6	8
35-49	4329	3.9	3	2	2	4	5	6	7	9
50-64	6234	4.3	3	2	2	4	5	6	7	10
65+	4178	5.0	5	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	1.6	2	<1	<1	1	2	3	5	7
20-34	44	2.6	8	<1	<1	1	4	7	8	15
35-49	56	2.7	6	<1	<1	2	3	6	8	14
50-64	104	3.7	11	<1	1	3	5	8	10	17
65+	203	4.6	16	1	1	3	6	9	13	21
B. *Operated*										
0-19 YRS	2434	2.3	3	<1	1	2	3	4	5	8
20-34	1649	4.3	5	2	2	4	5	7	8	12
35-49	2415	4.9	11	2	2	4	6	8	10	15
50-64	4993	5.7	13	2	3	5	7	9	12	20
65+	5501	7.4	29	3	3	6	9	13	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	2.0	3	<1	<1	1	2	4	5	10
B. *Operated*	24165	3.8	4	1	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	585	3.2	11	<1	<1	2	4	7	9	16
B. *Operated*	16992	5.5	18	1	2	5	7	10	12	22
1. SINGLE DX	24378	3.8	4	1	2	4	5	6	7	10
2. MULTIPLE DX	17577	5.4	18	1	2	5	7	9	12	22
A. NOT OPERATED	798	2.9	9	<1	<1	2	4	6	9	15
B. OPERATED	41157	4.5	10	1	2	4	5	8	9	16
TOTAL 0-19 YRS	7290	2.2	2	<1	1	2	3	4	5	7
20-34	6555	3.7	3	2	2	4	4	5	6	9
35-49	6833	4.3	6	2	2	4	5	6	8	12
50-64	11356	4.9	8	2	3	4	6	8	10	15
65+	9921	6.3	20	2	3	5	7	10	13	24
GRAND TOTAL	**41955**	**4.5**	**11**	**1**	**2**	**4**	**5**	**8**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.2	12	<1	<1	1	2	4	6	19
20-34	6	1.7	3	1	1	1	1	5	5	5
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	9	1.4		<1	<1	1	2	2	2	2
65+	21	3.2	5	<1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	360	2.3	3	<1	1	2	3	4	5	7
20-34	142	4.0	3	2	2	4	5	6	7	11
35-49	108	4.3	5	2	2	4	5	7	9	11
50-64	210	4.9	4	2	3	5	6	7	8	13
65+	303	6.9	18	3	3	6	8	12	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	2	<1	1	2	4	5	5	5
20-34	5	3.0	9	<1	<1	2	4	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	7	3.7	6	1	1	3	6	7	7	7
65+	50	6.4	52	1	1	4	7	13	25	37
B. *Operated*										
0-19 YRS	234	3.3	14	1	1	2	4	6	9	18
20-34	73	4.7	9	2	2	4	6	8	8	21
35-49	68	6.6	15	3	4	6	8	11	12	24
50-64	234	7.8	51	3	3	6	9	13	18	34
65+	701	11.0	83	3	4	9	13	20	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	2.3	7	<1	<1	1	2	5	6	17
B. *Operated*	1123	4.4	11	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	79	5.1	37	1	1	3	6	10	18	34
B. *Operated*	1310	8.5	66	1	2	6	11	17	22	39
1. SINGLE DX	1189	4.3	11	1	1	4	5	8	10	18
2. MULTIPLE DX	1389	8.3	65	1	2	6	10	16	22	39
A. NOT OPERATED	145	3.8	25	<1	1	2	5	8	10	27
B. OPERATED	2433	6.6	45	1	2	5	8	13	18	34
TOTAL 0-19 YRS	637	2.7	7	1	1	2	3	5	6	16
20-34	226	4.1	5	1	2	4	5	7	8	11
35-49	180	5.1	10	2	2	4	6	9	11	19
50-64	460	6.3	31	2	3	5	7	11	13	27
65+	1075	9.5	66	3	3	7	11	18	23	40
GRAND TOTAL	**2578**	**6.5**	**44**	**1**	**1**	**5**	**8**	**13**	**18**	**34**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	10	<1	<1	1	1	7	10	10
20-34	3	4.3	24	1	1	2	8	10	10	10
35-49	4	3.5	9	2	2	2	5	8	8	8
50-64	7	2.1	2	<1	<1	1	4	4	4	4
65+	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	738	2.1	1	<1	1	2	2	3	4	6
20-34	277	3.3	3	1	2	3	4	5	6	9
35-49	328	3.7	4	1	2	3	5	6	7	12
50-64	270	3.9	4	1	2	4	5	6	7	10
65+	120	5.1	13	1	2	4	6	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.3	6	<1	<1	1	2	5	9	10
20-34	6	2.3	8	<1	<1	1	2	7	8	8
35-49	16	3.2	8	<1	<1	2	4	6	10	11
50-64	15	5.9	22	1	1	5	7	15	16	16
65+	20	5.8	20	1	1	4	7	13	16	17
B. *Operated*										
0-19 YRS	147	2.7	4	1	1	2	3	5	7	10
20-34	160	4.9	14	1	2	4	6	8	9	26
35-49	299	5.3	13	2	2	4	6	9	13	21
50-64	368	6.3	18	2	3	5	8	11	14	23
65+	256	8.9	52	2	3	7	11	15	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.7	7	<1	<1	1	3	8	10	10
B. *Operated*	1733	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	93	3.8	14	<1	<1	2	5	9	11	17
B. *Operated*	1230	6.0	25	2	2	5	7	11	15	25
1. SINGLE DX	1758	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX	1323	5.8	24	1	2	5	7	11	15	24
A. NOT OPERATED	118	3.5	13	<1	<1	2	5	9	11	16
B. OPERATED	2963	4.3	15	1	1	3	5	8	11	20
TOTAL 0-19 YRS	929	2.2	2	<1	1	2	2	3	5	9
20-34	446	3.9	7	1	2	3	5	7	8	12
35-49	647	4.4	9	1	2	4	5	8	10	15
50-64	660	5.3	13	2	2	4	6	9	12	22
65+	399	7.6	42	2	2	6	9	14	17	36
GRAND TOTAL	**3081**	**4.3**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	4.8	19	1	1	4	7	12	12	12
35-49	11	3.5	6	<1	<1	4	4	7	8	8
50-64	13	2.5	1	<1	<1	2	3	4	5	5
65+	23	4.0	5	<1	1	4	5	8	9	9
B. *Operated*										
0-19 YRS	180	2.7	3	<1	1	2	3	5	6	9
20-34	460	4.2	5	2	2	4	5	7	9	12
35-49	767	5.3	8	2	3	5	7	9	10	16
50-64	892	6.1	11	2	3	6	8	10	11	19
65+	611	7.1	16	3	3	6	9	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	19	3.5	15	<1	<1	2	4	10	14	15
35-49	37	5.2	20	<1	1	4	7	11	15	20
50-64	95	5.6	21	1	1	4	8	11	15	24
65+	153	6.1	26	1	2	5	7	12	16	30
B. *Operated*										
0-19 YRS	47	3.7	10	1	1	3	5	6	12	16
20-34	366	6.0	11	2	3	5	7	10	13	19
35-49	781	7.5	21	3	3	7	9	13	16	25
50-64	1259	8.6	29	3	4	7	10	15	18	31
65+	1116	10.5	55	3	4	9	13	18	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.5	6	<1	1	3	4	7	8	12
B. *Operated*	2910	5.6	11	2	2	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	306	5.7	23	1	1	4	7	12	16	26
B. *Operated*	3569	8.6	36	3	3	7	10	15	19	31
1. SINGLE DX	2963	5.6	11	2	2	5	7	9	11	18
2. MULTIPLE DX	3875	8.4	35	2	3	7	10	15	19	31
A. NOT OPERATED	359	5.4	21	1	1	4	7	11	14	23
B. OPERATED	6479	7.3	27	2	3	6	9	13	16	26
TOTAL 0-19 YRS	230	2.9	4	1	1	2	3	5	6	12
20-34	850	5.0	9	2	2	4	6	9	10	15
35-49	1596	6.4	16	2	3	6	8	11	14	21
50-64	2259	7.4	23	2	3	6	9	13	16	27
65+	1903	9.0	43	3	3	8	11	16	20	34
GRAND TOTAL	**6838**	**7.2**	**27**	**2**	**3**	**6**	**9**	**13**	**16**	**26**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	1	<1	1	3	4	4	5	5
20-34	67	3.7	4	1	1	3	5	7	7	8
35-49	184	4.3	10	1	2	3	5	7	10	17
50-64	270	4.2	8	1	2	4	5	7	9	15
65+	245	4.6	9	1	2	4	6	8	9	14
B. *Operated*										
0-19 YRS	15	3.3	12	1	1	2	4	7	12	14
20-34	18	9.3	32	2	3	8	11	19	22	23
35-49	56	8.9	21	3	4	8	11	14	17	27
50-64	86	8.2	13	2	3	8	10	12	14	19
65+	71	11.4	51	3	4	10	14	19	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.4	4	2	2	4	6	7	9	9
20-34	322	5.1	10	1	2	4	7	9	11	15
35-49	948	5.3	12	2	2	5	7	9	13	17
50-64	1848	5.4	12	2	2	5	7	10	12	17
65+	2918	6.4	18	2	3	5	8	11	14	22
B. *Operated*										
0-19 YRS	15	8.3	42	2	2	6	10	16	23	26
20-34	150	9.2	28	3	4	8	11	17	20	26
35-49	427	9.7	38	3	4	8	12	17	20	34
50-64	744	10.3	42	3	4	9	13	18	23	34
65+	758	11.2	68	3	4	9	14	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	779	4.3	8	1	2	4	5	7	9	15
B. *Operated*	246	9.1	31	2	3	8	12	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	6069	5.9	15	2	2	5	7	10	13	19
B. *Operated*	2094	10.4	50	3	4	9	13	18	24	39
1. SINGLE DX	1025	5.4	18	1	2	4	7	10	13	23
2. MULTIPLE DX	8163	7.0	28	2	3	6	9	13	16	27
A. NOT OPERATED	6848	5.7	14	2	2	5	7	10	13	19
B. OPERATED	2340	10.3	48	3	4	9	13	18	23	38
TOTAL 0-19 YRS	76	4.7	16	1	1	4	6	9	13	23
20-34	557	6.2	19	1	2	5	8	11	15	23
35-49	1615	6.5	23	2	2	5	8	12	15	25
50-64	2948	6.6	24	2	2	5	9	12	15	25
65+	3992	7.3	32	2	3	6	9	13	17	29
GRAND TOTAL	**9188**	**6.9**	**27**	**2**	**2**	**5**	**9**	**13**	**16**	**27**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	5.8	33	1	1	4	9	14	14	14
35-49	8	7.6	68	<1	<1	5	9	22	26	26
50-64	7	3.0	4	<1	<1	2	5	6	6	6
65+	6	5.8	12	1	1	6	7	11	11	11
B. *Operated*										
0-19 YRS	33	2.7	1	1	1	2	4	4	5	5
20-34	102	3.8	2	2	2	4	5	6	6	8
35-49	151	4.3	6	2	2	4	5	7	10	13
50-64	161	4.7	6	2	2	4	6	7	9	15
65+	152	6.1	15	2	3	5	7	10	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	2	<1	<1	2	3	4	4	4
20-34	7	4.4	12	1	1	4	7	10	10	10
35-49	18	5.8	24	<1	1	4	8	11	17	21
50-64	19	4.6	9	1	1	4	6	9	11	12
65+	42	5.1	13	1	2	4	8	10	13	15
B. *Operated*										
0-19 YRS	14	9.0	262	2	2	4	8	18	54	64
20-34	55	6.9	26	3	3	5	7	16	18	26
35-49	91	7.3	26	3	3	6	9	13	16	33
50-64	145	7.7	31	2	3	6	9	12	17	33
65+	230	9.3	37	3	4	8	11	17	21	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.5	30	<1	1	4	7	12	16	26
B. *Operated*	599	4.7	8	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	92	4.9	14	1	1	4	7	10	12	18
B. *Operated*	535	8.3	39	3	3	7	10	16	19	31
1. SINGLE DX	625	4.7	9	2	2	4	6	8	10	17
2. MULTIPLE DX	627	7.8	36	2	3	6	9	14	18	30
A. NOT OPERATED	118	5.0	17	<1	1	4	7	11	13	23
B. OPERATED	1134	6.4	26	2	2	5	8	11	16	27
TOTAL 0-19 YRS	54	4.3	73	1	1	3	4	5	10	62
20-34	168	4.9	13	2	2	4	5	8	14	19
35-49	268	5.5	17	2	2	4	6	10	13	25
50-64	332	6.0	19	2	2	5	7	10	13	28
65+	430	7.7	29	2	3	6	9	14	18	27
GRAND TOTAL	**1252**	**6.3**	**25**	**2**	**2**	**5**	**8**	**11**	**16**	**27**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	8	2.8	7	<1	<1	2	3	7	9	9
50-64	14	2.7	3	<1	1	2	4	5	6	6
65+	32	4.3	7	2	2	3	7	8	10	11
B. *Operated*										
0-19 YRS	61	2.9	4	1	1	2	4	5	6	12
20-34	133	4.1	6	2	2	4	5	7	8	13
35-49	236	5.0	12	2	2	4	6	9	11	20
50-64	281	6.2	14	2	3	5	8	11	13	20
65+	302	8.1	21	3	3	7	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.5	2	<1	<1	2	4	4	4	4
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49	16	3.7	5	1	2	3	5	6	9	10
50-64	41	5.9	22	1	1	4	8	12	15	23
65+	130	8.2	35	2	3	7	11	15	18	32
B. *Operated*										
0-19 YRS	26	7.4	76	1	1	5	8	17	29	40
20-34	83	6.7	29	2	2	6	8	11	15	34
35-49	286	8.5	76	3	3	7	10	15	18	27
50-64	484	9.9	57	3	4	8	12	18	25	42
65+	868	13.5	116	4	5	11	16	26	34	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.5	6	1	1	3	4	7	9	11
B. *Operated*	1013	6.0	17	2	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	199	7.0	31	1	2	5	9	14	17	28
B. *Operated*	1747	11.3	94	3	4	9	14	21	28	47
1. SINGLE DX	1073	5.9	16	2	2	5	8	11	13	21
2. MULTIPLE DX	1946	10.9	89	3	4	8	13	20	27	46
A. NOT OPERATED	259	6.2	27	1	2	5	8	13	16	26
B. OPERATED	2760	9.3	72	2	3	7	11	17	24	41
TOTAL 0-19 YRS	98	4.0	26	1	1	3	4	7	11	33
20-34	223	5.1	16	2	2	4	6	9	11	19
35-49	546	6.7	49	2	2	5	8	12	15	26
50-64	820	8.3	44	2	3	7	10	15	22	34
65+	1332	11.5	92	3	4	9	14	21	29	46
GRAND TOTAL	**3019**	**9.1**	**69**	**2**	**3**	**7**	**11**	**17**	**23**	**41**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	3.0	6	1	1	2	4	6	8	11
20-34	263	4.7	9	1	2	4	6	9	11	15
35-49	464	5.1	15	1	2	4	6	9	12	22
50-64	535	5.4	12	1	2	5	7	10	12	17
65+	710	6.1	16	2	2	5	8	11	13	19
B. *Operated*										
0-19 YRS	174	7.0	11	3	4	6	9	11	13	20
20-34	247	9.9	29	4	5	9	12	16	19	30
35-49	281	12.0	48	5	6	10	14	21	25	46
50-64	316	12.1	40	5	7	11	14	20	24	31
65+	365	14.9	69	7	8	13	17	24	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	19	1	1	3	7	9	11	20
20-34	367	6.0	22	2	2	5	7	10	14	26
35-49	620	6.8	25	2	2	6	8	13	16	26
50-64	1093	7.3	30	2	3	6	9	13	16	30
65+	2859	9.2	44	2	3	8	12	17	22	35
B. *Operated*										
0-19 YRS	163	9.7	62	4	4	8	11	15	21	54
20-34	383	13.0	88	5	6	10	16	23	30	56
35-49	550	14.8	117	6	7	12	17	25	32	61
50-64	1012	17.9	141	7	8	14	22	33	42	72
65+	1960	20.2	159	7	9	17	25	36	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2168	5.3	14	1	2	4	7	10	12	18
B. *Operated*	1383	11.8	50	4	5	10	14	20	25	37
2. MULTIPLE DX										
A. *Not Operated*	5095	8.1	38	2	3	7	10	15	20	33
B. *Operated*	4068	17.8	147	6	7	14	22	33	42	70
1. SINGLE DX	3551	7.8	38	1	2	6	10	15	19	29
2. MULTIPLE DX	9163	12.4	109	2	3	10	16	25	33	57
A. NOT OPERATED	7263	7.3	32	2	2	6	9	14	18	30
B. OPERATED	5451	16.3	129	5	7	13	20	30	39	64
TOTAL 0-19 YRS	689	6.0	30	1	1	5	8	11	14	27
20-34	1260	8.6	52	2	2	7	11	16	21	40
35-49	1915	9.4	68	2	3	7	12	18	24	40
50-64	2956	11.1	93	2	3	8	14	22	30	53
65+	5894	12.8	110	3	4	10	16	25	33	57
GRAND TOTAL	**12714**	**11.1**	**94**	**2**	**3**	**9**	**14**	**22**	**29**	**52**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9003	3.2	4	1	1	3	4	5	7	10
20-34	3378	3.1	5	1	1	3	4	6	7	10
35-49	1476	3.5	6	1	1	3	5	6	7	11
50-64	1081	3.9	8	1	1	3	5	7	9	14
65+	1183	4.4	10	1	1	4	6	8	10	15
B. *Operated*										
0-19 YRS	132	5.7	35	1	2	4	7	10	13	59
20-34	248	5.8	22	1	2	5	7	10	13	29
35-49	125	7.6	49	2	2	6	9	14	19	40
50-64	107	7.9	23	2	2	7	11	15	18	21
65+	66	8.0	36	2	3	7	10	11	14	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11810	3.9	6	1	2	3	5	7	8	13
20-34	3902	4.0	11	1	1	3	5	7	9	15
35-49	2508	5.0	14	1	2	4	6	9	11	19
50-64	3532	5.8	18	1	2	5	7	11	14	21
65+	6756	7.2	29	2	2	6	9	13	17	28
B. *Operated*										
0-19 YRS	220	8.4	134	3	3	6	8	14	31	99+
20-34	378	9.1	50	2	3	7	11	17	22	35
35-49	383	10.3	78	2	3	8	13	20	27	47
50-64	498	11.0	64	2	4	9	13	21	27	40
65+	725	14.0	94	3	4	12	18	25	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16121	3.3	5	1	1	3	4	6	7	11
B. *Operated*	678	6.6	32	2	2	5	8	12	15	37
2. MULTIPLE DX										
A. *Not Operated*	28508	5.0	16	1	2	4	6	9	12	21
B. *Operated*	2204	11.3	85	3	3	9	14	22	28	49
1. SINGLE DX	16799	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX	30712	5.5	24	1	2	4	7	10	14	25
A. NOT OPERATED	44629	4.4	13	1	1	3	5	8	11	18
B. OPERATED	2882	10.2	76	2	3	8	13	20	27	48
TOTAL 0-19 YRS	21165	3.6	7	1	1	3	4	6	8	12
20-34	7906	3.9	12	1	1	3	5	7	9	17
35-49	4492	5.0	21	1	2	4	6	9	13	23
50-64	5218	5.9	23	1	2	5	7	11	15	25
65+	8730	7.4	37	2	2	6	9	14	19	31
GRAND TOTAL	**47511**	**4.8**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	95	4.8	6	2	2	4	6	8	10	11
35-49	518	5.2	9	1	2	5	7	9	10	16
50-64	1201	5.2	9	1	2	5	7	9	11	15
65+	1634	5.5	14	1	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	39	9.5	18	4	5	8	12	17	18	18
35-49	185	11.0	33	5	5	10	13	18	21	31
50-64	339	12.1	37	3	5	11	15	19	22	35
65+	314	13.0	45	2	5	12	16	22	25	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.3	17	1	1	6	10	12	13	13
20-34	89	5.7	11	2	2	5	7	10	13	18
35-49	669	6.2	14	2	3	5	8	11	13	20
50-64	2646	6.3	16	2	2	5	8	11	14	20
65+	7397	7.3	26	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	7	11.1	125	1	2	7	12	31	35	35
20-34	86	12.8	77	5	6	10	15	21	22	54
35-49	401	13.3	74	4	6	11	16	22	29	42
50-64	1354	14.3	85	4	5	12	18	25	30	54
65+	2317	16.6	139	4	5	14	21	30	40	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3450	5.3	12	1	2	5	7	9	11	17
B. *Operated*	878	12.1	39	4	5	11	15	20	23	33
2. MULTIPLE DX										
A. *Not Operated*	10817	6.9	23	2	3	6	9	12	16	25
B. *Operated*	4165	15.4	116	4	5	13	19	28	35	61
1. SINGLE DX	4328	6.7	25	1	2	5	9	13	16	23
2. MULTIPLE DX	14982	9.3	63	2	3	7	12	18	24	42
A. NOT OPERATED	14267	6.6	21	2	2	6	8	12	15	23
B. OPERATED	5043	14.8	104	4	5	13	18	26	33	58
TOTAL 0-19 YRS	26	7.4	47	1	1	7	10	13	18	35
20-34	309	7.9	40	2	3	6	9	15	18	32
35-49	1773	8.0	39	2	3	6	10	15	19	32
50-64	5540	8.3	46	2	3	6	11	16	21	33
65+	11662	9.0	63	2	3	7	11	18	23	42
GRAND TOTAL	**19310**	**8.7**	**56**	**2**	**3**	**7**	**11**	**17**	**22**	**38**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.6	5	1	1	3	5	6	9	12
20-34	109	3.2	4	<1	1	3	4	6	7	8
35-49	70	3.1	4	<1	1	3	5	6	7	9
50-64	41	4.5	16	<1	1	4	5	9	14	20
65+	24	4.7	35	1	1	4	5	7	14	31
B. *Operated*										
0-19 YRS	226	3.2	5	1	1	3	4	6	7	10
20-34	1268	3.6	5	1	1	3	4	6	7	11
35-49	1225	3.7	6	1	1	3	4	6	8	13
50-64	696	3.9	6	1	2	3	5	6	8	12
65+	249	4.7	12	2	2	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	4.4	12	1	1	3	6	8	11	20
20-34	105	4.6	17	<1	1	4	6	8	12	23
35-49	115	5.4	16	1	2	4	7	11	14	21
50-64	121	5.4	16	1	2	4	7	10	14	22
65+	141	8.2	75	2	2	6	10	18	25	46
B. *Operated*										
0-19 YRS	104	4.3	7	1	2	4	6	7	8	15
20-34	1124	4.8	12	1	2	4	6	8	11	20
35-49	1389	5.0	13	2	2	4	6	8	11	17
50-64	1216	6.0	29	2	2	5	7	11	14	28
65+	624	8.6	70	2	3	6	10	17	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	3.5	8	<1	1	3	5	6	7	14
B. *Operated*	3664	3.7	6	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	536	5.9	33	1	2	4	7	11	15	28
B. *Operated*	4457	5.7	27	2	2	4	6	10	14	26
1. SINGLE DX	3959	3.7	6	1	1	3	4	6	8	12
2. MULTIPLE DX	4993	5.7	27	2	2	4	7	10	14	26
A. NOT OPERATED	831	5.0	26	1	1	4	6	9	13	25
B. OPERATED	8121	4.8	18	1	2	4	6	8	11	22
TOTAL 0-19 YRS	435	3.7	6	1	1	3	5	7	8	12
20-34	2606	4.2	9	1	2	4	5	7	9	16
35-49	2799	4.4	10	1	2	4	5	7	10	16
50-64	2074	5.3	21	2	2	4	6	9	12	23
65+	1038	7.5	59	2	2	5	9	15	22	44
GRAND TOTAL	**8952**	**4.8**	**19**	**1**	**2**	**4**	**6**	**8**	**11**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1387	3.6	7	1	1	3	5	7	8	13
20-34	2136	4.8	18	1	1	4	6	9	11	23
35-49	1434	5.0	16	1	2	4	6	9	12	21
50-64	997	4.9	20	1	1	4	6	9	12	20
65+	1025	5.0	21	1	1	4	6	9	13	22
B. *Operated*										
0-19 YRS	405	7.0	47	1	2	5	9	14	20	36
20-34	1022	8.1	43	1	2	6	11	15	20	32
35-49	759	8.2	53	1	2	6	11	16	22	37
50-64	602	8.5	55	1	2	7	12	17	23	32
65+	567	8.9	55	2	2	7	12	18	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1175	4.3	11	1	1	3	5	8	10	18
20-34	2699	5.9	23	1	2	5	7	11	14	24
35-49	2778	6.1	20	2	2	5	8	11	14	23
50-64	3170	6.3	25	2	2	5	8	11	15	26
65+	6335	7.2	35	2	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	391	11.0	130	2	3	8	13	23	37	63
20-34	1890	10.7	101	2	3	8	13	21	29	54
35-49	1917	11.5	106	2	3	9	14	23	31	57
50-64	2227	12.9	143	2	3	9	16	27	37	73
65+	2988	15.1	160	3	4	12	19	31	42	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6979	4.6	17	1	1	4	6	9	11	21
B. *Operated*	3355	8.2	50	1	2	6	11	16	22	35
2. MULTIPLE DX										
A. *Not Operated*	16157	6.4	27	2	2	5	8	12	16	26
B. *Operated*	9413	12.8	135	2	3	9	16	26	37	64
1. SINGLE DX	10334	5.8	30	1	1	4	7	12	16	28
2. MULTIPLE DX	25570	8.7	77	2	2	6	10	18	25	48
A. NOT OPERATED	23136	5.9	25	1	2	5	7	11	15	25
B. OPERATED	12768	11.6	117	2	3	9	14	24	33	59
TOTAL 0-19 YRS	3358	5.1	33	1	1	4	6	10	14	30
20-34	7747	7.0	49	1	2	5	9	14	19	35
35-49	6888	7.6	53	2	2	6	9	15	21	38
50-64	6996	8.4	75	1	2	6	10	17	25	48
65+	10915	9.2	83	2	2	6	11	19	27	48
GRAND TOTAL	**35904**	**7.9**	**65**	**1**	**2**	**6**	**10**	**16**	**22**	**43**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	44	7.3	32	1	2	5	10	17	19	21
35-49	61	8.8	63	1	2	6	10	19	24	41
50-64	90	9.6	50	3	4	8	12	19	24	36
65+	40	7.9	34	2	2	6	10	18	20	23
B. *Operated*										
0-19 YRS										
20-34	12	6.9	30	2	2	5	9	17	18	18
35-49	19	7.6	56	1	1	6	9	20	25	27
50-64	27	8.3	49	1	1	8	11	19	21	26
65+	12	17.1	148	2	5	13	21	38	41	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	204	9.3	80	2	3	7	11	18	24	54
35-49	634	11.0	77	3	3	8	15	22	28	45
50-64	943	12.6	99	3	4	10	16	24	31	53
65+	455	13.4	106	3	4	10	17	26	33	56
B. *Operated*										
0-19 YRS	2	15.0	242	4	4	15	26	26	26	26
20-34	69	13.4	113	3	5	10	16	25	42	56
35-49	210	15.0	154	2	4	12	20	31	39	69
50-64	352	15.9	139	2	3	14	21	30	41	63
65+	154	17.5	206	3	5	14	21	32	44	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	8.7	47	2	3	7	11	19	21	34
B. *Operated*	70	9.4	74	1	1	7	13	19	27	41
2. MULTIPLE DX										
A. *Not Operated*	2238	12.0	94	3	4	9	16	24	30	52
B. *Operated*	787	15.7	155	2	4	13	20	30	41	66
1. SINGLE DX	305	8.8	53	1	2	7	11	19	22	37
2. MULTIPLE DX	3025	13.0	112	3	4	10	17	25	33	57
A. NOT OPERATED	2473	11.7	90	3	3	9	15	23	30	51
B. OPERATED	857	15.2	151	2	3	13	20	29	40	65
TOTAL 0-19 YRS	4	10.3	111	4	4	5	16	26	26	26
20-34	329	9.8	83	2	3	7	12	19	25	53
35-49	924	11.7	97	2	3	9	15	23	30	50
50-64	1412	13.1	108	3	4	10	17	25	32	56
65+	661	14.1	131	3	4	11	18	26	35	60
GRAND TOTAL	**3330**	**12.6**	**108**	**2**	**3**	**9**	**16**	**25**	**32**	**56**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.3	5	2	2	4	6	8	9	9
20-34	21	5.9	17	2	2	5	7	13	14	16
35-49	49	8.0	54	1	2	6	11	18	21	40
50-64	78	8.8	39	1	2	8	12	19	22	80
65+	66	9.0	65	1	2	8	11	17	20	48
B. *Operated*										
0-19 YRS	21	5.8	54	1	2	2	6	16	26	29
20-34	111	3.6	17	1	1	2	4	9	11	23
35-49	93	3.7	12	1	1	2	4	9	12	15
50-64	119	5.9	39	1	1	3	8	14	22	27
65+	60	7.8	63	1	1	5	11	20	27	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	6.9	25	1	2	6	9	14	20	21
20-34	121	8.4	38	2	3	7	10	17	20	31
35-49	289	10.1	74	2	3	8	12	18	23	45
50-64	652	11.5	80	3	4	9	14	22	28	49
65+	630	12.8	104	3	4	10	16	24	32	55
B. *Operated*										
0-19 YRS	19	5.9	18	1	1	5	10	12	13	14
20-34	111	9.6	57	1	2	8	13	21	27	32
35-49	243	11.5	131	1	2	8	15	26	40	51
50-64	483	12.4	116	1	2	10	17	26	31	54
65+	430	16.2	192	2	3	13	22	34	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	8.2	48	1	2	6	11	17	21	43
B. *Operated*	404	5.0	33	1	1	2	7	12	17	28
2. MULTIPLE DX										
A. *Not Operated*	1720	11.5	86	3	4	9	15	22	29	49
B. *Operated*	1286	13.2	143	2	2	10	18	29	36	65
1. SINGLE DX	627	6.2	40	1	1	4	9	14	19	29
2. MULTIPLE DX	3006	12.2	111	2	3	9	16	25	33	54
A. NOT OPERATED	1943	11.1	82	2	3	9	14	21	28	49
B. OPERATED	1690	11.2	129	1	2	8	15	26	34	57
TOTAL 0-19 YRS	77	6.1	29	1	2	4	9	12	18	27
20-34	364	7.2	42	1	1	5	10	16	21	30
35-49	674	9.6	91	1	2	7	12	19	28	49
50-64	1332	11.2	90	1	2	9	15	23	29	47
65+	1186	13.5	137	2	3	10	17	28	36	66
GRAND TOTAL	**3633**	**11.2**	**104**	**1**	**2**	**8**	**15**	**23**	**31**	**51**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	4.9	11	2	2	4	6	9	10	20
20-34	243	6.0	16	2	2	5	8	10	13	21
35-49	146	7.0	16	2	3	6	9	12	15	21
50-64	132	7.6	26	2	3	6	9	14	19	25
65+	66	8.9	47	1	2	7	11	19	24	30
B. *Operated*										
0-19 YRS	10	8.3	36	2	2	7	11	18	20	20
20-34	52	7.4	39	1	1	6	11	17	19	26
35-49	64	6.5	48	1	1	4	8	15	24	33
50-64	57	9.2	76	1	1	7	13	19	27	46
65+	47	10.4	45	<1	2	10	14	20	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	6.1	22	1	2	5	7	11	14	28
20-34	283	7.4	21	2	3	7	9	14	16	24
35-49	348	10.0	67	2	3	8	12	20	25	47
50-64	617	10.4	64	3	3	8	13	20	25	42
65+	546	11.0	89	3	4	8	13	22	28	46
B. *Operated*										
0-19 YRS	14	9.7	171	1	1	4	10	23	44	50
20-34	78	12.2	88	2	3	10	14	27	34	42
35-49	151	14.3	194	3	4	10	18	29	41	83
50-64	259	16.8	239	2	3	12	22	34	53	88
65+	227	17.1	172	4	5	13	21	33	46	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	711	6.6	21	2	2	5	8	12	15	24
B. *Operated*	230	8.2	53	1	1	6	12	18	22	32
2. MULTIPLE DX										
A. *Not Operated*	1875	9.9	65	2	3	8	12	19	25	43
B. *Operated*	729	15.7	194	2	4	12	19	32	44	79
1. SINGLE DX	941	7.0	29	1	2	6	9	14	18	26
2. MULTIPLE DX	2604	11.5	108	2	3	9	14	23	31	54
A. NOT OPERATED	2586	9.0	55	2	3	7	11	17	23	38
B. OPERATED	959	13.9	170	2	2	10	18	29	41	68
TOTAL 0-19 YRS	229	5.8	26	2	2	4	7	11	13	25
20-34	656	7.5	32	2	2	6	9	14	18	31
35-49	709	10.0	88	2	3	8	12	20	25	51
50-64	1065	11.6	112	2	3	8	14	23	31	59
65+	886	12.4	112	3	4	9	15	26	32	53
GRAND TOTAL	**3545**	**10.3**	**91**	**2**	**3**	**8**	**12**	**21**	**28**	**51**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	3.5	4	<1	1	3	5	6	8	10
20-34	660	3.2	4	<1	1	3	4	6	7	9
35-49	589	3.4	5	1	1	3	4	6	8	11
50-64	635	4.0	7	1	1	3	5	7	8	13
65+	533	5.0	10	1	2	4	7	9	11	16
B. *Operated*										
0-19 YRS	480	7.2	8	4	4	7	8	11	13	16
20-34	5316	7.0	6	4	5	7	8	10	12	15
35-49	4644	7.4	9	4	5	7	8	11	12	17
50-64	4353	8.0	10	5	5	7	9	12	14	19
65+	2303	9.8	20	5	6	9	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.3	7	1	2	4	6	7	9	16
20-34	605	4.2	10	1	1	4	5	8	9	14
35-49	739	4.8	11	1	1	4	6	9	11	16
50-64	1451	5.7	16	1	2	5	7	10	13	21
65+	2945	7.4	26	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	241	9.3	20	4	5	8	11	15	18	25
20-34	3377	8.8	20	5	5	8	10	14	16	24
35-49	4325	9.6	28	5	5	8	11	15	19	28
50-64	6620	10.8	33	5	6	9	13	18	21	32
65+	6940	14.4	66	6	7	12	17	24	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2500	3.8	7	1	1	3	5	7	9	13
B. *Operated*	17096	7.8	11	4	5	7	9	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	5814	6.2	21	1	2	5	8	11	15	24
B. *Operated*	21503	11.4	45	5	6	9	14	19	24	37
1. SINGLE DX	19596	7.3	12	3	4	7	8	11	13	19
2. MULTIPLE DX	27317	10.3	45	3	4	9	13	18	22	35
A. NOT OPERATED	8314	5.5	18	1	2	4	7	10	13	22
B. OPERATED	38599	9.8	33	5	5	8	11	16	20	32
TOTAL 0-19 YRS	878	7.2	14	2	3	6	9	12	14	18
20-34	9958	7.2	14	3	4	7	8	11	14	19
35-49	10297	7.9	20	3	4	7	9	13	15	23
50-64	13059	9.0	27	3	4	8	11	15	18	28
65+	12721	11.5	57	3	4	10	14	21	25	39
GRAND TOTAL	**46913**	**9.0**	**33**	**3**	**4**	**8**	**11**	**15**	**19**	**31**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	3.8	5	1	1	3	5	7	7	13
20-34	489	3.6	5	1	1	3	5	7	8	11
35-49	383	4.1	9	1	1	3	5	7	9	17
50-64	298	4.3	8	1	1	4	6	8	9	14
65+	293	5.5	15	2	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	54	7.7	24	3	4	7	9	12	15	34
20-34	480	7.9	13	4	5	7	9	12	14	22
35-49	480	8.2	14	4	5	7	9	13	16	22
50-64	328	9.2	15	5	5	8	11	14	16	24
65+	234	11.2	25	5	6	10	13	18	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	4.6	9	1	2	4	6	8	9	17
20-34	485	4.7	10	1	2	4	6	8	10	16
35-49	547	5.2	13	1	2	5	7	9	11	17
50-64	777	6.0	15	2	2	5	8	11	13	21
65+	1174	8.0	33	2	3	7	10	14	18	29
B. *Operated*										
0-19 YRS	49	10.2	20	5	5	9	12	17	20	23
20-34	709	9.2	22	4	5	8	11	15	17	24
35-49	931	10.4	41	5	5	9	13	17	20	33
50-64	1018	12.0	48	5	6	10	15	20	25	40
65+	1040	15.9	92	6	7	13	19	28	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1544	4.2	9	1	1	4	5	8	9	15
B. *Operated*	1576	8.7	17	4	5	8	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	3058	6.4	23	2	2	5	8	11	15	26
B. *Operated*	3747	12.1	60	5	6	10	15	21	26	44
1. SINGLE DX	3120	6.5	18	1	2	6	8	12	14	21
2. MULTIPLE DX	6805	9.5	51	2	3	8	12	18	22	37
A. NOT OPERATED	4602	5.7	19	1	2	5	7	10	13	22
B. OPERATED	5323	11.1	49	5	5	9	13	19	24	38
TOTAL 0-19 YRS	259	6.0	19	1	2	5	8	11	15	21
20-34	2163	6.6	19	2	2	6	8	12	14	22
35-49	2341	7.7	30	2	3	7	9	14	17	25
50-64	2421	8.7	37	2	3	7	11	16	20	33
65+	2741	11.0	69	2	3	9	14	21	27	44
GRAND TOTAL	**9925**	**8.6**	**43**	**2**	**3**	**7**	**11**	**16**	**20**	**33**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	10	3	3	4	8	9	9	9
20-34	47	3.4	6	1	1	3	5	7	8	11
35-49	40	4.0	7	1	1	3	5	8	9	10
50-64	44	5.0	22	1	1	4	6	8	11	30
65+	74	5.7	23	1	1	4	7	12	15	24
B. *Operated*										
0-19 YRS	12	9.9	19	4	5	9	11	18	19	19
20-34	156	8.4	17	3	5	8	10	14	16	22
35-49	116	7.9	15	2	3	7	10	14	15	18
50-64	171	9.1	31	2	3	9	12	16	18	28
65+	274	11.7	45	2	3	11	15	19	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	9	2	2	5	7	8	8	8
20-34	37	5.0	10	1	2	4	6	10	12	13
35-49	29	5.2	14	1	1	5	6	9	10	20
50-64	82	5.6	12	1	2	5	7	11	12	16
65+	236	8.1	46	2	3	7	10	14	18	35
B. *Operated*										
0-19 YRS	14	10.1	11	6	7	9	12	16	16	16
20-34	121	10.8	38	5	5	9	12	16	22	37
35-49	138	13.9	119	5	6	12	16	23	29	76
50-64	308	13.7	89	4	6	12	17	21	26	66
65+	801	18.0	120	5	7	16	22	31	38	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	4.7	16	1	1	4	6	9	12	24
B. *Operated*	729	9.7	33	2	3	9	13	17	19	29
2. MULTIPLE DX										
A. *Not Operated*	387	7.0	35	1	2	6	9	12	15	30
B. *Operated*	1382	15.9	111	5	6	14	19	27	35	61
1. SINGLE DX	937	8.6	33	1	2	8	12	16	19	28
2. MULTIPLE DX	1769	14.0	108	3	4	12	18	25	32	58
A. NOT OPERATED	595	6.2	29	1	2	5	8	12	14	26
B. OPERATED	2111	13.8	93	3	5	12	17	24	31	55
TOTAL 0-19 YRS	32	9.1	16	3	4	9	11	16	17	19
20-34	361	8.2	28	2	3	7	10	14	17	29
35-49	323	9.7	73	2	2	8	12	17	21	49
50-64	605	10.7	68	2	3	9	14	19	23	45
65+	1385	14.4	107	2	4	12	19	26	33	56
GRAND TOTAL	**2706**	**12.1**	**88**	**2**	**3**	**10**	**15**	**23**	**29**	**51**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	9.0	53	3	3	7	11	21	25	25
20-34	43	5.0	14	1	2	4	6	10	14	18
35-49	37	5.4	11	1	2	5	8	10	13	14
50-64	60	5.8	17	2	2	5	7	11	15	22
65+	78	6.2	14	2	2	6	8	10	13	20
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	29	9.7	47	1	2	8	14	18	22	30
35-49	58	8.2	52	1	2	5	11	18	25	31
50-64	53	8.1	53	2	2	6	11	16	22	33
65+	61	15.4	107	1	2	13	22	29	34	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.9	33	2	2	5	11	16	20	21
20-34	47	7.4	34	2	2	5	9	16	19	30
35-49	75	6.5	25	1	2	5	9	13	17	26
50-64	174	7.4	24	2	3	6	10	14	16	21
65+	361	9.4	45	2	3	8	12	17	23	33
B. *Operated*										
0-19 YRS	14	15.8	178	2	4	12	18	29	49	55
20-34	49	12.3	73	2	3	10	15	28	31	33
35-49	116	13.0	98	2	3	11	16	27	32	51
50-64	186	17.1	199	3	6	13	21	34	44	94
65+	339	20.4	167	3	6	19	27	37	47	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	5.9	16	2	2	5	7	10	14	22
B. *Operated*	202	10.6	78	1	2	8	15	23	30	36
2. MULTIPLE DX										
A. *Not Operated*	670	8.4	38	2	3	7	11	16	19	30
B. *Operated*	704	17.7	166	3	4	15	24	34	44	71
1. SINGLE DX	428	8.1	50	2	2	6	10	17	23	33
2. MULTIPLE DX	1374	13.1	125	2	3	10	17	28	35	55
A. NOT OPERATED	896	7.7	33	2	2	6	10	15	18	28
B. OPERATED	906	16.1	155	2	3	13	22	32	39	66
TOTAL 0-19 YRS	36	11.2	102	2	3	9	14	24	26	55
20-34	168	8.6	50	1	2	6	12	18	23	32
35-49	286	9.4	68	2	2	7	13	18	27	45
50-64	473	11.1	119	2	3	8	14	22	33	64
65+	839	14.0	128	2	3	11	20	30	36	55
GRAND TOTAL	**1802**	**11.9**	**112**	**2**	**3**	**9**	**16**	**26**	**32**	**53**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	5.6	13	2	2	5	7	10	12	22
20-34	838	5.9	16	2	2	5	7	10	12	20
35-49	806	6.7	19	[illegible]	3	6	8	12	15	21
50-64	484	7.2	22	2	3	6	9	13	16	25
65+	353	7.3	16	2	3	7	9	13	15	19
B. *Operated*										
0-19 YRS	17	10.9	85	2	2	9	11	28	34	35
20-34	78	10.1	65	1	2	8	13	21	23	44
35-49	119	10.9	86	2	2	9	14	21	33	73
50-64	95	12.7	193	2	2	9	16	24	41	79
65+	53	11.5	64	2	3	11	16	21	24	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	6.6	21	2	2	6	9	12	13	25
20-34	1418	7.8	29	2	3	7	9	13	18	27
35-49	1984	8.6	35	3	3	7	10	15	19	34
50-64	1711	8.8	33	3	4	8	11	16	19	28
65+	1528	9.9	40	3	4	8	12	18	21	33
B. *Operated*										
0-19 YRS	33	18.5	275	3	3	13	23	34	53	85
20-34	249	17.0	210	3	5	13	21	34	49	77
35-49	503	19.1	240	4	6	15	23	38	54	87
50-64	540	20.6	307	4	6	15	24	46	63	92
65+	476	20.1	165	5	8	17	25	36	44	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2618	6.5	18	2	2	6	8	11	15	21
B. *Operated*	362	11.3	106	2	2	9	15	21	31	60
2. MULTIPLE DX										
A. *Not Operated*	6767	8.7	34	3	3	7	11	15	19	31
B. *Operated*	1801	19.5	238	4	6	15	24	39	54	89
1. SINGLE DX	2980	7.1	31	2	2	6	9	13	17	28
2. MULTIPLE DX	8568	11.0	96	3	4	8	13	20	28	57
A. NOT OPERATED	9385	8.1	31	2	3	7	10	15	18	29
B. OPERATED	2163	18.1	225	3	5	14	22	37	51	88
TOTAL 0-19 YRS	313	7.7	62	2	2	5	9	13	22	36
20-34	2583	8.1	52	2	3	6	9	15	20	37
35-49	3412	9.8	79	2	3	7	12	18	25	52
50-64	2830	10.9	112	3	4	8	13	19	28	64
65+	2410	11.6	80	3	4	9	14	22	28	49
GRAND TOTAL	**11548**	**10.0**	**82**	**2**	**3**	**8**	**12**	**19**	**25**	**52**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	3.1	4	<1	1	3	4	6	7	10
20-34	209	3.9	10	1	1	3	5	7	10	15
35-49	185	4.2	7	1	1	4	6	8	9	13
50-64	263	5.1	17	1	2	4	6	9	11	23
65+	501	6.4	23	1	2	6	8	12	14	24
B. *Operated*										
0-19 YRS	7	7.4	16	4	4	6	9	14	15	15
20-34	13	5.6	6	1	2	6	7	8	10	10
35-49	23	8.4	78	1	2	5	10	16	32	40
50-64	45	6.9	21	1	2	7	9	11	15	25
65+	60	10.5	59	1	2	9	14	21	28	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	221	4.3	9	1	2	4	6	8	10	14
20-34	554	5.1	16	1	2	4	6	9	12	21
35-49	771	6.6	26	2	2	5	8	12	15	28
50-64	1624	7.1	29	2	2	6	9	13	17	26
65+	4431	8.6	40	2	3	7	11	16	20	33
B. *Operated*										
0-19 YRS	24	9.0	37	1	3	8	12	19	21	25
20-34	101	10.0	77	2	3	8	12	18	21	51
35-49	237	11.8	95	3	3	8	15	24	33	46
50-64	523	12.7	137	3	4	9	15	24	33	71
65+	1219	15.1	139	4	5	12	19	29	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1315	5.0	16	1	1	4	7	10	12	20
B. *Operated*	148	8.5	46	1	2	7	10	16	23	37
2. MULTIPLE DX										
A. *Not Operated*	7601	7.7	35	2	3	6	10	14	19	31
B. *Operated*	2104	13.8	132	3	5	11	17	27	34	64
1. SINGLE DX	1463	5.4	21	1	1	4	7	10	13	24
2. MULTIPLE DX	9705	9.0	62	2	3	7	11	17	23	40
A. NOT OPERATED	8916	7.3	33	2	2	6	9	14	18	30
B. OPERATED	2252	13.5	128	3	4	10	17	26	34	63
TOTAL 0-19 YRS	409	4.2	11	1	1	3	5	8	10	17
20-34	877	5.4	25	1	2	4	7	10	14	23
35-49	1216	7.3	43	2	2	6	9	14	18	36
50-64	2455	8.1	56	2	2	6	10	15	20	36
65+	6211	9.8	66	2	3	8	12	19	24	40
GRAND TOTAL	**11168**	**8.6**	**58**	**2**	**2**	**7**	**10**	**16**	**22**	**39**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	4.3	11	1	1	4	6	8	12	18
20-34	21	5.0	7	2	2	4	6	9	10	12
35-49	14	5.0	13	<1	<1	4	7	10	13	14
50-64	18	6.3	16	2	2	5	8	13	15	16
65+	15	8.7	40	2	2	6	14	19	20	20
B. *Operated*										
0-19 YRS	15	5.1	14	2	2	4	7	12	13	14
20-34	12	8.6	20	3	3	9	11	14	17	18
35-49	15	13.7	211	2	3	10	19	26	51	59
50-64	10	9.0	14	1	4	9	11	13	15	15
65+	6	9.3	9	6	6	8	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	5.6	17	2	2	4	7	11	13	21
20-34	45	10.5	110	2	3	7	10	30	34	48
35-49	83	10.5	86	2	2	7	15	26	29	40
50-64	95	12.1	160	2	3	9	14	26	31	75
65+	118	12.7	88	3	4	11	17	25	31	49
B. *Operated*										
0-19 YRS	14	18.6	571	1	3	11	22	95	99	99+
20-34	47	13.5	170	5	6	10	12	23	35	74
35-49	59	15.7	221	3	4	11	17	37	46	84
50-64	59	20.1	228	6	8	15	24	42	46	85
65+	69	17.5	174	3	4	13	25	37	50	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	5.0	14	1	1	4	6	9	14	19
B. *Operated*	58	9.2	72	2	2	8	11	15	22	56
2. MULTIPLE DX										
A. *Not Operated*	512	9.7	87	2	3	7	12	22	28	48
B. *Operated*	248	17.0	220	3	5	12	22	38	47	88
1. SINGLE DX	258	5.9	30	1	2	4	7	12	15	22
2. MULTIPLE DX	760	12.1	142	2	3	9	14	27	35	55
A. NOT OPERATED	712	8.4	71	2	2	6	10	18	26	40
B. OPERATED	306	15.5	201	3	4	11	18	35	45	87
TOTAL 0-19 YRS	332	5.6	44	1	2	4	7	11	15	25
20-34	125	10.6	114	3	3	8	11	21	30	66
35-49	171	12.1	145	2	3	8	15	27	37	57
50-64	182	14.0	180	2	3	10	16	29	41	77
65+	208	13.9	117	3	4	11	18	28	35	53
GRAND TOTAL	**1018**	**10.5**	**121**	**2**	**2**	**7**	**12**	**24**	**31**	**53**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	243	4.7	26	<1	<1	3	6	11	14	20
20-34	37	6.0	18	2	2	5	7	12	13	22
35-49	19	6.9	29	2	2	6	7	17	20	20
50-64	21	6.9	61	1	2	5	9	11	24	38
65+	13	5.9	24	2	2	5	7	10	19	21
B. *Operated*										
0-19 YRS	65	4.4	16	2	2	3	5	10	13	20
20-34	71	5.5	23	2	2	4	7	11	17	23
35-49	44	5.1	36	1	1	3	5	11	21	29
50-64	35	6.6	34	1	2	4	9	14	21	24
65+	16	8.5	120	2	2	4	10	13	37	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	6.7	26	1	2	5	9	14	17	29
20-34	88	6.5	32	1	2	5	8	12	15	35
35-49	66	6.6	21	1	2	6	9	13	16	20
50-64	105	9.0	49	2	2	8	12	15	25	40
65+	213	11.0	58	3	3	9	14	21	27	36
B. *Operated*										
0-19 YRS	61	9.4	87	2	2	6	11	23	34	38
20-34	134	8.8	86	1	2	7	11	17	22	49
35-49	115	10.2	107	2	2	7	13	21	32	55
50-64	166	12.6	130	2	3	9	16	26	40	65
65+	153	14.6	127	2	3	11	21	29	37	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	5.2	28	<1	<1	4	7	11	14	23
B. *Operated*	231	5.5	32	1	2	3	7	11	17	26
2. MULTIPLE DX										
A. *Not Operated*	620	8.5	45	2	2	7	11	16	21	36
B. *Operated*	629	11.5	116	2	2	8	15	25	35	54
1. SINGLE DX	564	5.3	30	<1	1	3	7	11	15	25
2. MULTIPLE DX	1249	10.0	83	2	2	8	13	21	28	47
A. NOT OPERATED	953	7.4	41	<1	1	6	10	14	20	34
B. OPERATED	860	9.9	101	2	2	7	13	22	30	50
TOTAL 0-19 YRS	517	5.8	34	<1	1	4	8	13	17	33
20-34	330	7.2	52	1	2	5	9	14	20	34
35-49	244	8.0	69	1	2	5	11	17	21	47
50-64	327	10.5	94	2	2	8	14	22	29	54
65+	395	12.1	91	2	3	10	16	25	31	46
GRAND TOTAL	**1813**	**8.6**	**71**	**1**	**2**	**6**	**11**	**18**	**25**	**44**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	5.2	11	1	2	4	7	10	11	17
20-34	17	4.4	20	<1	1	3	5	9	15	19
35-49	2	11.0	128	3	3	11	19	19	19	19
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	8.5	13	6	6	8	11	11	11	11
B. *Operated*										
0-19 YRS	7	2.6	1	2	2	2	3	4	4	4
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	4	8.8	80	3	3	5	14	22	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	7.5	30	2	3	7	10	14	19	29
20-34	10	7.6	17	4	4	6	9	15	15	15
35-49	15	7.9	60	2	3	4	10	18	28	31
50-64	15	9.8	71	3	3	7	11	14	32	38
65+	23	11.4	85	2	3	9	13	27	32	40
B. *Operated*										
0-19 YRS	17	10.8	34	3	5	10	14	20	22	22
20-34	15	10.7	70	2	2	10	13	16	31	36
35-49	11	10.9	28	2	3	13	16	16	16	16
50-64	22	13.9	88	4	6	11	18	28	33	40
65+	17	11.8	177	2	2	7	14	23	45	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	5.2	15	1	2	4	7	10	11	19
B. *Operated*	14	4.4	28	1	2	3	4	8	19	22
2. MULTIPLE DX										
A. *Not Operated*	109	8.7	51	2	3	7	11	16	27	39
B. *Operated*	82	11.8	82	2	3	10	14	22	28	52
1. SINGLE DX	102	5.1	16	1	2	4	6	10	12	21
2. MULTIPLE DX	191	10.1	66	2	3	8	12	19	27	40
A. NOT OPERATED	197	7.2	37	2	2	6	9	13	19	35
B. OPERATED	96	10.7	80	2	2	9	14	21	27	49
TOTAL 0-19 YRS	136	6.6	24	2	2	5	9	12	18	23
20-34	45	7.1	42	1	1	5	10	15	17	36
35-49	32	9.2	50	2	3	6	14	18	22	31
50-64	38	12.0	83	3	4	9	13	27	34	40
65+	42	11.5	115	2	2	9	13	24	33	57
GRAND TOTAL	**293**	**8.3**	**54**	**2**	**2**	**6**	**11**	**16**	**22**	**39**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	8	1	1	2	4	9	10	10
20-34	13	3.8	19	<1	<1	2	5	11	14	15
35-49	16	5.0	34	<1	1	3	5	11	20	24
50-64	21	4.6	20	<1	1	3	5	10	15	19
65+	54	4.9	25	1	1	2	7	13	16	22
B. *Operated*										
0-19 YRS	35	9.5	94	1	2	5	16	22	24	47
20-34	71	7.8	65	1	1	5	10	18	30	36
35-49	58	9.9	122	1	2	7	13	23	33	97
50-64	107	8.0	67	1	2	5	11	18	27	38
65+	60	9.0	86	1	1	6	11	19	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.7	37	<1	1	4	8	12	15	33
20-34	60	5.2	21	<1	1	4	8	10	12	23
35-49	85	8.1	113	1	2	5	11	17	22	67
50-64	264	8.6	64	1	2	6	10	20	24	45
65+	565	11.1	88	2	2	8	14	21	29	48
B. *Operated*										
0-19 YRS	53	12.8	303	<1	<1	5	15	38	53	72
20-34	300	13.8	163	2	2	9	20	30	40	62
35-49	397	12.0	150	1	2	8	16	30	38	62
50-64	612	12.5	160	2	3	8	16	27	40	72
65+	592	16.3	247	2	3	11	21	36	53	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	4.6	22	<1	1	3	5	11	15	23
B. *Operated*	331	8.6	82	1	2	5	11	19	26	45
2. MULTIPLE DX										
A. *Not Operated*	1011	9.6	81	1	2	7	12	20	27	47
B. *Operated*	1954	13.8	191	2	2	9	18	31	43	72
1. SINGLE DX	449	7.6	70	1	1	5	10	18	23	41
2. MULTIPLE DX	2965	12.4	158	1	2	8	16	28	38	66
A. NOT OPERATED	1129	9.1	78	1	2	7	12	19	26	46
B. OPERATED	2285	13.0	179	1	2	9	17	30	41	70
TOTAL 0-19 YRS	139	9.1	159	<1	1	4	10	22	36	71
20-34	444	11.4	137	1	2	8	15	28	35	58
35-49	556	11.0	140	1	2	7	14	26	36	65
50-64	1004	10.8	126	1	2	7	14	23	33	62
65+	1271	13.2	170	2	2	9	17	29	40	68
GRAND TOTAL	**3414**	**11.7**	**149**	**1**	**2**	**8**	**15**	**26**	**36**	**64**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	2	2	2	4	5	6	6	6
20-34	7	3.0	2	<1	<1	3	4	5	5	5
35-49	9	4.9	24	<1	<1	3	7	13	16	16
50-64	16	6.5	23	2	2	5	8	15	17	17
65+	21	7.9	22	1	2	8	10	12	18	22
B. *Operated*										
0-19 YRS	8	6.4	36	1	1	4	9	17	19	19
20-34	6	6.0	31	2	2	4	6	16	17	17
35-49	6	7.5	13	1	1	8	10	11	11	11
50-64	18	8.9	38	2	3	7	16	18	20	20
65+	19	16.6	210	2	3	10	28	41	47	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.4	15	<1	<1	3	8	11	12	12
20-34	27	11.8	163	2	3	7	17	24	30	65
35-49	50	8.4	32	1	2	7	12	18	19	22
50-64	158	12.7	110	2	3	10	16	25	29	58
65+	756	13.8	101	3	4	11	18	26	32	54
B. *Operated*										
0-19 YRS	22	8.6	54	<1	<1	7	14	19	24	28
20-34	46	14.2	148	3	4	12	19	32	49	99+
35-49	59	16.2	140	2	3	13	23	35	40	48
50-64	152	20.1	267	2	3	17	29	43	53	92
65+	303	21.8	223	4	7	19	29	42	53	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	6.1	20	1	2	5	9	11	16	22
B. *Operated*	57	10.7	107	2	2	7	14	24	33	47
2. MULTIPLE DX										
A. *Not Operated*	1009	13.2	102	2	4	11	17	25	30	54
B. *Operated*	582	19.7	224	2	4	16	28	39	50	80
1. SINGLE DX	116	8.4	67	1	2	6	10	17	24	47
2. MULTIPLE DX	1591	15.6	156	2	4	12	21	31	41	68
A. NOT OPERATED	1068	12.8	100	2	3	11	17	25	30	54
B. OPERATED	639	18.9	220	2	4	15	27	39	48	75
TOTAL 0-19 YRS	54	6.4	35	<1	1	4	9	14	19	28
20-34	86	11.9	142	2	3	8	16	24	37	87
35-49	124	11.8	99	1	2	9	16	25	34	46
50-64	344	15.5	190	2	3	12	21	33	43	72
65+	1099	16.0	149	3	4	13	21	31	40	67
GRAND TOTAL	**1707**	**15.1**	**154**	**2**	**3**	**12**	**20**	**30**	**39**	**67**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	485	4.1	3	2	2	4	5	6	7	9
20-34	636	4.5	4	2	2	4	5	7	8	11
35-49	184	4.9	5	2	2	5	6	8	9	12
50-64	105	5.7	8	2	3	5	7	9	11	18
65+	74	6.7	42	2	2	5	8	11	13	43
B. *Operated*										
0-19 YRS	34	6.1	6	3	3	6	7	9	9	15
20-34	35	6.1	10	3	3	5	8	10	12	15
35-49	19	8.3	9	4	5	9	10	12	14	15
50-64	6	7.8	13	4	4	7	10	14	14	14
65+	8	6.0	8	2	3	6	7	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	437	5.1	7	2	3	5	6	8	10	14
20-34	760	5.5	8	2	3	5	7	9	11	15
35-49	372	6.7	14	3	3	6	8	11	14	20
50-64	430	7.9	31	3	3	7	10	14	17	29
65+	766	9.3	33	3	4	8	11	16	20	32
B. *Operated*										
0-19 YRS	81	6.9	13	2	3	6	8	11	15	20
20-34	173	10.0	60	3	4	8	12	17	23	39
35-49	124	10.7	37	4	5	9	14	18	21	35
50-64	105	12.8	46	5	6	12	15	21	23	41
65+	189	15.7	93	5	7	13	19	29	36	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1484	4.6	6	2	2	4	6	7	8	12
B. *Operated*	102	6.6	9	3	3	6	9	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	2765	7.0	22	3	3	6	8	12	15	26
B. *Operated*	672	11.8	66	4	5	10	14	21	28	41
1. SINGLE DX	1586	4.7	7	2	2	4	6	7	9	13
2. MULTIPLE DX	3437	8.0	34	3	3	6	10	14	18	33
A. NOT OPERATED	4249	6.2	18	2	3	5	7	11	14	22
B. OPERATED	774	11.1	61	3	4	9	14	20	26	40
TOTAL 0-19 YRS	1037	4.8	6	2	2	4	6	8	9	14
20-34	1604	5.6	14	2	3	5	7	9	12	18
35-49	699	7.0	19	3	3	6	9	12	15	21
50-64	646	8.3	34	3	3	7	10	14	19	32
65+	1037	10.3	52	3	4	8	13	18	24	39
GRAND TOTAL	**5023**	**6.9**	**28**	**2**	**3**	**5**	**8**	**13**	**16**	**28**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	504	4.1	3	2	2	4	5	6	7	10
20-34	646	4.4	5	2	2	4	6	7	8	11
35-49	186	5.0	7	2	2	5	7	8	9	11
50-64	118	5.8	10	2	3	5	7	10	11	17
65+	90	6.3	12	2	2	6	8	11	13	18
B. *Operated*										
0-19 YRS	58	5.5	9	1	2	5	7	10	10	17
20-34	89	6.6	17	1	2	5	9	14	16	17
35-49	36	7.8	36	2	2	7	9	13	19	34
50-64	32	7.8	21	2	3	7	10	14	18	19
65+	37	10.3	60	3	3	9	15	24	32	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	4.6	6	2	2	4	6	8	9	11
20-34	776	5.5	10	2	2	5	7	10	11	16
35-49	358	6.8	23	2	3	6	8	11	15	26
50-64	453	7.8	29	3	3	7	10	14	17	28
65+	806	9.0	27	3	4	8	11	16	19	28
B. *Operated*										
0-19 YRS	137	6.3	17	1	2	6	8	11	15	22
20-34	288	8.3	35	2	3	7	11	15	19	30
35-49	207	12.1	136	2	3	8	15	26	32	63
50-64	299	13.6	112	3	4	11	17	26	33	60
65+	284	15.2	130	3	4	12	20	29	34	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1544	4.6	6	2	2	4	6	7	9	12
B. *Operated*	252	7.2	27	2	2	6	9	14	16	34
2. MULTIPLE DX										
A. *Not Operated*	2768	6.9	22	2	3	6	9	13	16	24
B. *Operated*	1215	11.7	101	2	3	9	15	23	30	53
1. SINGLE DX	1796	5.0	10	2	2	4	6	8	10	17
2. MULTIPLE DX	3983	8.4	51	2	3	6	10	16	21	35
A. NOT OPERATED	4312	6.1	18	2	2	5	7	11	14	22
B. OPERATED	1467	10.9	91	2	3	8	14	22	29	52
TOTAL 0-19 YRS	1074	4.7	7	2	2	4	6	8	9	14
20-34	1799	5.6	14	2	2	5	7	10	13	20
35-49	787	7.8	57	2	3	6	9	14	22	36
50-64	902	9.5	62	3	3	7	11	18	23	41
65+	1217	10.3	59	3	4	8	13	19	24	40
GRAND TOTAL	**5779**	**7.3**	**40**	**2**	**3**	**6**	**9**	**14**	**18**	**32**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.7	3	1	1	2	4	5	6	6
20-34	685	2.5	3	<1	1	2	3	5	5	9
35-49	729	2.4	3	<1	1	2	3	5	6	8
50-64	414	2.6	3	<1	1	2	3	5	6	9
65+	171	3.0	5	1	1	2	4	5	7	13
B. *Operated*										
0-19 YRS	31	6.1	15	2	2	5	8	12	15	16
20-34	332	8.1	23	2	3	8	10	13	17	26
35-49	375	8.2	26	2	3	8	10	13	16	26
50-64	361	8.5	33	2	2	8	10	14	17	24
65+	176	10.0	32	2	3	9	13	17	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.7	9	1	1	3	4	10	10	14
20-34	440	3.3	6	1	1	3	4	6	8	12
35-49	585	3.6	9	1	1	3	4	7	9	15
50-64	572	4.6	24	1	1	3	6	8	12	18
65+	436	5.8	28	1	2	4	7	11	14	29
B. *Operated*										
0-19 YRS	36	8.7	29	3	3	7	12	15	20	24
20-34	384	9.1	40	2	3	8	11	17	22	33
35-49	472	9.9	47	2	3	9	12	17	22	36
50-64	671	10.8	53	2	4	9	13	18	23	40
65+	611	11.7	68	2	3	10	15	23	28	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2062	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	1275	8.5	28	2	3	8	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	2067	4.3	17	1	1	3	5	8	11	18
B. *Operated*	2174	10.5	54	2	3	9	13	20	25	37
1. SINGLE DX	3337	4.8	21	1	1	3	7	10	13	21
2. MULTIPLE DX	4241	7.5	46	1	2	6	10	15	21	34
A. NOT OPERATED	4129	3.4	11	1	1	3	4	7	9	14
B. OPERATED	3449	9.7	45	2	3	9	12	17	22	35
TOTAL 0-19 YRS	164	4.9	17	1	1	3	6	11	14	21
20-34	1841	5.1	23	1	1	3	7	10	14	25
35-49	2161	5.4	28	1	1	3	8	12	15	26
50-64	2018	6.9	41	1	1	5	9	14	17	30
65+	1394	8.6	54	1	2	7	11	18	23	34
GRAND TOTAL	**7578**	**6.3**	**37**	**1**	**1**	**4**	**9**	**13**	**17**	**29**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	2.3	2	1	1	2	3	4	5	7
20-34	2297	2.2	2	1	1	2	3	4	5	7
35-49	2627	2.2	3	<1	1	2	3	4	5	7
50-64	1477	2.5	3	1	1	2	3	5	6	8
65+	433	2.9	4	1	1	2	4	5	6	12
B. *Operated*										
0-19 YRS	122	5.3	9	2	2	5	7	9	11	14
20-34	1276	6.0	13	2	2	5	8	11	13	16
35-49	1632	6.5	16	2	2	6	8	12	14	19
50-64	1275	7.0	19	2	2	6	9	12	15	20
65+	471	7.9	26	2	3	7	11	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.3	4	1	1	3	4	6	7	8
20-34	721	2.8	3	1	1	2	3	5	6	10
35-49	992	2.9	4	1	1	2	4	5	6	11
50-64	1066	3.4	7	1	1	3	4	6	8	12
65+	550	4.1	8	1	2	4	5	7	9	15
B. *Operated*										
0-19 YRS	55	7.8	19	2	4	7	10	13	16	26
20-34	639	7.4	25	2	3	6	10	14	16	23
35-49	1025	7.8	31	2	3	7	10	14	17	28
50-64	1197	9.3	42	2	3	8	12	17	21	32
65+	825	11.0	64	2	3	9	14	21	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7057	2.3	2	1	1	2	3	4	5	7
B. *Operated*	4776	6.6	17	2	2	6	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	3393	3.2	5	1	1	3	4	6	7	12
B. *Operated*	3741	9.0	42	2	3	8	11	16	20	33
1. SINGLE DX	11833	4.1	13	1	1	3	5	9	11	16
2. MULTIPLE DX	7134	6.2	33	1	1	4	8	13	17	27
A. NOT OPERATED	10450	2.6	4	1	1	2	3	5	6	9
B. OPERATED	8517	7.6	30	2	2	6	10	14	17	26
TOTAL 0-19 YRS	464	3.9	9	1	1	3	5	8	10	15
20-34	4933	4.0	12	1	1	3	5	9	11	16
35-49	6276	4.3	16	1	1	3	6	9	12	18
50-64	5015	5.5	25	1	1	4	7	12	15	23
65+	2279	7.2	43	1	2	5	9	15	19	32
GRAND TOTAL	**18967**	**4.9**	**22**	**1**	**1**	**3**	**6**	**11**	**14**	**21**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.5	6	1	1	3	4	7	9	13
20-34	72	2.9	4	<1	1	2	4	5	7	9
35-49	62	3.0	4	<1	1	3	4	6	7	10
50-64	62	3.6	7	1	1	3	5	7	9	13
65+	63	6.2	35	1	2	4	7	13	19	29
B. *Operated*										
0-19 YRS	430	6.6	20	1	1	7	9	12	15	19
20-34	271	7.1	21	1	2	7	9	13	15	21
35-49	214	6.8	32	1	1	5	9	13	17	26
50-64	246	6.6	31	1	2	5	9	15	19	25
65+	183	6.6	34	1	2	5	9	14	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	4.1	10	1	1	3	5	8	10	17
20-34	120	4.5	14	1	1	4	6	8	9	25
35-49	114	5.8	23	1	1	5	7	12	16	24
50-64	249	6.6	24	1	2	6	9	12	15	28
65+	605	8.9	56	2	2	7	11	17	24	37
B. *Operated*										
0-19 YRS	545	7.9	36	1	1	7	11	15	17	29
20-34	491	9.1	45	2	2	8	12	17	20	29
35-49	492	10.4	67	2	2	9	13	21	25	46
50-64	740	10.4	69	2	2	9	14	21	25	37
65+	979	11.7	91	2	2	9	16	23	30	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	3.8	12	1	1	3	4	7	10	18
B. *Operated*	1344	6.7	26	1	1	6	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	1193	7.3	41	1	2	6	9	15	20	32
B. *Operated*	3247	10.1	68	2	2	9	13	20	25	41
1. SINGLE DX	1662	6.2	25	1	1	5	9	12	15	23
2. MULTIPLE DX	4440	9.4	62	1	2	8	12	19	24	38
A. NOT OPERATED	1511	6.6	37	1	2	5	8	14	18	30
B. OPERATED	4591	9.1	58	1	2	8	12	18	23	37
TOTAL 0-19 YRS	1139	6.8	28	1	1	6	10	13	15	23
20-34	954	7.5	35	1	2	7	10	14	18	26
35-49	882	8.4	54	1	2	7	11	17	23	39
50-64	1297	8.6	54	1	2	7	12	18	23	34
65+	1830	10.1	75	2	2	8	13	21	28	40
GRAND TOTAL	**6102**	**8.5**	**54**	**1**	**2**	**7**	**11**	**17**	**22**	**36**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.3	3	1	1	2	3	4	6	7
20-34	181	2.3	3	<1	1	2	3	4	5	8
35-49	171	2.2	3	<1	1	2	3	4	4	9
50-64	111	2.6	3	1	1	2	3	5	6	9
65+	22	2.7	7	<1	1	2	3	6	10	11
B. *Operated*										
0-19 YRS	8	4.0	7	<1	<1	3	6	8	8	8
20-34	71	5.2	11	1	2	5	7	9	11	20
35-49	88	6.3	16	1	2	5	9	12	14	17
50-64	111	5.6	16	1	2	4	8	11	14	18
65+	83	6.3	24	2	2	4	9	14	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	5	<1	<1	2	5	6	6	6
20-34	78	3.0	4	1	1	2	5	6	7	7
35-49	106	3.0	4	1	1	3	4	5	6	10
50-64	87	4.1	9	1	1	3	6	8	11	14
65+	82	6.9	40	2	2	4	9	17	20	32
B. *Operated*										
0-19 YRS	15	6.5	16	<1	1	6	8	14	14	14
20-34	84	7.0	31	1	2	6	9	15	19	27
35-49	118	8.7	81	2	2	6	11	16	25	50
50-64	222	7.9	31	2	2	6	10	16	18	26
65+	443	10.6	63	2	3	9	14	20	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	361	5.8	17	1	2	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	360	4.2	15	1	1	3	5	8	12	21
B. *Operated*	882	9.3	55	2	2	7	12	18	23	34
1. SINGLE DX	865	3.8	12	1	1	3	5	9	11	17
2. MULTIPLE DX	1242	7.8	49	1	2	6	10	17	21	32
A. NOT OPERATED	864	3.1	9	1	1	2	4	6	8	17
B. OPERATED	1243	8.3	47	2	2	6	11	16	21	31
TOTAL 0-19 YRS	49	4.0	11	<1	1	3	6	8	11	14
20-34	414	3.9	14	1	1	3	5	8	11	21
35-49	483	4.7	32	1	1	3	5	11	13	27
50-64	531	5.7	23	1	1	4	8	12	16	22
65+	630	9.3	58	2	2	7	13	19	22	36
GRAND TOTAL	**2107**	**6.1**	**38**	**1**	**1**	**4**	**8**	**14**	**18**	**28**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	3.2	3	1	1	3	4	5	7	10
20-34	173	2.8	4	<1	<1	2	4	5	6	12
35-49	87	3.5	10	<1	1	3	4	6	10	19
50-64	69	3.5	6	<1	<1	3	5	6	9	10
65+	107	5.5	15	<1	2	5	7	10	12	22
B. *Operated*										
0-19 YRS	197	2.6	4	<1	1	2	4	5	7	11
20-34	323	3.4	6	<1	1	3	4	7	9	12
35-49	319	3.4	8	<1	1	2	4	6	9	16
50-64	367	3.4	8	1	1	2	4	6	9	14
65+	475	4.1	9	1	2	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	277	4.2	5	1	2	4	5	7	8	13
20-34	349	4.5	10	1	2	4	6	8	10	18
35-49	250	6.0	22	1	2	5	8	12	16	24
50-64	348	6.1	15	2	2	5	8	11	15	20
65+	1052	8.6	48	2	3	7	10	15	20	38
B. *Operated*										
0-19 YRS	349	3.6	7	1	1	3	5	7	8	14
20-34	812	5.1	29	1	1	3	6	10	13	23
35-49	843	5.5	28	1	2	4	7	11	13	24
50-64	1190	6.3	32	1	2	5	8	12	16	29
65+	2132	7.7	50	2	2	6	10	15	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	635	3.5	7	<1	1	3	4	6	9	14
B. *Operated*	1681	3.5	8	1	1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	2276	6.8	32	2	2	5	8	13	16	30
B. *Operated*	5326	6.4	38	1	2	5	8	13	17	32
1. SINGLE DX	2316	3.5	8	<1	1	3	4	7	9	14
2. MULTIPLE DX	7602	6.5	36	1	2	5	8	13	17	31
A. NOT OPERATED	2911	6.1	29	1	2	5	8	12	15	28
B. OPERATED	7007	5.7	32	1	1	4	7	12	15	28
TOTAL 0-19 YRS	1022	3.5	6	1	1	3	5	6	8	12
20-34	1657	4.4	18	1	1	3	6	9	11	19
35-49	1499	5.0	23	1	1	4	6	10	13	22
50-64	1974	5.6	25	1	2	4	7	11	15	24
65+	3766	7.4	45	2	2	6	9	14	19	34
GRAND TOTAL	**9918**	**5.8**	**31**	**1**	**2**	**4**	**7**	**12**	**15**	**28**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	4	<1	<1	2	3	4	7	8
20-34	16	1.9	2	<1	1	1	2	4	5	6
35-49	5	2.6	2	1	1	2	4	4	4	4
50-64	5	4.8	17	2	2	3	6	12	12	12
65+	16	3.7	4	<1	1	3	5	6	7	7
B. *Operated*										
0-19 YRS	749	1.9	3	<1	1	1	2	3	4	8
20-34	497	3.4	10	1	1	2	4	6	9	15
35-49	373	3.2	6	1	1	3	4	6	8	13
50-64	426	3.4	6	1	1	3	4	7	8	11
65+	536	4.2	8	1	2	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.4	1	<1	<1	1	2	3	3	3
20-34	21	3.6	7	<1	<1	3	5	8	9	9
35-49	10	5.0	17	1	1	4	6	11	15	15
50-64	23	5.3	15	<1	1	4	7	12	13	14
65+	130	6.7	29	1	2	5	8	14	17	28
B. *Operated*										
0-19 YRS	801	2.4	4	1	1	2	3	5	7	11
20-34	667	4.2	12	1	1	3	5	9	11	17
35-49	611	4.8	17	1	1	3	6	10	13	21
50-64	988	5.0	18	1	2	4	7	10	13	22
65+	1797	6.9	37	2	2	5	9	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.9	5	<1	1	2	4	6	7	12
B. *Operated*	2581	3.1	7	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	196	5.8	25	1	1	5	7	13	15	24
B. *Operated*	4864	5.1	24	1	1	4	7	11	14	24
1. SINGLE DX	2638	3.1	7	1	1	2	4	6	8	13
2. MULTIPLE DX	5060	5.2	24	1	1	4	7	11	14	24
A. NOT OPERATED	253	5.1	22	<1	1	4	7	11	14	23
B. OPERATED	7445	4.4	19	1	1	3	5	9	13	22
TOTAL 0-19 YRS	1577	2.2	4	<1	1	2	3	4	6	9
20-34	1201	3.8	11	1	1	3	5	8	11	16
35-49	999	4.2	13	1	1	3	5	9	11	18
50-64	1442	4.6	15	1	1	3	6	9	11	20
65+	2479	6.3	31	1	2	5	8	13	17	27
GRAND TOTAL	**7698**	**4.5**	**19**	**1**	**1**	**3**	**6**	**9**	**13**	**22**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1075	3.3	4	<1	1	3	4	6	7	10
20-34	735	3.0	5	<1	<1	3	4	6	7	11
35-49	309	3.7	11	<1	<1	3	5	7	8	14
50-64	296	4.3	12	<1	<1	4	6	8	10	14
65+	633	5.6	22	<1	1	5	7	10	13	23
B. *Operated*										
0-19 YRS	607	2.7	6	<1	1	2	3	6	8	11
20-34	638	3.3	8	<1	1	2	4	7	9	14
35-49	640	3.7	10	<1	1	3	5	7	10	17
50-64	817	3.8	10	1	1	3	4	7	10	17
65+	979	4.7	16	1	2	4	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1643	4.1	7	1	2	4	5	7	9	14
20-34	1560	4.9	16	1	1	4	6	9	12	20
35-49	1042	6.1	22	1	2	5	8	11	14	26
50-64	1916	7.0	27	2	2	6	9	12	16	27
65+	7427	9.1	42	2	3	8	11	17	21	33
B. *Operated*										
0-19 YRS	964	4.0	23	1	1	3	5	8	11	22
20-34	1347	5.9	35	1	1	4	8	13	17	29
35-49	1543	6.3	38	1	2	4	8	13	17	32
50-64	2661	7.3	50	1	2	5	9	15	20	38
65+	4839	10.0	81	2	2	7	12	21	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3048	3.8	10	<1	<1	3	5	7	9	15
B. *Operated*	3681	3.8	11	1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	13588	7.5	35	2	2	6	9	14	18	29
B. *Operated*	11354	7.8	62	1	2	6	10	17	23	39
1. SINGLE DX	6729	3.8	11	<1	1	3	5	7	10	16
2. MULTIPLE DX	24942	7.6	47	1	2	6	10	15	20	34
A. NOT OPERATED	16636	6.8	32	1	2	5	9	13	17	28
B. OPERATED	15035	6.8	53	1	1	5	9	15	20	36
TOTAL 0-19 YRS	4289	3.7	10	1	1	3	5	7	9	14
20-34	4280	4.7	20	<1	1	3	6	9	13	22
35-49	3534	5.5	27	1	1	4	7	11	15	27
50-64	5690	6.5	36	1	2	5	8	13	17	30
65+	13878	8.9	55	2	2	7	11	17	23	38
GRAND TOTAL	**31671**	**6.8**	**42**	**1**	**2**	**5**	**9**	**14**	**19**	**32**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64	32	2.8	9	<1	<1	2	3	5	11	14
65+	94	3.0	6	<1	1	2	4	6	9	12
B. *Operated*										
0-19 YRS	6	6.2	8	1	1	7	8	9	9	9
20-34	21	3.3	4	1	1	3	4	5	7	10
35-49	205	4.7	10	1	1	4	7	8	10	15
50-64	2894	6.1	12	2	2	6	8	10	12	16
65+	4754	7.1	17	2	3	6	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	14	3.9	5	1	2	4	5	8	9	9
50-64	180	4.4	13	1	1	3	6	8	10	14
65+	704	6.6	38	1	2	4	8	14	18	30
B. *Operated*										
0-19 YRS	16	8.4	24	1	2	8	10	15	19	21
20-34	39	6.1	21	2	2	4	8	12	13	25
35-49	279	5.9	19	1	1	5	8	12	16	21
50-64	4565	7.9	28	2	3	7	10	14	17	28
65+	11795	10.2	46	3	4	8	12	18	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	3.0	6	<1	1	2	4	6	9	13
B. *Operated*	7880	6.7	16	2	2	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	901	6.1	34	1	2	4	8	12	17	29
B. *Operated*	16694	9.5	42	2	4	8	12	17	21	34
1. SINGLE DX	8012	6.6	16	2	2	6	8	11	13	19
2. MULTIPLE DX	17595	9.3	42	2	3	8	11	17	21	33
A. NOT OPERATED	1033	5.7	31	1	1	4	7	12	16	28
B. OPERATED	24574	8.6	35	2	3	7	10	15	19	31
TOTAL 0-19 YRS	23	7.5	21	1	2	7	9	13	17	21
20-34	64	5.0	16	1	2	4	6	11	13	23
35-49	502	5.4	15	1	1	5	7	10	14	19
50-64	7671	7.1	23	2	2	6	9	12	15	25
65+	17347	9.1	40	2	3	8	11	16	21	33
GRAND TOTAL	**25607**	**8.4**	**35**	**2**	**3**	**7**	**10**	**15**	**19**	**31**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.1	2	2	2	3	4	5	6	6
20-34	90	3.3	5	<1	1	3	4	6	8	13
35-49	101	4.3	6	1	2	4	6	8	9	13
50-64	92	5.0	9	1	2	4	6	9	11	15
65+	52	5.3	10	2	2	4	7	9	12	16
B. *Operated*										
0-19 YRS	30	2.9	6	1	1	2	3	6	9	11
20-34	193	3.1	13	<1	1	2	4	6	8	20
35-49	217	2.6	4	<1	1	2	3	5	7	10
50-64	219	3.4	7	1	1	2	5	7	10	13
65+	137	3.6	6	1	1	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	8	1	1	3	6	7	7	7
20-34	109	4.4	10	1	1	4	5	8	11	15
35-49	161	5.0	11	1	2	4	6	9	11	17
50-64	245	5.3	7	2	2	5	7	8	10	13
65+	247	6.5	18	2	3	6	8	11	14	24
B. *Operated*										
0-19 YRS	22	4.0	19	1	2	3	3	8	13	21
20-34	244	4.1	8	1	1	3	6	8	10	14
35-49	364	4.7	14	1	1	4	6	9	13	19
50-64	619	5.5	20	1	2	4	8	11	14	23
65+	558	7.5	37	2	2	6	10	14	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	4.3	8	1	2	4	6	8	10	15
B. *Operated*	796	3.2	7	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	766	5.5	12	2	2	5	7	9	12	18
B. *Operated*	1807	5.8	24	1	2	4	8	11	15	24
1. SINGLE DX	1144	3.5	8	1	1	3	5	7	9	14
2. MULTIPLE DX	2573	5.7	21	1	2	5	7	11	14	24
A. NOT OPERATED	1114	5.1	11	1	2	4	7	9	11	17
B. OPERATED	2603	5.0	20	1	1	4	7	10	13	23
TOTAL 0-19 YRS	69	3.3	9	1	1	2	4	7	8	19
20-34	636	3.7	10	1	1	3	5	8	9	15
35-49	843	4.2	11	1	1	3	5	8	11	17
50-64	1175	5.1	14	1	2	4	7	10	12	20
65+	994	6.6	28	2	2	5	8	13	16	26
GRAND TOTAL	**3717**	**5.0**	**18**	**1**	**1**	**4**	**7**	**10**	**13**	**22**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	4	<1	<1	1	2	4	7	8
20-34	5	6.0	7	3	3	6	8	9	9	9
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	509	2.2	2	1	1	2	3	4	4	6
20-34	152	2.9	2	1	1	3	4	4	5	8
35-49	206	3.0	2	1	2	3	4	4	5	8
50-64	398	3.4	3	2	2	3	4	6	7	10
65+	245	3.7	3	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	1.4	1	<1	<1	1	2	2	3	6
20-34	5	3.4	11	<1	<1	2	5	9	9	9
35-49	10	2.7	2	<1	<1	3	4	5	5	5
50-64	7	3.6	6	1	1	3	5	7	8	8
65+	9	4.6	10	2	2	3	5	10	12	12
B. *Operated*										
0-19 YRS	385	2.5	3	<1	1	2	3	4	6	9
20-34	110	3.7	9	1	1	3	4	6	7	21
35-49	152	3.8	5	1	2	3	5	7	8	10
50-64	334	5.0	12	2	2	4	6	10	11	17
65+	347	5.7	20	2	2	5	7	10	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.3	8	<1	<1	2	5	8	9	9
B. *Operated*	1510	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	68	2.4	5	<1	<1	2	3	5	7	11
B. *Operated*	1328	4.2	12	1	1	3	5	8	10	17
1. SINGLE DX	1534	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	1396	4.1	12	1	1	3	5	8	10	17
A. NOT OPERATED	92	2.6	5	<1	<1	2	3	6	8	11
B. OPERATED	2838	3.5	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	945	2.3	2	<1	1	2	3	4	5	8
20-34	272	3.3	5	1	1	3	4	5	6	9
35-49	370	3.3	3	1	2	3	4	6	7	10
50-64	741	4.1	8	2	2	3	5	8	10	14
65+	602	4.9	14	2	2	4	6	9	11	20
GRAND TOTAL	**2930**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215	4.3	10	1	1	4	6	7	9	16
20-34	369	4.3	7	<1	1	4	6	8	9	12
35-49	204	4.7	23	<1	2	4	6	8	9	15
50-64	143	5.6	9	2	3	5	7	9	11	15
65+	106	6.1	11	2	3	6	7	10	12	20
B. *Operated*										
0-19 YRS	63	3.0	4	1	1	2	4	6	7	10
20-34	135	4.5	20	1	2	3	5	8	10	20
35-49	104	4.8	10	2	2	4	6	9	12	15
50-64	92	5.2	13	2	2	4	7	10	13	18
65+	75	6.3	24	2	3	4	8	14	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	4.5	7	1	2	4	6	7	11	12
20-34	174	5.3	8	2	3	5	7	9	11	15
35-49	138	6.3	16	2	2	5	7	11	15	22
50-64	196	6.3	9	2	3	6	8	10	11	17
65+	283	8.4	20	3	4	7	11	14	16	25
B. *Operated*										
0-19 YRS	47	4.6	14	1	1	4	6	9	10	22
20-34	132	5.6	20	1	2	4	8	12	14	22
35-49	147	6.2	27	2	2	5	8	11	14	35
50-64	150	8.3	46	2	2	7	10	16	21	53
65+	219	9.7	37	2	3	8	13	17	22	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1037	4.7	12	1	1	4	6	8	10	14
B. *Operated*	469	4.8	16	1	2	4	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	844	6.7	15	2	3	6	8	11	14	21
B. *Operated*	695	7.5	35	2	2	6	10	15	18	30
1. SINGLE DX	1506	4.8	13	1	2	4	6	9	10	16
2. MULTIPLE DX	1539	7.1	24	2	2	6	9	13	16	25
A. NOT OPERATED	1881	5.6	14	1	2	5	7	10	12	18
B. OPERATED	1164	6.4	29	2	2	5	9	13	16	29
TOTAL 0-19 YRS	378	4.2	9	1	1	4	5	7	9	13
20-34	810	4.8	11	1	2	4	6	9	10	16
35-49	593	5.5	21	1	2	4	7	10	12	21
50-64	581	6.4	20	2	3	5	8	11	15	23
65+	683	8.2	26	2	3	7	11	15	18	26
GRAND TOTAL	**3045**	**5.9**	**20**	**1**	**2**	**5**	**7**	**11**	**14**	**22**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	1.6	1	<1	<1	1	2	2	3	7
20-34	35	2.3	3	<1	<1	2	2	3	5	12
35-49	24	1.8	1	<1	1	2	2	3	3	4
50-64	23	2.3	1	<1	1	2	3	4	5	5
65+	13	2.5	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	604	1.6	1	<1	1	2	2	2	3	5
20-34	239	1.9	1	<1	1	2	2	3	3	5
35-49	147	2.1	4	1	1	2	2	3	4	16
50-64	136	2.1	2	<1	1	2	2	3	4	11
65+	79	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.4	7	<1	<1	1	2	5	10	11
20-34	19	2.3	1	1	1	2	3	4	5	5
35-49	19	4.9	18	<1	<1	3	9	12	13	13
50-64	26	3.5	9	<1	1	2	4	9	10	12
65+	36	5.8	28	1	2	3	8	14	16	24
B. *Operated*										
0-19 YRS	177	2.1	2	<1	1	2	2	3	4	8
20-34	171	2.6	4	1	1	2	3	5	6	12
35-49	204	3.0	5	1	1	2	3	6	7	13
50-64	222	3.9	12	1	2	3	5	8	10	17
65+	245	5.7	39	1	2	3	7	12	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	1.9	2	<1	<1	2	2	3	3	7
B. *Operated*	1205	1.9	1	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	134	3.9	15	<1	1	2	4	10	12	17
B. *Operated*	1019	3.6	16	1	1	2	4	7	10	20
1. SINGLE DX	1416	1.9	1	<1	1	2	2	3	3	6
2. MULTIPLE DX	1153	3.7	16	1	1	2	4	8	11	20
A. NOT OPERATED	345	2.7	8	<1	<1	2	3	5	10	14
B. OPERATED	2224	2.7	9	1	1	2	3	5	7	15
TOTAL 0-19 YRS	931	1.7	1	<1	1	2	2	3	3	6
20-34	464	2.2	2	1	1	2	3	3	4	10
35-49	394	2.7	5	1	1	2	3	5	7	14
50-64	407	3.2	9	1	1	2	3	7	9	14
65+	373	5.0	31	1	2	3	5	10	15	30
GRAND TOTAL	**2569**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**5**	**8**	**14**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	1.9	3	<1	<1	1	2	4	6	8
20-34	86	2.7	6	<1	<1	2	4	5	6	14
35-49	62	3.0	7	<1	1	2	4	6	9	13
50-64	50	3.1	10	<1	1	2	3	9	12	12
65+	23	2.9	10	<1	<1	2	2	7	12	13
B. *Operated*										
0-19 YRS	841	2.3	2	1	1	2	3	4	5	7
20-34	678	2.5	3	1	1	2	3	4	5	10
35-49	405	3.0	7	1	1	2	4	5	6	10
50-64	443	3.7	7	1	2	3	4	6	8	13
65+	191	4.0	13	1	2	3	5	7	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.2	8	<1	1	2	4	7	8	15
20-34	92	4.5	27	<1	1	3	5	9	16	30
35-49	68	4.5	30	1	1	3	7	9	11	34
50-64	83	3.9	14	<1	1	2	6	10	12	17
65+	96	6.0	36	1	1	4	8	14	18	30
B. *Operated*										
0-19 YRS	292	3.0	8	1	1	2	3	6	8	10
20-34	469	3.8	17	1	1	3	4	7	10	25
35-49	432	4.6	24	1	2	3	5	9	12	24
50-64	667	5.3	23	1	2	4	6	10	13	27
65+	380	7.1	55	2	2	5	8	15	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	2.6	6	<1	<1	2	3	6	8	13
B. *Operated*	2558	2.8	5	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	397	4.6	25	1	1	3	6	10	14	24
B. *Operated*	2240	4.9	27	1	1	3	6	9	13	29
1. SINGLE DX	2867	2.8	5	1	1	2	3	5	6	11
2. MULTIPLE DX	2637	4.8	27	1	1	3	6	9	13	29
A. NOT OPERATED	706	3.7	18	<1	1	2	5	8	12	21
B. OPERATED	4798	3.8	16	1	1	3	4	7	10	22
TOTAL 0-19 YRS	1279	2.5	4	1	1	2	3	5	6	9
20-34	1325	3.1	10	1	1	2	4	6	8	17
35-49	967	3.8	17	1	1	3	4	7	10	17
50-64	1243	4.6	17	1	2	3	6	8	11	24
65+	690	6.0	41	1	2	4	7	12	17	34
GRAND TOTAL	**5504**	**3.8**	**16**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	26	2.7	8	<1	<1	1	3	6	10	12
35-49	29	2.4	4	<1	<1	2	3	6	7	7
50-64	14	1.9	2	<1	<1	1	3	4	6	6
65+	4	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	123	2.2	1	<1	1	2	2	4	5	7
20-34	1083	2.4	3	<1	1	2	3	4	5	9
35-49	2992	2.5	4	<1	1	2	3	4	5	9
50-64	1414	2.5	2	1	1	2	3	4	5	9
65+	509	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	6	3	3	5	7	9	9	9
20-34	28	4.5	12	<1	<1	4	7	10	11	11
35-49	46	4.7	17	<1	1	3	6	10	14	20
50-64	30	4.4	11	1	1	3	6	9	11	15
65+	18	4.6	14	1	1	3	7	10	12	14
B. *Operated*										
0-19 YRS	30	2.8	4	<1	1	2	3	5	7	10
20-34	571	3.4	8	1	1	2	4	6	9	14
35-49	1666	3.8	10	1	2	3	5	7	10	16
50-64	1124	3.9	13	1	2	3	5	8	10	16
65+	596	4.4	15	2	2	3	5	9	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.4	5	<1	<1	2	3	6	7	12
B. *Operated*	6121	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	126	4.6	14	1	1	3	6	10	11	17
B. *Operated*	3987	3.9	11	1	2	3	5	7	10	16
1. SINGLE DX	6195	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX	4113	3.9	11	1	2	3	5	8	10	16
A. NOT OPERATED	200	3.8	11	<1	<1	3	5	9	11	15
B. OPERATED	10108	3.0	7	1	1	2	3	5	7	13
TOTAL 0-19 YRS	158	2.4	2	<1	1	2	3	4	5	9
20-34	1708	2.8	5	<1	1	2	3	5	7	11
35-49	4733	3.0	6	1	1	2	3	5	7	13
50-64	2582	3.1	8	1	1	2	3	5	8	13
65+	1127	3.6	10	1	2	3	4	7	10	16
GRAND TOTAL	**10308**	**3.0**	**7**	**1**	**1**	**2**	**3**	**5**	**8**	**13**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.3	3	<1	1	3	4	6	7	7
20-34	118	3.1	4	<1	<1	3	4	5	7	10
35-49	41	4.1	9	<1	<1	3	6	9	10	11
50-64	16	2.7	5	<1	<1	2	3	7	8	9
65+	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	454	2.9	2	1	1	3	4	5	6	7
20-34	871	3.3	5	1	1	3	4	5	6	11
35-49	515	3.0	5	1	1	2	4	5	6	10
50-64	430	3.3	4	1	1	3	4	6	7	10
65+	252	3.2	4	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.5	9	<1	1	4	6	8	12	12
20-34	99	3.8	7	<1	1	3	5	8	9	12
35-49	57	3.9	10	<1	1	3	5	8	11	16
50-64	52	4.6	14	1	1	4	6	11	12	18
65+	60	7.2	38	1	2	5	10	13	18	33
B. *Operated*										
0-19 YRS	103	3.7	4	1	2	3	5	6	7	12
20-34	447	4.5	27	1	2	4	5	7	10	18
35-49	531	4.5	11	1	2	4	5	8	10	19
50-64	455	5.0	21	1	2	4	6	10	13	19
65+	311	5.8	34	2	2	4	7	13	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	3.3	5	<1	<1	3	4	7	8	10
B. *Operated*	2522	3.2	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	299	4.7	17	<1	1	4	6	10	12	19
B. *Operated*	1847	4.8	21	1	2	4	5	9	12	22
1. SINGLE DX	2744	3.2	4	1	1	3	4	5	6	10
2. MULTIPLE DX	2146	4.8	21	1	2	4	6	9	12	22
A. NOT OPERATED	521	4.1	12	<1	<1	3	5	8	10	16
B. OPERATED	4369	3.9	12	1	1	3	4	7	9	17
TOTAL 0-19 YRS	631	3.2	3	1	1	3	4	5	6	9
20-34	1535	3.7	12	1	1	3	4	6	8	15
35-49	1144	3.8	8	1	1	3	5	7	9	15
50-64	953	4.2	13	1	1	3	5	8	10	16
65+	627	4.9	24	1	2	3	5	10	15	29
GRAND TOTAL	**4890**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	571	2.8	4	1	1	2	4	5	6	9
20-34	866	2.5	3	<1	1	2	3	5	6	8
35-49	157	2.7	4	1	1	2	3	5	7	11
50-64	13	3.7	3	1	2	4	5	6	7	7
65+	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	731	4.6	6	1	2	4	6	8	9	12
20-34	2154	4.7	7	1	1	5	6	8	9	13
35-49	559	6.0	9	2	2	6	7	9	12	15
50-64	99	6.8	8	2	3	7	8	10	12	17
65+	56	8.6	17	2	4	8	10	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	305	3.5	5	1	1	3	4	7	8	10
20-34	691	3.4	5	1	1	3	4	6	8	10
35-49	177	4.4	10	1	1	3	6	9	10	17
50-64	24	4.6	9	1	2	4	7	8	10	14
65+	18	5.4	26	1	1	4	9	13	17	19
B. *Operated*										
0-19 YRS	654	5.5	11	1	2	5	7	9	11	18
20-34	3899	6.0	11	1	2	6	7	10	12	18
35-49	1587	7.5	14	2	4	7	9	12	15	20
50-64	236	9.3	20	5	6	8	11	15	19	27
65+	120	13.3	62	6	7	11	16	21	26	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1610	2.6	3	<1	1	2	3	5	6	9
B. *Operated*	3599	5.0	8	1	2	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	1215	3.6	6	1	1	3	5	7	8	12
B. *Operated*	6496	6.6	15	2	2	6	8	11	13	20
1. SINGLE DX	5209	4.3	8	1	1	4	6	8	9	13
2. MULTIPLE DX	7711	6.1	15	1	2	6	8	10	13	19
A. NOT OPERATED	2825	3.0	5	1	1	2	4	6	7	10
B. OPERATED	10095	6.0	13	1	2	6	7	10	12	19
TOTAL 0-19 YRS	2261	4.3	8	1	1	4	6	8	9	13
20-34	7610	5.0	10	1	1	5	7	8	10	16
35-49	2480	6.6	14	1	2	6	8	11	13	19
50-64	372	8.1	18	3	4	7	9	13	16	25
65+	197	11.1	54	2	4	10	14	18	23	38
GRAND TOTAL	**12920**	**5.4**	**13**	**1**	**2**	**5**	**7**	**9**	**11**	**18**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1346	4.3	6	1	2	4	5	7	8	12
20-34	3195	4.5	6	1	2	4	6	8	9	12
35-49	349	5.4	10	2	2	5	7	9	10	17
50-64	24	7.5	29	2	2	7	8	16	21	22
65+	11	5.1	10	1	2	5	6	10	12	12
B. *Operated*										
0-19 YRS	418	5.6	11	1	2	5	8	10	12	16
20-34	1989	5.2	11	1	2	5	7	9	11	16
35-49	438	6.3	15	1	2	6	8	11	13	23
50-64	75	7.1	23	1	2	6	8	13	18	23
65+	20	9.3	50	<1	1	8	13	21	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	850	5.2	7	2	2	5	6	9	10	13
20-34	2544	5.5	10	2	2	5	7	9	11	16
35-49	477	6.6	29	2	3	6	8	11	14	22
50-64	63	7.1	16	3	3	7	9	12	13	22
65+	36	10.6	79	3	4	7	12	24	33	37
B. *Operated*										
0-19 YRS	626	6.7	15	2	2	6	8	12	14	20
20-34	5577	6.5	16	1	2	6	8	11	13	21
35-49	1623	8.3	23	2	3	7	10	14	17	27
50-64	201	10.4	62	2	3	8	12	20	23	42
65+	75	16.6	114	4	6	15	22	33	37	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4925	4.6	6	1	2	4	6	8	9	12
B. *Operated*	2940	5.5	13	1	2	5	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	3970	5.6	13	2	2	5	7	9	12	18
B. *Operated*	8102	7.1	21	2	2	6	8	12	15	24
1. SINGLE DX	7865	4.9	9	1	2	4	6	8	10	15
2. MULTIPLE DX	12072	6.6	19	2	2	6	8	11	14	22
A. NOT OPERATED	8895	5.0	9	2	2	4	6	8	10	15
B. OPERATED	11042	6.6	19	1	2	6	8	11	14	22
TOTAL 0-19 YRS	3240	5.2	9	2	2	5	7	9	11	16
20-34	13305	5.6	12	1	2	5	7	10	12	17
35-49	2887	7.4	23	2	2	7	9	13	16	25
50-64	363	9.0	46	2	3	8	10	17	21	35
65+	142	13.1	102	2	4	10	18	29	33	45
GRAND TOTAL	**19937**	**5.9**	**15**	**1**	**2**	**5**	**7**	**10**	**13**	**20**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.1	2	<1	1	3	4	5	6	6
20-34	105	3.3	7	<1	<1	3	4	6	8	16
35-49	28	3.0	4	1	1	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	85	3.2	6	1	1	2	4	7	8	11
20-34	1766	4.5	8	1	1	5	6	8	9	11
35-49	921	6.1	6	1	2	6	7	8	9	12
50-64	60	5.9	6	2	2	6	8	9	9	11
65+	12	5.4	6	<1	1	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.7	4	<1	<1	3	5	7	8	8
20-34	130	3.3	8	<1	1	3	5	7	8	14
35-49	56	3.6	6	<1	<1	3	5	7	9	10
50-64	2	5.5	1	5	5	5	6	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	117	4.6	8	1	1	5	7	9	11	12
20-34	4582	6.1	9	1	2	6	7	9	11	17
35-49	4541	7.3	10	3	5	7	8	10	12	18
50-64	549	8.1	14	4	5	7	9	12	15	22
65+	61	9.6	27	4	5	9	11	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	3.2	6	<1	<1	3	4	6	6	14
B. *Operated*	2844	5.0	7	1	1	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	207	3.5	7	<1	1	3	5	7	8	11
B. *Operated*	9850	6.8	10	2	3	7	8	10	12	18
1. SINGLE DX	3001	4.9	8	1	1	5	7	8	9	12
2. MULTIPLE DX	10057	6.7	11	2	2	7	8	10	12	18
A. NOT OPERATED	364	3.4	6	<1	1	3	4	6	8	13
B. OPERATED	12694	6.4	10	1	2	6	8	9	11	17
TOTAL 0-19 YRS	244	3.9	7	1	1	3	6	7	9	11
20-34	6583	5.6	10	1	2	6	7	9	10	15
35-49	5546	7.1	9	2	4	7	8	10	12	18
50-64	611	7.8	14	3	5	7	9	11	14	22
65+	74	8.9	26	2	4	8	10	13	19	32
GRAND TOTAL	**13058**	**6.3**	**10**	**1**	**2**	**6**	**8**	**9**	**11**	**17**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	2.4	4	<1	<1	1	4	6	6	6
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	24	2.4	2	1	2	2	2	4	6	7
20-34	278	2.6	4	<1	<1	2	3	6	7	11
35-49	183	2.6	3	<1	1	2	3	6	6	8
50-64	74	2.4	2	1	1	2	3	3	5	8
65+	21	2.6	1	1	2	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.0	5	2	2	3	5	8	8	8
20-34	32	3.4	4	<1	<1	3	4	6	7	9
35-49	12	5.0	14	1	1	4	8	10	11	11
50-64	3	5.7	2	4	4	6	7	7	7	7
65+	5	6.2	11	2	2	5	9	10	10	10
B. *Operated*										
0-19 YRS	50	3.6	10	1	1	3	4	8	12	16
20-34	1045	4.7	12	1	1	3	7	9	10	18
35-49	926	5.9	14	1	2	6	8	10	11	17
50-64	277	5.3	19	1	2	4	8	10	12	22
65+	94	6.1	22	1	2	5	9	12	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.6	4	<1	<1	2	4	6	6	6
B. *Operated*	580	2.6	3	<1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	62	4.1	7	<1	1	3	5	8	10	11
B. *Operated*	2392	5.2	15	1	1	5	7	9	11	19
1. SINGLE DX	597	2.6	3	<1	1	2	3	5	7	9
2. MULTIPLE DX	2454	5.2	14	1	1	5	7	9	11	18
A. NOT OPERATED	79	3.8	7	<1	<1	3	5	8	9	11
B. OPERATED	2972	4.7	13	1	1	3	7	9	11	17
TOTAL 0-19 YRS	85	3.3	7	1	2	2	3	7	9	15
20-34	1369	4.2	11	<1	1	3	6	8	10	15
35-49	1123	5.3	14	1	1	5	8	9	11	17
50-64	354	4.7	16	1	2	3	7	9	11	21
65+	120	5.5	19	1	2	4	8	11	13	23
GRAND TOTAL	**3051**	**4.7**	**13**	**1**	**1**	**3**	**7**	**9**	**11**	**17**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	3.4	6	<1	1	3	4	6	7	14
20-34	273	3.4	5	<1	<1	3	5	6	7	10
35-49	53	3.6	8	<1	<1	3	5	7	8	16
50-64	10	3.0	5	<1	<1	3	4	6	8	8
65+	13	5.2	24	<1	<1	4	5	15	17	17
B. *Operated*										
0-19 YRS	119	2.6	2	1	1	2	3	4	5	9
20-34	812	2.5	5	<1	1	2	3	5	6	10
35-49	332	2.6	4	<1	1	2	3	5	6	14
50-64	141	2.8	3	<1	1	2	3	5	7	9
65+	53	4.2	13	1	2	3	5	8	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	4.1	6	<1	1	4	6	7	9	11
20-34	322	4.6	9	<1	1	4	6	8	9	15
35-49	98	5.5	14	<1	1	5	7	11	13	19
50-64	48	7.4	131	1	1	5	8	12	16	81
65+	63	8.6	31	2	4	7	11	16	22	25
B. *Operated*										
0-19 YRS	90	3.9	8	1	1	3	5	8	9	16
20-34	656	4.5	15	1	1	3	6	9	12	18
35-49	407	4.7	14	1	1	3	7	9	12	17
50-64	170	5.4	57	1	1	3	6	11	14	36
65+	103	7.3	64	1	2	5	10	14	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	451	3.5	6	<1	<1	3	5	6	8	12
B. *Operated*	1457	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	659	5.2	22	<1	1	4	7	9	12	22
B. *Operated*	1426	4.8	23	1	1	3	6	10	13	23
1. SINGLE DX	1908	2.8	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	2085	5.0	23	1	1	4	7	9	12	23
A. NOT OPERATED	1110	4.5	16	<1	1	4	6	8	10	17
B. OPERATED	2883	3.7	15	1	1	2	4	8	10	18
TOTAL 0-19 YRS	439	3.5	6	<1	1	3	5	7	8	11
20-34	2063	3.6	9	<1	1	3	5	7	9	15
35-49	890	3.9	11	<1	1	3	5	8	11	16
50-64	369	4.6	47	1	1	3	5	9	13	29
65+	232	6.8	43	1	2	5	9	14	19	26
GRAND TOTAL	**3993**	**3.9**	**15**	**<1**	**1**	**3**	**5**	**8**	**10**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	13	3.6	8	<1	<1	2	7	7	8	8
50-64	14	2.1	3	<1	<1	1	3	5	5	5
65+	15	2.4	4	<1	<1	1	4	5	6	6
B. *Operated*										
0-19 YRS	3	6.7	9	4	4	6	9	10	10	10
20-34	542	6.1	7	1	3	6	7	9	11	15
35-49	959	7.2	8	4	4	7	8	11	12	17
50-64	1385	7.8	9	4	5	7	9	11	13	19
65+	1148	8.3	11	4	5	8	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	34	3.6	10	<1	<1	2	5	8	11	12
35-49	51	3.5	19	<1	<1	2	5	7	7	23
50-64	91	4.2	9	<1	1	4	6	9	10	12
65+	133	5.3	18	1	1	4	8	11	12	18
B. *Operated*										
0-19 YRS	13	9.5	20	5	5	8	11	15	20	21
20-34	1906	7.0	8	4	5	7	8	10	12	17
35-49	3683	8.0	10	4	5	7	9	12	14	19
50-64	3473	8.8	14	5	5	8	10	13	16	24
65+	2948	9.8	20	5	6	9	11	15	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.7	5	<1	<1	1	5	6	7	8
B. *Operated*	4037	7.6	10	4	5	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	309	4.5	15	<1	1	3	7	9	11	18
B. *Operated*	12023	8.5	14	4	5	8	10	13	15	23
1. SINGLE DX	4079	7.5	10	4	4	7	9	11	13	18
2. MULTIPLE DX	12332	8.4	15	4	5	8	10	13	15	23
A. NOT OPERATED	351	4.3	14	<1	1	3	6	9	11	15
B. OPERATED	16060	8.3	13	4	5	8	10	12	15	22
TOTAL 0-19 YRS	16	9.0	18	4	5	8	11	14	19	21
20-34	2482	6.8	8	2	4	6	8	10	12	16
35-49	4706	7.8	10	4	5	7	9	11	14	19
50-64	4963	8.4	13	4	5	8	10	13	15	22
65+	4244	9.2	19	4	5	8	11	14	17	26
GRAND TOTAL	**16411**	**8.2**	**14**	**4**	**5**	**8**	**10**	**12**	**15**	**22**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.6	1	<1	<1	1	2	3	4	4
20-34	33	1.5	1	<1	<1	<1	1	3	5	5
35-49	6	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	16	1.6	1	<1	1	1	2	2	4	5
20-34	172	1.8	2	<1	<1	1	2	3	5	8
35-49	199	1.8	2	<1	<1	1	2	4	6	7
50-64	32	1.8	2	<1	<1	1	2	3	5	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	3	<1	<1	3	4	6	6	6
20-34	27	3.0	20	<1	<1	2	3	5	9	24
35-49	14	2.6	8	<1	<1	2	3	5	10	12
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	14	3.4	12	<1	1	2	4	7	12	14
20-34	257	3.5	10	<1	<1	2	5	7	9	18
35-49	334	4.4	16	<1	<1	3	7	9	10	17
50-64	49	4.6	23	<1	<1	2	7	8	10	24
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	419	1.8	2	<1	<1	1	2	3	6	8
2. MULTIPLE DX										
A. *Not Operated*	49	2.9	13	<1	<1	2	3	5	7	24
B. *Operated*	654	4.1	14	<1	<1	3	6	8	10	19
1. SINGLE DX	472	1.8	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	703	4.0	14	<1	<1	2	6	8	10	20
A. NOT OPERATED	102	2.2	7	<1	<1	1	2	4	5	18
B. OPERATED	1073	3.2	11	<1	<1	2	5	7	9	14
TOTAL 0-19 YRS	50	2.3	5	<1	<1	2	2	5	6	14
20-34	489	2.8	8	<1	<1	2	3	7	8	13
35-49	553	3.4	12	<1	<1	2	6	8	9	14
50-64	83	3.4	16	<1	<1	2	5	8	8	24
65+										
GRAND TOTAL	**1175**	**3.1**	**11**	**<1**	**<1**	**2**	**4**	**7**	**8**	**14**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	2.2	2	<1	<1	2	3	4	5	7
20-34	564	1.8	2	<1	<1	1	2	3	4	7
35-49	166	1.8	2	<1	<1	1	2	3	4	8
50-64	12	2.1	7	<1	<1	1	2	5	9	10
65+										
B. *Operated*										
0-19 YRS	432	2.1	2	<1	1	2	2	4	5	7
20-34	4017	2.3	4	<1	<1	2	2	5	7	9
35-49	3878	2.4	4	<1	<1	2	2	6	7	9
50-64	543	2.2	3	<1	1	2	2	4	7	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	189	3.3	6	1	1	3	4	6	7	14
20-34	508	3.0	5	<1	<1	2	4	6	8	11
35-49	277	3.0	6	<1	1	2	4	6	8	13
50-64	40	3.0	5	<1	<1	2	4	6	8	10
65+										
B. *Operated*										
0-19 YRS	391	3.4	8	1	1	2	4	7	8	15
20-34	6631	4.3	10	1	1	3	6	8	10	15
35-49	8152	5.0	14	1	1	5	7	9	11	16
50-64	1070	4.7	16	1	1	3	7	9	12	18
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	970	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	8870	2.3	4	<1	<1	2	2	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	1014	3.1	6	<1	1	2	4	6	8	12
B. *Operated*	16244	4.6	13	1	1	4	7	9	10	16
1. SINGLE DX	9840	2.3	4	<1	<1	2	2	5	7	9
2. MULTIPLE DX	17258	4.6	12	1	1	3	7	9	10	16
A. NOT OPERATED	1984	2.5	4	<1	<1	2	3	5	6	10
B. OPERATED	25114	3.8	11	<1	1	2	6	8	9	14
TOTAL 0-19 YRS	1240	2.7	5	<1	1	2	3	5	7	11
20-34	11720	3.4	8	<1	1	2	5	7	9	13
35-49	12473	4.1	12	<1	1	2	6	8	10	15
50-64	1665	3.8	13	<1	1	2	6	9	10	16
65+										
GRAND TOTAL	**27098**	**3.7**	**10**	**<1**	**1**	**2**	**6**	**8**	**9**	**14**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	19	2.7	7	<1	<1	<1	4	7	9	10
50-64	27	2.9	7	<1	<1	2	4	7	8	9
65+	22	2.1	2	<1	<1	1	3	4	5	5
B. *Operated*										
0-19 YRS										
20-34	6	2.7	10	1	1	2	2	8	9	9
35-49	280	1.9	2	<1	<1	2	2	3	4	8
50-64	1207	1.9	1	<1	1	2	2	3	3	7
65+	380	2.6	6	1	1	2	2	4	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	3.8	6	1	1	3	5	7	7	7
35-49	52	4.9	13	1	2	4	7	10	12	17
50-64	66	4.2	15	<1	1	3	6	9	11	22
65+	92	5.3	20	1	1	4	7	11	13	24
B. *Operated*										
0-19 YRS										
20-34	5	3.0	9	1	1	2	4	8	8	8
35-49	389	3.4	10	1	1	2	4	8	9	16
50-64	1747	3.6	12	1	1	2	4	8	10	18
65+	891	4.4	22	1	1	3	5	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.6	5	<1	<1	2	4	6	7	10
B. *Operated*	1873	2.0	2	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	215	4.8	16	1	1	3	6	10	12	21
B. *Operated*	3032	3.8	15	1	1	2	5	8	11	18
1. SINGLE DX	1944	2.0	3	<1	1	2	2	3	4	9
2. MULTIPLE DX	3247	3.9	15	1	1	2	5	8	11	19
A. NOT OPERATED	286	4.3	14	<1	<1	3	6	10	11	19
B. OPERATED	4905	3.1	11	<1	1	2	3	7	9	17
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	17	3.1	7	1	1	2	4	8	9	9
35-49	740	2.9	8	<1	1	2	3	7	9	14
50-64	3047	2.9	9	<1	1	2	3	7	9	15
65+	1385	3.9	18	1	1	2	4	8	12	20
GRAND TOTAL	**5191**	**3.2**	**11**	**<1**	**1**	**2**	**3**	**7**	**9**	**17**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.2	2	<1	<1	2	3	4	6	7
20-34	176	2.4	3	<1	<1	2	3	4	6	11
35-49	49	3.1	9	<1	<1	2	3	7	10	14
50-64	20	3.8	14	1	1	3	5	8	12	16
65+	20	3.3	15	<1	<1	2	4	6	12	18
B. *Operated*										
0-19 YRS	186	3.3	5	1	1	3	5	6	8	12
20-34	2231	3.0	5	<1	1	2	4	6	7	11
35-49	1548	3.3	8	<1	1	2	4	7	8	14
50-64	957	3.0	8	<1	1	2	3	7	9	14
65+	338	4.2	26	1	1	2	4	9	12	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	3.1	16	<1	1	2	4	5	8	28
20-34	202	3.1	5	<1	1	2	4	7	8	10
35-49	114	4.0	11	<1	1	3	5	9	10	17
50-64	73	4.7	24	1	1	3	6	9	18	23
65+	122	7.3	49	1	2	5	9	14	21	39
B. *Operated*										
0-19 YRS	221	4.2	13	1	1	3	6	8	10	15
20-34	2903	4.6	11	1	1	4	7	8	10	15
35-49	3818	5.4	16	1	1	5	7	9	11	19
50-64	2317	5.6	28	1	1	5	8	10	13	24
65+	996	7.5	56	1	2	5	9	16	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	2.6	5	<1	<1	2	3	5	7	12
B. *Operated*	5260	3.2	8	<1	1	2	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	576	4.4	22	<1	1	3	5	9	11	23
B. *Operated*	10255	5.4	22	1	1	5	7	10	12	22
1. SINGLE DX	5588	3.1	8	<1	1	2	4	7	8	13
2. MULTIPLE DX	10831	5.3	22	1	1	5	7	10	12	22
A. NOT OPERATED	904	3.7	16	<1	1	3	4	8	10	21
B. OPERATED	15515	4.6	18	1	1	3	7	9	11	20
TOTAL 0-19 YRS	535	3.5	10	<1	1	3	5	7	8	13
20-34	5512	3.8	9	<1	1	3	6	8	9	13
35-49	5529	4.7	14	<1	1	4	7	9	10	17
50-64	3367	4.8	24	1	1	3	7	9	12	22
65+	1476	6.6	50	1	2	4	8	14	20	36
GRAND TOTAL	**16419**	**4.6**	**18**	**1**	**1**	**3**	**7**	**9**	**11**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	396	2.1	2	<1	1	2	3	4	5	7
20-34	512	2.3	20	<1	<1	2	3	4	5	8
35-49	106	3.1	5	<1	1	2	4	7	7	10
50-64	17	2.4	3	<1	<1	2	3	6	7	7
65+	10	4.9	7	1	2	4	7	9	10	10
B. *Operated*										
0-19 YRS	197	2.7	4	<1	1	2	3	6	7	10
20-34	1916	3.4	7	<1	1	2	5	7	8	11
35-49	992	6.5	11	1	2	7	8	10	12	16
50-64	581	8.1	15	2	4	8	9	12	14	20
65+	319	9.0	16	2	5	9	11	14	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	255	2.7	4	<1	1	2	3	5	8	11
20-34	572	3.0	7	<1	<1	2	4	6	9	13
35-49	138	3.7	8	<1	1	3	5	8	9	12
50-64	55	4.3	15	1	1	3	6	9	11	21
65+	75	6.1	33	<1	2	4	7	13	21	25
B. *Operated*										
0-19 YRS	216	3.7	10	1	1	3	5	7	10	15
20-34	3977	5.0	11	1	1	5	7	9	10	16
35-49	2355	7.3	14	2	2	7	9	11	14	21
50-64	1060	9.3	33	3	5	8	11	14	18	29
65+	574	11.2	44	2	5	10	14	20	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1041	2.3	11	<1	<1	2	3	4	6	8
B. *Operated*	4005	5.3	14	1	1	5	8	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	1095	3.3	9	<1	1	2	4	7	9	14
B. *Operated*	8182	6.6	21	1	2	6	8	11	14	22
1. SINGLE DX	5046	4.7	15	<1	1	4	7	9	11	16
2. MULTIPLE DX	9277	6.2	21	1	1	6	8	11	14	21
A. NOT OPERATED	2136	2.8	10	<1	<1	2	3	6	8	12
B. OPERATED	12187	6.2	19	1	1	6	8	11	13	21
TOTAL 0-19 YRS	1064	2.7	5	<1	1	2	3	6	7	11
20-34	6977	4.2	11	<1	1	3	6	8	9	14
35-49	3591	6.8	14	1	2	7	9	11	13	18
50-64	1713	8.6	28	2	4	8	10	13	17	25
65+	978	10.0	36	2	3	9	12	17	21	32
GRAND TOTAL	**14323**	**5.7**	**19**	**1**	**1**	**6**	**8**	**10**	**13**	**20**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	7	1	1	2	2	7	8	8
20-34	43	2.1	3	<1	<1	1	3	5	6	7
35-49	5	2.0	3	<1	<1	1	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	149	5.1	2	3	3	5	6	7	7	9
20-34	2175	5.3	3	3	4	5	6	7	8	11
35-49	168	5.7	4	3	4	5	7	8	10	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	23	2.7	3	1	1	2	4	5	6	7
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	118	5.8	5	3	3	5	7	8	10	14
20-34	1644	5.9	5	3	4	6	7	8	10	13
35-49	235	6.4	5	4	4	6	7	9	10	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.2	3	<1	1	1	3	5	6	8
B. *Operated*	2492	5.3	3	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	27	2.8	3	1	1	3	4	5	6	7
B. *Operated*	1997	6.0	5	3	4	6	7	8	10	14
1. SINGLE DX	2546	5.3	3	3	3	5	6	7	8	11
2. MULTIPLE DX	2024	5.9	5	3	4	6	7	8	10	14
A. NOT OPERATED	81	2.4	3	<1	1	2	4	5	6	8
B. OPERATED	4489	5.6	4	3	4	5	6	8	9	13
TOTAL 0-19 YRS	275	5.3	4	2	3	5	6	7	8	12
20-34	3885	5.5	4	3	4	5	6	7	9	13
35-49	410	6.1	5	3	4	6	7	8	10	13
50-64										
65+										
GRAND TOTAL	**4570**	**5.6**	**4**	**3**	**4**	**5**	**6**	**8**	**9**	**13**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.3		<1	<1	1	2	2	2	3
20-34	67	1.8	6	<1	1	1	2	2	4	18
35-49	11	1.5		1	1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1356	1.4		<1	<1	1	2	2	2	3
20-34	1931	1.4	1	<1	<1	1	2	2	3	5
35-49	155	1.3		<1	<1	1	1	2	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	5	1	1	2	4	7	7	7
20-34	28	2.2	1	<1	1	2	3	4	4	5
35-49	7	3.9	30	1	1	2	4	14	16	16
50-64										
65+										
B. *Operated*										
0-19 YRS	247	2.5	6	1	1	2	3	5	7	11
20-34	837	2.9	7	<1	1	2	3	6	8	14
35-49	185	3.0	11	<1	<1	2	3	6	8	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	1.6	4	<1	1	1	2	2	3	12
B. *Operated*	3442	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	48	2.6	6	1	1	2	3	5	7	16
B. *Operated*	1269	2.8	8	<1	1	2	3	6	8	14
1. SINGLE DX	3559	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	1317	2.8	7	<1	1	2	3	6	8	14
A. NOT OPERATED	165	1.9	5	<1	1	1	2	3	4	15
B. OPERATED	4711	1.8	3	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	1655	1.6	1	<1	<1	1	2	2	3	6
20-34	2863	1.9	4	<1	<1	1	2	3	5	10
35-49	358	2.3	7	<1	<1	1	2	4	6	16
50-64										
65+										
GRAND TOTAL	**4876**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	3	4.0	3	3	3	3	5	6	6	6
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	5	2.8	6	1	1	2	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	4.0	6	1	1	3	6	7	7	7
1. SINGLE DX	6	3.0	5	1	1	2	4	7	7	7
2. MULTIPLE DX	5	4.0	6	1	1	3	6	7	7	7
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	10	3.4	6	1	1	3	6	7	7	7
TOTAL 0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	6	3.3	2	2	2	3	4	6	6	6
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
GRAND TOTAL	**11**	**3.5**	**5**	**1**	**1**	**3**	**5**	**7**	**7**	**7**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	1.8	1	<1	<1	1	2	3	4	6
20-34	1320	1.7	2	<1	<1	1	2	3	4	6
35-49	98	1.6	2	<1	<1	1	2	3	4	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2594	1.7	1	<1	<1	1	2	3	4	6
20-34	13739	1.6	1	<1	<1	1	2	3	4	6
35-49	1498	1.6	1	<1	<1	1	2	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.0	6	1	1	2	4	6	7	15
20-34	265	2.6	6	<1	1	2	3	5	6	13
35-49	21	2.5	3	<1	<1	2	3	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	371	2.5	4	<1	1	2	3	5	6	10
20-34	2176	2.6	7	<1	1	2	3	5	7	12
35-49	391	2.8	7	<1	1	2	3	6	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1774	1.7	2	<1	<1	1	2	3	4	6
B. *Operated*	17831	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	350	2.6	6	<1	1	2	3	5	7	13
B. *Operated*	2938	2.6	6	<1	1	2	3	5	7	12
1. SINGLE DX	19605	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	3288	2.6	6	<1	1	2	3	5	7	13
A. NOT OPERATED	2124	1.8	2	<1	<1	1	2	3	4	7
B. OPERATED	20769	1.7	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	3385	1.8	2	<1	<1	1	2	3	4	7
20-34	17500	1.7	2	<1	<1	1	2	3	4	7
35-49	2008	1.8	3	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**22893**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.8	2	<1	1	3	4	4	5	8
20-34	299	2.5	4	<1	1	2	3	5	6	9
35-49	30	1.8	1	<1	<1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	266	2.2	3	<1	1	2	2	5	6	8
20-34	2065	1.8	4	<1	<1	1	2	3	4	8
35-49	212	1.8	1	<1	<1	2	2	3	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.7	7	1	1	3	5	8	10	10
20-34	111	3.1	12	1	1	3	4	5	7	21
35-49	17	3.4	9	1	1	2	4	5	11	14
50-64										
65+										
B. *Operated*										
0-19 YRS	82	4.2	20	1	1	3	5	8	12	28
20-34	526	3.0	8	<1	1	2	4	6	8	15
35-49	98	3.8	12	1	1	2	5	9	12	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	2543	1.9	4	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	159	3.2	11	1	1	3	4	6	8	15
B. *Operated*	706	3.3	10	1	1	2	4	7	9	17
1. SINGLE DX	2946	2.0	4	<1	<1	2	2	3	5	8
2. MULTIPLE DX	865	3.2	10	1	1	2	4	7	9	17
A. NOT OPERATED	562	2.7	6	<1	1	2	3	5	7	10
B. OPERATED	3249	2.2	6	<1	1	2	2	4	6	11
TOTAL 0-19 YRS	453	2.7	7	<1	1	2	3	5	7	11
20-34	3001	2.2	5	<1	1	2	2	4	5	9
35-49	357	2.4	5	<1	1	2	2	5	7	14
50-64										
65+										
GRAND TOTAL	**3811**	**2.2**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	460	2.4	2	<1	1	2	3	4	5	8
20-34	2560	2.6	4	<1	1	2	3	5	6	9
35-49	164	2.4	3	<1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.0	1	<1	<1	2	3	3	3	3
20-34	54	2.6	3	1	1	2	4	5	5	9
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	3.4	5	1	1	3	4	7	7	11
20-34	546	3.6	6	1	1	3	5	7	8	12
35-49	35	3.9	3	1	2	3	5	7	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34	38	3.5	6	1	1	3	5	7	9	11
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3184	2.5	4	<1	1	2	3	5	6	9
B. *Operated*	65	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	695	3.6	6	1	1	3	5	7	8	12
B. *Operated*	47	3.4	5	1	1	3	5	6	8	11
1. SINGLE DX	3249	2.5	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	742	3.6	6	1	1	3	5	7	8	11
A. NOT OPERATED	3879	2.7	5	<1	1	2	3	5	6	9
B. OPERATED	112	2.9	4	1	1	2	4	5	7	10
TOTAL 0-19 YRS	588	2.6	3	<1	1	2	3	5	6	8
20-34	3198	2.8	5	<1	1	2	3	5	6	10
35-49	205	2.7	3	1	1	2	3	5	6	9
50-64										
65+										
GRAND TOTAL	**3991**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**10**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.8	1	<1	<1	1	2	3	4	6
20-34	148	2.3	2	<1	<1	2	3	4	5	9
35-49	7	2.6	3	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	3	<1	<1	3	4	5	5	5
20-34	36	2.7	5	<1	1	2	3	4	5	14
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	2.2	2	<1	<1	2	3	4	5	9
B. *Operated*	5	1.6	2	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	45	2.7	5	<1	1	2	4	4	5	14
B. *Operated*	2	6.5	5	5	5	6	8	8	8	8
1. SINGLE DX	191	2.2	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX	47	2.9	5	<1	1	2	4	5	6	14
A. NOT OPERATED	231	2.3	3	<1	<1	2	3	4	5	9
B. OPERATED	7	3.0	8	1	1	1	5	7	8	8
TOTAL 0-19 YRS	42	2.0	2	<1	<1	1	3	4	5	6
20-34	188	2.4	3	<1	1	2	3	4	5	10
35-49	8	2.4	3	1	1	2	4	5	5	5
50-64										
65+										
GRAND TOTAL	**238**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	349	3.5	5	1	1	3	4	6	8	13
20-34	1826	3.5	5	1	2	3	4	6	8	13
35-49	149	4.0	8	1	1	3	5	7	10	16
50-64										
65+										
B. *Operated*										
0-19 YRS	30	3.8	7	1	1	3	6	8	9	10
20-34	212	4.1	9	1	1	3	6	8	10	15
35-49	20	5.0	21	1	1	3	6	11	16	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.7	6	1	1	3	4	7	10	12
20-34	519	3.9	8	1	1	3	5	8	9	15
35-49	53	4.5	9	1	2	4	5	9	11	15
50-64										
65+										
B. *Operated*										
0-19 YRS	11	4.5	42	<1	<1	2	5	13	22	23
20-34	143	4.5	17	<1	<1	3	6	10	13	20
35-49	7	3.6	8	<1	<1	4	6	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2324	3.5	5	1	1	3	4	6	8	13
B. *Operated*	262	4.1	9	1	1	3	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	666	3.9	8	1	1	3	5	8	9	14
B. *Operated*	161	4.5	18	<1	<1	3	6	9	13	20
1. SINGLE DX	2586	3.6	6	1	1	3	4	7	8	14
2. MULTIPLE DX	827	4.0	10	<1	1	3	5	8	10	17
A. NOT OPERATED	2990	3.6	6	1	1	3	4	7	8	14
B. OPERATED	423	4.2	12	<1	1	3	6	8	11	19
TOTAL 0-19 YRS	484	3.6	6	1	1	3	4	7	8	13
20-34	2700	3.6	7	1	1	3	4	7	8	14
35-49	229	4.2	9	1	1	3	5	8	11	16
50-64										
65+										
GRAND TOTAL	**3413**	**3.7**	**7**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	449	3.4	3	1	2	3	4	6	7	9
20-34	2066	4.0	5	1	2	3	5	7	8	12
35-49	48	5.1	7	2	3	4	7	8	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	10	3.1	7	<1	<1	2	4	7	10	10
35-49	1	16.0		16	16	16	16	16	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	3.8	6	1	1	3	5	6	8	13
20-34	749	4.1	10	1	2	3	5	7	9	15
35-49	24	5.5	17	1	2	4	7	13	14	15
50-64										
65+										
B. *Operated*										
0-19 YRS	6	4.8	11	1	1	5	8	9	9	9
20-34	21	7.2	30	2	2	6	10	16	19	22
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2563	3.9	5	1	2	3	5	7	8	12
B. *Operated*	13	4.2	18	<1	1	3	4	11	15	16
2. MULTIPLE DX										
A. *Not Operated*	982	4.1	9	1	2	3	5	7	9	15
B. *Operated*	27	6.7	27	1	2	6	9	14	18	22
1. SINGLE DX	2576	3.9	5	1	2	3	5	7	8	12
2. MULTIPLE DX	1009	4.2	10	1	2	3	5	7	10	15
A. NOT OPERATED	3545	3.9	6	1	2	3	5	7	8	13
B. OPERATED	40	5.9	25	1	1	4	8	13	16	22
TOTAL 0-19 YRS	666	3.6	4	1	2	3	4	6	7	10
20-34	2846	4.0	7	1	2	3	5	7	9	13
35-49	73	5.3	12	2	2	4	7	10	14	16
50-64										
65+										
GRAND TOTAL	**3585**	**4.0**	**6**	**1**	**2**	**3**	**5**	**7**	**9**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2896	1.1		<1	<1	<1	1	1	2	4
20-34	10640	1.2	1	<1	<1	<1	1	1	2	4
35-49	438	1.2	1	<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	247	1.2		<1	<1	<1	1	1	2	4
20-34	1004	1.3	4	<1	<1	1	1	2	3	5
35-49	42	1.4	1	<1	<1	1	1	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	214	1.6	1	<1	<1	1	2	3	4	6
20-34	901	1.8	4	<1	<1	1	2	4	5	12
35-49	43	1.5	1	<1	<1	1	1	3	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	35	2.0	4	<1	<1	1	2	4	7	11
20-34	144	2.4	15	<1	<1	1	2	5	7	22
35-49	6	1.5	1	1	1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13974	1.2	1	<1	<1	<1	1	1	2	4
B. *Operated*	1293	1.3	3	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	1158	1.8	4	<1	<1	1	2	3	5	11
B. *Operated*	185	2.3	13	<1	<1	1	2	4	7	20
1. SINGLE DX	15267	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	1343	1.8	5	<1	<1	1	2	4	5	12
A. NOT OPERATED	15132	1.2	1	<1	<1	<1	1	1	2	5
B. OPERATED	1478	1.4	5	<1	<1	1	1	2	3	7
TOTAL 0-19 YRS	3392	1.2		<1	<1	1	1	1	2	5
20-34	12689	1.2	1	<1	<1	<1	1	2	2	5
35-49	529	1.2	1	<1	<1	<1	1	1	2	5
50-64										
65+										
GRAND TOTAL	**16610**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.2	6	<1	1	2	4	7	9	11
20-34	761	3.5	11	<1	1	3	4	6	10	17
35-49	48	3.0	5	<1	1	3	4	6	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	6	4.7	23	1	1	3	5	13	14	14
20-34	83	4.5	32	1	1	3	5	9	12	36
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.1	13	<1	1	3	5	6	11	19
20-34	197	4.5	21	1	1	3	5	9	11	26
35-49	10	2.8	2	1	1	3	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2	8.5	113	1	1	8	16	16	16	16
20-34	27	4.2	20	1	1	3	5	7	10	24
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	872	3.4	10	<1	1	3	4	6	10	17
B. *Operated*	91	4.4	31	1	1	3	5	9	12	35
2. MULTIPLE DX										
A. *Not Operated*	233	4.4	19	1	1	3	5	8	11	24
B. *Operated*	30	4.5	23	1	1	3	5	7	16	24
1. SINGLE DX	963	3.5	12	<1	1	3	4	7	10	17
2. MULTIPLE DX	263	4.4	19	1	1	3	5	8	11	24
A. NOT OPERATED	1105	3.6	12	<1	1	3	4	7	10	17
B. OPERATED	121	4.5	29	1	1	3	5	9	13	29
TOTAL 0-19 YRS	97	3.7	10	<1	1	3	4	7	10	18
20-34	1068	3.8	15	<1	1	3	4	7	10	19
35-49	61	3.0	4	<1	1	3	4	5	7	12
50-64										
65+										
GRAND TOTAL	**1226**	**3.7**	**14**	**<1**	**1**	**3**	**4**	**7**	**10**	**18**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	211	2.2	4	<1	<1	2	3	4	6	11
20-34	934	2.2	3	<1	<1	2	3	4	5	10
35-49	45	1.8	4	<1	<1	1	2	3	4	14
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.4	4	<1	<1	2	3	6	7	7
20-34	99	2.4	9	<1	<1	2	3	5	6	19
35-49	7	3.4	9	<1	<1	3	3	9	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	3.5	19	<1	<1	2	4	7	10	28
20-34	254	3.0	6	<1	1	2	4	6	8	13
35-49	10	3.2	4	<1	<1	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	8	5.1	10	<1	1	4	7	10	11	11
20-34	44	3.6	15	<1	1	2	5	8	11	21
35-49	3	4.3	24	<1	<1	2	8	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1190	2.2	3	<1	<1	2	3	4	5	10
B. *Operated*	119	2.5	9	<1	<1	2	3	5	6	16
2. MULTIPLE DX										
A. *Not Operated*	338	3.1	9	<1	1	2	4	6	9	14
B. *Operated*	55	3.9	15	<1	1	3	5	9	11	21
1. SINGLE DX	1309	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	393	3.2	10	<1	1	2	4	7	9	14
A. NOT OPERATED	1528	2.4	5	<1	<1	2	3	5	6	11
B. OPERATED	174	2.9	11	<1	<1	2	4	6	9	19
TOTAL 0-19 YRS	306	2.6	8	<1	<1	2	3	5	7	13
20-34	1331	2.4	5	<1	<1	2	3	5	6	11
35-49	65	2.3	6	<1	<1	1	3	4	7	13
50-64										
65+										
GRAND TOTAL	1702	2.4	5	<1	<1	2	3	5	6	11

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	385	3.2	7	<1	<1	3	4	6	7	13
20-34	901	3.0	4	<1	<1	3	4	5	6	9
35-49	21	2.5	3	<1	1	2	3	5	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	19	2.8	12	<1	<1	2	2	8	12	14
20-34	55	4.0	10	<1	<1	3	6	9	12	12
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	417	3.4	5	<1	<1	3	5	6	7	9
20-34	968	3.7	6	<1	1	3	5	6	8	10
35-49	28	4.2	7	<1	1	4	6	8	10	12
50-64										
65+										
B. *Operated*										
0-19 YRS	31	4.7	6	<1	1	5	7	8	8	8
20-34	82	5.0	22	1	1	3	6	10	15	25
35-49	3	4.3	12	1	1	4	7	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1307	3.1	5	<1	<1	3	4	5	6	10
B. *Operated*	76	3.6	10	<1	<1	2	5	9	12	14
2. MULTIPLE DX										
A. *Not Operated*	1413	3.6	6	<1	1	3	5	6	7	10
B. *Operated*	116	4.9	17	1	1	4	6	9	13	24
1. SINGLE DX	1383	3.1	5	<1	<1	3	4	6	7	11
2. MULTIPLE DX	1529	3.7	7	<1	1	3	5	7	8	11
A. NOT OPERATED	2720	3.4	5	<1	1	3	4	6	7	10
B. OPERATED	192	4.4	15	<1	1	3	6	9	12	19
TOTAL 0-19 YRS	852	3.4	6	<1	<1	3	5	6	7	11
20-34	2006	3.5	6	<1	1	3	4	6	7	11
35-49	54	3.5	6	<1	1	3	5	7	9	12
50-64										
65+										
GRAND TOTAL	2912	3.4	6	<1	1	3	4	6	7	11

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.4	9	<1	1	3	4	6	8	17
20-34	755	4.2	14	<1	1	3	5	8	10	19
35-49	75	4.3	10	<1	1	4	5	9	12	14
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.1	4	<1	1	3	4	7	7	7
20-34	65	3.6	15	<1	<1	2	5	7	9	22
35-49	9	4.7	9	2	2	3	6	10	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	376	3.8	13	<1	<1	3	5	9	12	16
20-34	2062	4.2	15	<1	1	3	5	8	11	17
35-49	192	5.1	27	<1	1	4	6	10	13	27
50-64										
65+										
B. *Operated*										
0-19 YRS	49	4.1	13	<1	<1	3	5	9	11	18
20-34	277	5.6	41	<1	<1	4	7	12	17	32
35-49	19	5.9	35	<1	1	4	7	13	20	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	942	4.2	13	<1	1	3	5	8	10	16
B. *Operated*	90	3.6	12	<1	<1	3	5	7	8	21
2. MULTIPLE DX										
A. *Not Operated*	2630	4.2	16	<1	1	3	5	9	11	17
B. *Operated*	345	5.4	37	<1	<1	4	7	12	16	26
1. SINGLE DX	1032	4.1	13	<1	1	3	5	8	10	17
2. MULTIPLE DX	2975	4.3	18	<1	1	3	5	9	12	18
A. NOT OPERATED	3572	4.2	15	<1	1	3	5	8	11	17
B. OPERATED	435	5.1	32	<1	<1	3	7	11	16	25
TOTAL 0-19 YRS	553	3.7	12	<1	<1	3	5	8	11	16
20-34	3159	4.3	17	<1	1	3	5	9	11	19
35-49	295	5.0	22	<1	1	4	6	10	12	23
50-64										
65+										
GRAND TOTAL	4007	4.3	17	<1	1	3	5	9	11	18

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1080	2.3	10	<1	<1	1	3	4	6	11
20-34	4399	2.5	9	<1	<1	1	3	5	7	15
35-49	193	2.7	7	<1	<1	2	3	6	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	264	2.7	10	<1	<1	2	3	5	7	17
20-34	2231	2.7	6	<1	<1	2	3	5	6	13
35-49	128	2.8	4	<1	<1	2	4	5	6	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	477	3.2	10	<1	<1	2	4	6	9	15
20-34	1925	3.5	20	<1	<1	2	4	7	9	22
35-49	115	3.4	13	<1	<1	2	4	7	9	22
50-64										
65+										
B. *Operated*										
0-19 YRS	128	3.7	14	<1	<1	2	5	8	14	36
20-34	891	4.0	33	<1	<1	2	5	8	11	33
35-49	56	4.7	25	<1	<1	3	5	10	18	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5672	2.5	9	<1	<1	1	3	5	7	14
B. *Operated*	2623	2.7	7	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	2517	3.5	17	<1	<1	2	4	7	9	20
B. *Operated*	1075	4.0	30	<1	<1	2	5	8	12	30
1. SINGLE DX	8295	2.6	8	<1	<1	2	3	5	7	14
2. MULTIPLE DX	3592	3.6	21	<1	<1	2	4	7	10	23
A. NOT OPERATED	8189	2.8	12	<1	<1	2	3	5	7	16
B. OPERATED	3698	3.1	14	<1	<1	2	4	6	8	18
TOTAL 0-19 YRS	1949	2.7	10	<1	<1	2	3	5	7	15
20-34	9446	2.9	13	<1	<1	2	3	6	8	17
35-49	492	3.1	10	<1	<1	2	4	6	9	18
50-64										
65+										
GRAND TOTAL	11887	2.9	12	<1	<1	2	3	6	8	17

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.4	1	2	2	3	4	5	5	7
20-34	406	3.7	4	2	2	3	4	5	6	14
35-49	23	3.7	5	2	2	3	4	7	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	39	5.6	53	2	3	4	5	6	24	38
20-34	209	4.6	7	2	3	4	5	7	9	16
35-49	13	4.3	7	2	2	3	4	8	11	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	3.3	1	2	2	3	4	4	5	7
20-34	931	3.6	3	2	2	3	4	5	6	11
35-49	64	4.7	39	1	2	4	4	6	10	46
50-64										
65+										
B. *Operated*										
0-19 YRS	199	6.1	61	2	3	4	6	11	22	51
20-34	1672	6.3	48	3	3	5	6	10	17	40
35-49	153	6.9	49	2	3	5	7	12	22	38
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	3.6	3	2	2	3	4	5	6	12
B. *Operated*	261	4.7	14	2	3	4	5	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	1183	3.6	5	2	2	3	4	5	6	11
B. *Operated*	2024	6.4	49	2	3	4	6	10	18	42
1. SINGLE DX	760	4.0	7	2	2	3	4	6	8	16
2. MULTIPLE DX	3207	5.3	35	2	3	4	5	8	12	34
A. NOT OPERATED	1682	3.6	4	2	2	3	4	5	6	11
B. OPERATED	2285	6.2	46	2	3	4	6	10	16	40
TOTAL 0-19 YRS	496	4.6	31	2	2	3	4	6	10	35
20-34	3218	5.1	29	2	3	4	5	8	11	30
35-49	253	5.9	41	2	2	4	6	10	15	38
50-64										
65+										
GRAND TOTAL	**3967**	**5.1**	**30**	**2**	**3**	**4**	**5**	**8**	**11**	**31**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7751	3.0	1	2	2	3	3	4	4	5
20-34	47051	3.1	1	2	2	3	4	4	5	6
35-49	1939	3.2	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1617	3.1	1	2	2	3	4	4	5	6
20-34	11074	3.2	1	2	2	3	4	4	5	6
35-49	502	3.3	1	2	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3265	3.1	1	2	2	3	4	4	5	6
20-34	20578	3.2	1	2	2	3	4	4	5	6
35-49	911	3.2	1	1	2	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1200	3.1	1	2	2	3	4	4	5	7
20-34	13722	3.6	2	2	2	3	4	5	6	7
35-49	1054	3.9	2	2	3	4	5	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56741	3.1	1	2	2	3	4	4	5	6
B. *Operated*	13193	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	24754	3.2	1	2	2	3	4	4	5	6
B. *Operated*	15976	3.6	1	2	2	3	4	5	6	7
1. SINGLE DX	69934	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX	40730	3.4	1	2	2	3	4	5	5	7
A. NOT OPERATED	81495	3.1	1	2	2	3	4	4	5	6
B. OPERATED	29169	3.4	1	2	2	3	4	5	5	7
TOTAL 0-19 YRS	13833	3.1	1	2	2	3	4	4	5	6
20-34	92425	3.2	1	2	2	3	4	4	5	6
35-49	4406	3.4	1	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**110664**	**3.2**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	37	3.1	3	1	1	3	4	6	7	9
35-49	2	18.0	242	7	7	18	29	29	29	29
50-64										
65+										
B. *Operated*										
0-19 YRS	14	9.3	53	2	3	6	13	24	25	25
20-34	176	8.2	61	3	4	6	7	15	25	49
35-49	22	11.5	257	3	4	6	8	27	53	74
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	4	1	1	4	4	7	7	7
20-34	53	4.5	44	1	2	3	4	6	8	49
35-49	6	3.7	1	2	2	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	43	5.8	19	2	3	5	6	7	9	31
20-34	689	8.7	81	3	4	6	8	16	25	53
35-49	95	10.5	142	4	4	7	8	24	39	68
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.8	19	1	1	3	4	6	8	29
B. *Operated*	212	8.6	80	3	4	6	7	16	25	53
2. MULTIPLE DX										
A. *Not Operated*	65	4.4	36	1	2	3	4	6	8	44
B. *Operated*	827	8.7	85	3	4	6	8	16	27	54
1. SINGLE DX	254	7.8	73	2	3	6	7	15	25	51
2. MULTIPLE DX	892	8.4	83	3	3	6	8	15	25	53
A. NOT OPERATED	107	4.1	29	1	2	3	4	6	8	38
B. OPERATED	1039	8.7	84	3	4	6	8	16	26	54
TOTAL 0-19 YRS	66	6.2	26	2	3	5	7	9	16	30
20-34	955	8.1	74	2	3	6	8	15	24	51
35-49	125	10.5	157	3	4	7	8	24	39	74
50-64										
65+										
GRAND TOTAL	**1146**	**8.3**	**81**	**3**	**3**	**6**	**8**	**15**	**25**	**51**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.7	1	<1	1	3	3	4	5	5
20-34	250	3.4	11	1	2	3	4	5	5	10
35-49	16	3.1	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	47	4.1	3	1	1	4	5	7	7	8
20-34	258	4.5	8	2	2	4	5	7	7	12
35-49	13	4.3	2	1	2	5	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.1	3	1	1	3	4	5	7	8
20-34	312	3.4	4	1	2	3	4	5	7	13
35-49	15	3.5	2	1	2	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	171	5.2	8	2	2	5	6	8	10	16
20-34	1038	5.2	11	2	3	5	6	8	9	22
35-49	96	5.9	25	2	3	5	7	9	11	34
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	3.3	9	1	1	3	4	5	5	9
B. *Operated*	318	4.5	7	1	2	4	5	7	7	11
2. MULTIPLE DX										
A. *Not Operated*	384	3.4	4	1	2	3	4	5	7	12
B. *Operated*	1305	5.3	12	2	3	5	6	8	9	22
1. SINGLE DX	619	3.9	9	1	2	3	5	6	7	11
2. MULTIPLE DX	1689	4.8	11	2	2	4	6	7	9	19
A. NOT OPERATED	685	3.4	6	1	2	3	4	5	6	10
B. OPERATED	1623	5.1	11	2	3	5	6	7	9	20
TOTAL 0-19 YRS	310	4.4	7	1	2	4	6	7	8	14
20-34	1858	4.6	10	2	2	4	5	7	8	18
35-49	140	5.2	19	1	2	4	6	8	11	27
50-64										
65+										
GRAND TOTAL	**2308**	**4.6**	**10**	**2**	**2**	**4**	**6**	**7**	**8**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.8	2	2	2	4	4	6	7	7
20-34	40	3.0	1	<1	1	3	4	4	5	6
35-49	4	2.5		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	92	2.8	1	1	1	3	4	4	5	6
20-34	786	3.1	1	1	2	3	4	4	5	7
35-49	33	3.3	2	1	1	3	4	5	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	2	2	2	4	5	6	6	6
20-34	39	3.3	1	1	2	3	4	5	6	6
35-49	4	4.3	6	1	1	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	84	3.6	3	1	2	3	4	5	7	10
20-34	796	3.7	4	2	2	3	4	5	6	10
35-49	54	4.1	4	2	2	4	4	6	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.1	1	1	2	3	4	4	5	7
B. *Operated*	911	3.1	1	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	53	3.5	2	1	2	3	4	5	6	6
B. *Operated*	934	3.7	4	2	2	3	4	5	7	10
1. SINGLE DX	966	3.1	1	1	2	3	4	4	5	7
2. MULTIPLE DX	987	3.7	4	2	2	3	4	5	6	10
A. NOT OPERATED	108	3.3	2	1	2	3	4	5	6	7
B. OPERATED	1845	3.4	3	1	2	3	4	5	6	9
TOTAL 0-19 YRS	197	3.3	2	1	2	3	4	5	6	9
20-34	1661	3.4	3	1	2	3	4	5	6	8
35-49	95	3.7	3	1	2	4	4	6	7	11
50-64										
65+										
GRAND TOTAL	**1953**	**3.4**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.0	1	<1	1	3	4	4	5	6
20-34	228	3.4	2	2	2	3	4	5	6	9
35-49	10	3.5	1	1	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	32	3.4	2	1	1	3	4	5	6	6
20-34	156	3.5	5	1	2	3	4	5	6	9
35-49	7	3.0	1	1	1	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.6	1	2	3	3	4	5	6	9
20-34	250	3.5	1	2	2	3	4	5	5	7
35-49	7	4.6	6	1	1	5	7	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	63	3.7	2	2	2	4	4	5	6	8
20-34	356	3.6	2	2	2	3	4	5	6	8
35-49	16	3.9	3	1	2	4	5	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	3.4	2	1	2	3	4	5	6	8
B. *Operated*	195	3.5	4	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	313	3.5	1	2	2	3	4	5	5	8
B. *Operated*	435	3.6	2	2	2	3	4	5	6	8
1. SINGLE DX	472	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX	748	3.6	2	2	2	3	4	5	6	8
A. NOT OPERATED	590	3.4	2	2	2	3	4	5	5	8
B. OPERATED	630	3.6	3	2	2	3	4	5	6	8
TOTAL 0-19 YRS	190	3.5	2	2	2	3	4	5	6	7
20-34	990	3.5	2	2	2	3	4	5	6	8
35-49	40	3.8	3	1	2	4	5	6	7	8
50-64										
65+										
GRAND TOTAL	**1220**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	2	2	2	4	4	6	8	8
20-34	140	4.0	3	2	2	4	5	6	7	9
35-49	4	5.0	1	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	11	4.6	2	3	3	4	6	7	7	7
20-34	108	5.6	38	3	3	5	6	8	8	36
35-49	6	4.7	1	3	3	5	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.2	20	1	2	3	6	12	16	19
20-34	239	4.3	5	2	2	4	5	6	7	13
35-49	15	3.6	2	2	2	3	4	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	83	6.1	20	3	3	5	7	9	14	29
20-34	1165	6.5	32	3	3	5	7	9	12	33
35-49	86	6.4	10	3	3	6	8	11	14	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	4.1	2	2	2	4	5	6	7	9
B. *Operated*	125	5.4	33	3	3	5	6	7	8	27
2. MULTIPLE DX										
A. *Not Operated*	277	4.3	6	2	2	4	5	6	8	17
B. *Operated*	1334	6.4	30	3	3	5	7	9	13	32
1. SINGLE DX	280	4.7	17	2	3	4	5	7	8	11
2. MULTIPLE DX	1611	6.1	26	2	3	5	7	9	12	31
A. NOT OPERATED	432	4.2	5	2	2	4	5	6	7	13
B. OPERATED	1459	6.4	30	3	3	5	7	9	12	32
TOTAL 0-19 YRS	128	5.6	17	2	3	5	6	9	13	26
20-34	1652	5.9	27	2	3	5	6	8	11	30
35-49	111	5.9	9	2	3	5	7	10	12	18
50-64										
65+										
GRAND TOTAL	**1891**	**5.9**	**25**	**2**	**3**	**5**	**6**	**8**	**11**	**30**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.0	1	1	2	3	4	4	4	4
20-34	258	3.1	1	1	2	3	4	4	5	6
35-49	20	2.9	2	<1	1	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	282	4.9	2	2	3	5	6	6	7	9
20-34	1936	5.1	3	3	3	5	6	7	7	9
35-49	70	5.4	2	3	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.9	2	1	1	3	4	5	6	6
20-34	271	3.3	3	1	2	3	4	5	6	8
35-49	17	5.4	60	1	2	4	5	5	25	35
50-64										
65+										
B. *Operated*										
0-19 YRS	478	5.6	8	2	3	5	6	8	10	13
20-34	3741	5.5	7	3	3	5	6	7	9	14
35-49	278	6.0	15	3	3	6	7	8	10	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	3.1	1	1	2	3	4	4	5	6
B. *Operated*	2288	5.1	3	3	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	320	3.4	6	1	2	3	4	5	6	8
B. *Operated*	4497	5.6	8	3	3	5	6	8	9	15
1. SINGLE DX	2592	4.8	3	2	3	5	6	7	7	9
2. MULTIPLE DX	4817	5.4	8	2	3	5	6	7	9	14
A. NOT OPERATED	624	3.2	4	1	2	3	4	5	5	7
B. OPERATED	6785	5.4	6	3	3	5	6	7	8	12
TOTAL 0-19 YRS	818	5.2	6	2	3	5	6	7	9	11
20-34	6206	5.2	6	2	3	5	6	7	8	12
35-49	385	5.7	15	2	3	5	7	8	10	19
50-64										
65+										
GRAND TOTAL	**7409**	**5.2**	**6**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.1	1	2	2	3	3	4	5	5
20-34	481	3.3	1	2	2	3	4	4	5	6
35-49	20	3.3	2	1	2	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	204	4.2	2	2	3	4	5	6	6	8
20-34	1269	4.4	2	2	3	4	5	6	7	8
35-49	70	4.5	3	2	3	5	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.1	1	2	2	3	4	4	5	7
20-34	550	3.4	1	2	2	3	4	5	5	7
35-49	32	3.5	1	1	2	4	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	660	4.8	4	2	3	4	6	7	8	12
20-34	4869	4.9	5	3	3	5	6	7	8	11
35-49	328	5.5	8	3	3	5	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	559	3.3	1	2	2	3	4	4	5	6
B. *Operated*	1543	4.4	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	660	3.4	1	2	2	3	4	5	5	7
B. *Operated*	5857	4.9	5	3	3	5	6	7	8	12
1. SINGLE DX	2102	4.1	2	2	2	4	5	6	7	8
2. MULTIPLE DX	6517	4.8	5	2	3	5	6	7	8	11
A. NOT OPERATED	1219	3.3	1	2	2	3	4	5	5	7
B. OPERATED	7400	4.8	4	2	3	5	6	7	8	11
TOTAL 0-19 YRS	1000	4.4	3	2	3	4	5	7	8	11
20-34	7169	4.6	4	2	3	4	6	7	8	11
35-49	450	5.1	7	2	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**8619**	**4.6**	**4**	**2**	**3**	**4**	**6**	**7**	**8**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.6	7	3	3	4	5	9	11	11
20-34	48	3.5	1	2	3	3	4	5	6	6
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	420	5.9	2	4	4	6	7	8	9	11
20-34	1951	5.8	2	4	4	6	6	7	8	9
35-49	76	6.2	7	3	4	6	7	8	8	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.5	92	3	3	4	4	25	27	27
20-34	53	3.8	2	2	2	3	5	6	7	8
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1432	6.3	6	4	4	6	7	9	10	14
20-34	6508	6.0	3	4	4	6	7	8	9	13
35-49	309	6.2	3	4	5	6	7	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.7	2	2	2	3	4	5	6	11
B. *Operated*	2447	5.8	3	4	4	6	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	63	4.1	10	2	2	3	5	6	7	25
B. *Operated*	8249	6.1	4	4	4	6	7	8	9	13
1. SINGLE DX	2509	5.8	3	4	4	6	6	7	8	10
2. MULTIPLE DX	8312	6.1	4	4	4	6	7	8	9	13
A. NOT OPERATED	125	3.9	6	2	3	3	4	5	7	15
B. OPERATED	10696	6.0	4	4	4	6	7	8	9	13
TOTAL 0-19 YRS	1868	6.2	6	4	4	6	7	8	10	13
20-34	8560	5.9	3	4	4	6	7	8	8	12
35-49	393	6.2	4	4	4	6	7	8	9	14
50-64										
65+										
GRAND TOTAL	**10821**	**6.0**	**4**	**4**	**4**	**6**	**7**	**8**	**9**	**12**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	3.5	1	2	2	3	4	5	5	7
20-34	643	3.5	1	2	2	3	4	5	5	6
35-49	29	3.3	1	2	2	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	188	4.3	2	3	3	4	5	6	7	8
20-34	1069	4.5	3	3	3	4	5	7	7	9
35-49	51	4.6	3	2	2	4	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	3.6	1	2	2	4	4	5	6	7
20-34	762	3.5	2	2	2	3	4	5	5	7
35-49	31	3.8	2	2	2	4	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	620	4.8	4	2	3	4	6	7	8	13
20-34	3727	4.8	4	3	3	5	6	7	8	11
35-49	212	5.2	3	3	3	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	785	3.5	1	2	2	3	4	5	5	6
B. *Operated*	1308	4.5	3	2	3	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	935	3.5	2	2	2	3	4	5	5	7
B. *Operated*	4559	4.8	4	3	3	5	6	7	8	11
1. SINGLE DX	2093	4.1	2	2	3	4	5	6	7	8
2. MULTIPLE DX	5494	4.6	3	2	3	4	6	7	8	11
A. NOT OPERATED	1720	3.5	1	2	2	3	4	5	5	7
B. OPERATED	5867	4.8	3	3	3	5	6	7	8	11
TOTAL 0-19 YRS	1063	4.4	3	2	3	4	5	7	8	11
20-34	6201	4.5	3	2	3	4	5	7	7	10
35-49	323	4.8	3	2	3	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**7587**	**4.5**	**3**	**2**	**3**	**4**	**5**	**7**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.1	1	1	2	3	4	4	4	4
20-34	119	3.3	1	2	2	3	4	4	5	8
35-49	5	2.6	1	<1	<1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	50	4.3	3	2	3	4	5	6	7	10
20-34	385	4.8	3	2	3	5	6	7	8	9
35-49	33	4.4	3	2	2	4	5	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	3	1	1	3	4	5	6	6
20-34	134	3.8	5	2	2	3	4	6	6	12
35-49	10	2.8	2	1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	168	5.8	13	3	3	5	7	8	10	28
20-34	1578	5.9	15	3	3	6	7	8	9	22
35-49	132	7.1	54	3	4	6	7	9	11	44
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	3.3	1	1	2	3	4	4	5	8
B. *Operated*	468	4.7	3	2	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	158	3.6	4	1	2	3	4	6	6	10
B *Operated*	1878	6.0	18	3	3	6	7	8	9	25
1. SINGLE DX	607	4.4	3	2	2	4	6	7	7	9
2. MULTIPLE DX	2036	5.8	17	2	3	5	7	8	9	24
A. NOT OPERATED	297	3.5	3	1	2	3	4	5	6	8
B. OPERATED	2346	5.7	15	2	3	5	7	8	9	21
TOTAL 0-19 YRS	247	5.2	10	2	3	5	6	7	9	22
20-34	2216	5.4	12	2	3	5	6	8	9	17
35-49	180	6.2	42	2	3	5	7	8	10	39
50-64										
65+										
GRAND TOTAL	**2643**	**5.5**	**14**	**2**	**3**	**5**	**6**	**8**	**9**	**18**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	1	2	2	3	3	4	4	4
20-34	70	3.3	2	1	2	3	4	5	7	8
35-49	4	3.3		3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	417	5.6	1	4	4	6	6	7	8	9
20-34	7153	5.9	2	4	4	6	7	7	8	9
35-49	374	6.1	1	4	5	6	7	8	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	4	2	2	3	5	7	7	7
20-34	56	4.1	3	2	2	4	5	7	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	533	5.9	7	4	4	6	6	8	9	12
20-34	12221	6.2	6	4	5	6	7	8	9	14
35-49	882	6.7	7	4	5	6	7	8	9	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.3	2	1	2	3	4	5	7	8
B. *Operated*	7944	5.9	2	4	4	6	7	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	62	4.1	3	2	2	4	5	7	8	8
B. *Operated*	13636	6.2	6	4	5	6	7	8	9	14
1. SINGLE DX	8023	5.8	2	4	4	6	7	7	8	9
2. MULTIPLE DX	13698	6.2	6	4	4	6	7	8	9	14
A. NOT OPERATED	141	3.6	3	1	2	3	4	6	7	8
B. OPERATED	21580	6.1	5	4	4	6	7	8	8	12
TOTAL 0-19 YRS	960	5.8	5	4	4	6	6	7	8	11
20-34	19500	6.1	5	4	4	6	7	8	8	12
35-49	1261	6.5	5	4	5	6	7	8	9	16
50-64										
65+										
GRAND TOTAL	**21721**	**6.1**	**5**	**4**	**4**	**6**	**7**	**8**	**8**	**12**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	3.3	1	2	2	3	4	5	6	7
20-34	1118	3.6	2	2	2	3	4	5	6	7
35-49	59	3.8	2	2	2	4	5	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	207	3.7	2	2	2	3	4	6	6	8
20-34	1275	3.8	2	2	2	4	4	5	6	8
35-49	74	3.9	2	2	2	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.7	3	2	2	4	4	5	6	10
20-34	1343	3.8	4	2	2	4	4	6	7	11
35-49	88	3.9	3	2	2	4	5	6	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	751	4.6	5	2	3	4	6	7	8	13
20-34	4988	4.8	7	2	3	4	6	7	8	13
35-49	377	5.2	9	2	3	5	6	7	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1344	3.6	2	2	2	3	4	5	6	7
B. *Operated*	1556	3.8	2	2	2	4	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1634	3.8	4	2	2	4	4	6	7	11
B. *Operated*	6116	4.8	7	2	3	4	6	7	8	13
1. SINGLE DX	2900	3.7	2	2	2	3	4	5	6	8
2. MULTIPLE DX	7750	4.6	6	2	3	4	5	7	8	13
A. NOT OPERATED	2978	3.7	3	2	2	3	4	5	6	9
B. OPERATED	7672	4.6	6	2	3	4	5	7	8	13
TOTAL 0-19 YRS	1328	4.2	4	2	2	4	5	6	7	12
20-34	8724	4.3	5	2	3	4	5	6	7	12
35-49	598	4.7	7	2	3	4	6	7	9	13
50-64										
65+										
GRAND TOTAL	**10650**	**4.3**	**5**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	787	3.1	1	2	2	3	4	4	5	6
20-34	5780	3.2	1	2	2	3	4	4	5	6
35-49	243	3.2	1	1	2	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	403	3.2	1	2	2	3	4	4	5	6
20-34	3024	3.3	1	2	2	3	4	4	5	6
35-49	129	3.5	2	2	2	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	574	3.2	3	2	2	3	4	4	5	7
20-34	4048	3.2	1	2	2	3	4	4	5	6
35-49	197	3.2	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	805	3.5	2	2	2	3	4	5	6	9
20-34	6132	3.6	2	2	2	3	4	5	6	8
35-49	430	3.9	2	2	2	4	5	6	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6810	3.2	1	2	2	3	4	4	5	6
B. *Operated*	3556	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	4819	3.2	1	2	2	3	4	4	5	7
B. *Operated*	7367	3.6	2	2	2	3	4	5	6	8
1. SINGLE DX	10366	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX	12186	3.5	2	2	2	3	4	5	6	8
A. NOT OPERATED	11629	3.2	1	2	2	3	4	4	5	6
B. OPERATED	10923	3.5	2	2	2	3	4	5	6	8
TOTAL 0-19 YRS	2569	3.3	2	2	2	3	4	4	5	7
20-34	18984	3.4	2	2	2	3	4	5	5	7
35-49	999	3.5	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**22552**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.9	1	1	2	3	3	4	4	6
20-34	815	3.0	1	1	2	3	4	4	5	6
35-49	31	3.1	1	1	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1077	2.9	1	1	2	3	3	4	4	6
20-34	8139	3.0	1	1	2	3	4	4	5	6
35-49	533	3.1	1	1	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	3.0	1	1	2	3	4	4	4	6
20-34	800	3.2	2	1	2	3	4	4	5	7
35-49	46	3.1	1	2	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1047	3.3	3	2	2	3	4	4	5	8
20-34	9111	3.3	2	2	2	3	4	5	5	7
35-49	696	3.6	5	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	948	3.0	1	1	2	3	4	4	5	6
B. *Operated*	9749	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	968	3.2	2	1	2	3	4	4	5	7
B. *Operated*	10854	3.3	2	2	2	3	4	5	5	7
1. SINGLE DX	10697	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	11822	3.3	2	2	2	3	4	5	5	7
A. NOT OPERATED	1916	3.1	2	1	2	3	4	4	5	7
B. OPERATED	20603	3.2	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	2348	3.1	2	2	2	3	4	4	5	7
20-34	18865	3.2	1	2	2	3	4	4	5	7
35-49	1306	3.4	3	1	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**22519**	**3.2**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.2	1	1	2	3	4	4	5	7
20-34	417	3.3	3	2	2	3	4	4	5	6
35-49	9	3.2	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1177	3.3	1	2	2	3	4	4	5	6
20-34	4958	3.4	1	2	2	3	4	5	5	6
35-49	125	3.6	2	2	2	4	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.3	2	2	2	3	4	5	6	7
20-34	342	3.4	1	2	2	3	4	5	5	7
35-49	6	3.5	1	3	3	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1524	3.5	2	2	2	3	4	5	5	8
20-34	6362	3.6	2	2	2	3	4	5	6	8
35-49	226	4.1	6	2	3	4	5	6	6	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	523	3.3	2	2	2	3	4	4	5	6
B. *Operated*	6260	3.4	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	426	3.4	1	2	2	3	4	5	5	7
B. *Operated*	8112	3.6	2	2	2	3	4	5	6	8
1. SINGLE DX	6783	3.4	1	2	2	3	4	4	5	6
2. MULTIPLE DX	8538	3.6	2	2	2	3	4	5	6	8
A. NOT OPERATED	949	3.3	2	2	2	3	4	4	5	7
B. OPERATED	14372	3.5	2	2	2	3	4	5	5	7
TOTAL 0-19 YRS	2876	3.4	1	2	2	3	4	5	5	7
20-34	12079	3.5	2	2	2	3	4	5	5	7
35-49	366	3.9	4	2	2	4	4	5	6	9
50-64										
65+										
GRAND TOTAL	**15321**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.9	1	1	2	3	3	4	4	5
20-34	370	3.1	1	2	2	3	4	4	5	6
35-49	12	3.4	1	1	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	586	3.1	1	2	2	3	3	4	4	5
20-34	2586	3.3	1	2	2	3	4	4	5	6
35-49	96	3.4	1	2	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.2	2	2	2	3	4	4	5	10
20-34	315	3.4	10	2	2	3	4	5	5	7
35-49	13	3.3	2	1	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	792	3.5	2	2	2	3	4	5	6	9
20-34	3289	3.6	3	2	2	3	4	5	6	8
35-49	134	4.1	4	2	3	4	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	3.1	1	2	2	3	4	4	5	6
B. *Operated*	3268	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	403	3.4	8	2	2	3	4	5	5	7
B. *Operated*	4215	3.6	3	2	2	3	4	5	6	9
1. SINGLE DX	3729	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX	4618	3.6	3	2	2	3	4	5	6	9
A. NOT OPERATED	864	3.2	4	2	2	3	4	4	5	7
B. OPERATED	7483	3.4	2	2	2	3	4	5	5	8
TOTAL 0-19 YRS	1532	3.3	1	2	2	3	4	4	5	8
20-34	6560	3.4	3	2	2	3	4	5	5	7
35-49	255	3.8	3	2	2	4	4	5	6	9
50-64										
65+										
GRAND TOTAL	**8347**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1098	3.2	2	1	2	3	4	5	6	9
20-34	5368	3.3	2	1	2	3	4	5	6	8
35-49	251	3.5	4	1	2	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3053	3.6	3	2	2	3	4	5	6	9
20-34	15667	3.7	3	2	2	3	4	5	6	9
35-49	692	4.1	5	2	2	4	4	6	8	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1288	3.4	3	1	2	3	4	5	6	9
20-34	5707	3.5	4	1	2	3	4	5	6	11
35-49	328	3.5	4	1	2	3	4	5	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	5441	4.5	10	2	2	4	5	7	9	16
20-34	28518	4.6	9	2	3	4	5	7	9	16
35-49	1940	5.1	14	2	3	4	6	8	10	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6717	3.3	2	1	2	3	4	5	6	8
B. *Operated*	19412	3.7	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	7323	3.5	4	1	2	3	4	5	6	10
B. *Operated*	35899	4.6	9	2	3	4	5	7	9	16
1. SINGLE DX	26129	3.6	3	2	2	3	4	5	6	9
2. MULTIPLE DX	43222	4.4	9	2	2	4	5	7	8	16
A. NOT OPERATED	14040	3.4	3	1	2	3	4	5	6	9
B. OPERATED	55311	4.3	7	2	2	4	5	7	8	14
TOTAL 0-19 YRS	10880	4.0	7	2	2	3	4	6	8	13
20-34	55260	4.1	6	2	2	4	5	6	8	13
35-49	3211	4.6	11	2	2	4	5	7	9	19
50-64										
65+										
GRAND TOTAL	**69351**	**4.1**	**7**	**2**	**2**	**4**	**5**	**6**	**8**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	4.2	5	1	2	4	5	7	9	12
20-34	251	4.1	5	1	2	4	5	6	8	12
35-49	13	4.1	2	2	2	4	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2	12.5	41	8	8	12	17	17	17	17
20-34	25	5.3	14	1	1	4	7	9	12	17
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.3	3	2	2	4	5	7	8	9
20-34	87	4.6	9	2	2	4	5	9	11	17
35-49	6	4.5	5	2	2	4	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	9	7.3	47	3	3	5	7	18	25	25
20-34	36	7.3	29	1	2	6	9	16	20	24
35-49	3	6.3	14	2	2	8	9	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	4.1	5	1	2	4	5	7	8	12
B. *Operated*	28	5.9	17	1	1	5	8	10	17	17
2. MULTIPLE DX										
A. *Not Operated*	116	4.5	8	2	2	4	5	8	10	16
B. *Operated*	48	7.3	30	2	2	6	8	15	22	25
1. SINGLE DX	370	4.2	6	1	2	4	5	7	8	15
2. MULTIPLE DX	164	5.3	16	2	2	4	6	9	12	24
A. NOT OPERATED	458	4.2	6	2	2	4	5	7	8	13
B. OPERATED	76	6.8	25	1	2	6	8	12	17	25
TOTAL 0-19 YRS	112	4.6	10	2	2	4	5	8	9	20
20-34	399	4.5	9	1	2	4	5	8	10	18
35-49	23	4.7	5	2	2	5	6	8	9	9
50-64										
65+										
GRAND TOTAL	**534**	**4.6**	**9**	**2**	**2**	**4**	**5**	**8**	**10**	**17**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.7	1	<1	<1	1	2	3	3	4
20-34	181	2.0	2	<1	<1	2	2	3	4	8
35-49	8	1.6	1	1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	84	1.8	2	<1	1	1	2	4	4	8
20-34	573	1.8	1	<1	<1	1	2	3	4	7
35-49	20	2.0	1	1	1	2	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.0	1	1	1	2	3	3	4	4
20-34	65	2.6	3	<1	1	2	3	5	6	8
35-49	6	2.5	2	1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	47	2.6	3	<1	1	2	4	5	6	9
20-34	290	2.9	5	1	1	2	4	6	8	11
35-49	25	3.2	5	<1	1	2	4	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	1.9	2	<1	<1	2	2	3	4	7
B. *Operated*	677	1.8	1	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	86	2.5	2	1	1	2	3	5	5	8
B. *Operated*	362	2.8	5	1	1	2	4	6	7	10
1. SINGLE DX	905	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	448	2.8	4	1	1	2	3	6	7	10
A. NOT OPERATED	314	2.1	2	<1	1	2	3	4	5	7
B. OPERATED	1039	2.2	3	<1	1	2	3	4	6	9
TOTAL 0-19 YRS	185	2.0	2	<1	1	2	2	4	5	8
20-34	1109	2.1	3	<1	1	2	3	4	6	9
35-49	59	2.5	3	1	1	2	3	5	7	8
50-64										
65+										
GRAND TOTAL	**1353**	**2.1**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.9	4	<1	<1	3	4	7	7	7
20-34	182	3.9	10	<1	1	3	5	7	10	16
35-49	6	5.8	31	2	2	4	5	16	17	17
50-64										
65+										
B. *Operated*										
0-19 YRS	35	3.3	7	1	1	3	3	7	11	12
20-34	205	4.0	14	<1	1	3	4	8	12	22
35-49	13	3.0	3	1	1	3	4	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.2	11	1	2	3	5	10	12	13
20-34	99	4.8	19	1	1	4	6	9	12	26
35-49	13	6.0	16	2	3	4	8	13	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	34	4.2	9	1	2	3	4	10	11	11
20-34	203	5.3	34	1	1	3	6	11	16	35
35-49	17	4.6	17	1	1	3	6	11	14	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	3.9	9	<1	1	3	5	7	9	16
B. *Operated*	253	3.8	13	<1	1	3	4	7	12	22
2. MULTIPLE DX										
A. *Not Operated*	129	4.8	17	1	1	4	6	10	12	21
B. *Operated*	254	5.1	30	1	1	3	6	11	15	34
1. SINGLE DX	473	3.8	11	<1	1	3	4	7	10	19
2. MULTIPLE DX	383	5.0	25	1	1	3	6	10	14	31
A. NOT OPERATED	349	4.2	13	<1	1	3	5	8	11	17
B. OPERATED	507	4.4	22	1	1	3	5	10	13	23
TOTAL 0-19 YRS	118	3.6	7	<1	1	3	4	7	10	12
20-34	689	4.5	20	1	1	3	5	9	13	23
35-49	49	4.7	15	1	2	3	6	11	14	17
50-64										
65+										
GRAND TOTAL	**856**	**4.3**	**18**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	950	4.3	6	2	2	4	5	7	9	12
20-34	973	4.6	9	1	2	4	6	8	10	15
35-49	613	5.3	13	2	2	4	7	9	11	20
50-64	500	5.9	14	2	2	5	7	10	14	21
65+	487	7.7	33	2	3	6	10	14	18	30
B. *Operated*										
0-19 YRS	476	5.0	28	1	1	4	7	9	11	19
20-34	472	5.9	30	1	1	4	7	12	16	27
35-49	277	6.7	32	1	2	5	8	12	18	31
50-64	260	8.3	66	1	2	6	10	17	24	44
65+	175	8.8	53	2	3	7	12	16	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	911	4.9	12	2	2	4	6	9	11	19
20-34	1311	6.2	26	2	2	5	7	11	15	27
35-49	1207	7.2	23	2	3	6	9	13	16	25
50-64	1759	8.6	38	2	3	7	10	16	20	31
65+	2723	10.5	53	3	4	9	13	19	25	36
B. *Operated*										
0-19 YRS	370	7.0	32	2	2	6	8	14	18	30
20-34	725	10.1	97	2	3	7	12	21	30	52
35-49	696	11.5	100	3	3	9	15	24	31	62
50-64	882	15.0	181	3	4	11	18	30	43	69
65+	1104	18.2	203	4	5	14	23	37	48	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3523	5.3	14	1	2	4	7	9	12	20
B. *Operated*	1660	6.4	39	1	2	5	8	12	17	31
2. MULTIPLE DX										
A. *Not Operated*	7911	8.2	40	2	3	7	10	16	20	31
B. *Operated*	3777	13.6	156	2	3	10	17	29	39	66
1. SINGLE DX	5183	5.6	22	1	2	4	7	10	14	25
2. MULTIPLE DX	11688	9.9	83	2	3	7	12	20	27	49
A. NOT OPERATED	11434	7.3	34	2	2	6	9	14	18	29
B. OPERATED	5437	11.4	131	2	2	8	14	25	35	59
TOTAL 0-19 YRS	2707	5.0	16	1	2	4	6	9	11	19
20-34	3481	6.5	40	1	2	5	8	12	17	35
35-49	2793	7.8	46	2	2	6	10	15	20	35
50-64	3401	9.8	84	2	3	7	11	19	26	50
65+	4489	12.0	101	3	4	9	15	23	31	53
GRAND TOTAL	**16871**	**8.6**	**69**	**2**	**2**	**6**	**10**	**17**	**24**	**43**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	363	4.1	8	<1	1	4	5	8	10	14
20-34	209	4.5	11	<1	1	4	6	9	11	15
35-49	100	5.2	14	<1	1	4	7	11	12	18
50-64	85	5.9	26	<1	1	5	7	14	17	25
65+	74	8.2	60	<1	1	7	9	18	22	45
B. *Operated*										
0-19 YRS	255	4.0	19	<1	1	3	5	8	11	17
20-34	225	5.3	57	<1	<1	3	6	10	13	41
35-49	149	5.5	41	<1	<1	3	7	12	17	28
50-64	131	6.3	41	<1	1	5	8	13	20	30
65+	86	7.0	45	<1	1	4	9	16	19	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	391	4.9	12	2	2	4	6	8	11	17
20-34	249	5.0	13	<1	2	4	7	9	12	17
35-49	201	6.4	26	2	2	5	7	12	15	26
50-64	284	9.6	59	2	3	7	12	19	25	42
65+	476	9.8	53	3	3	8	12	18	24	35
B. *Operated*										
0-19 YRS	149	6.1	26	1	1	5	8	13	17	25
20-34	212	7.7	69	1	2	5	9	15	25	44
35-49	190	10.0	82	2	3	7	13	22	31	46
50-64	299	12.5	142	2	3	9	16	26	37	66
65+	364	15.0	182	3	3	11	20	31	45	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	831	4.9	17	<1	1	4	6	9	12	20
B. *Operated*	846	5.3	40	<1	1	3	7	11	15	34
2. MULTIPLE DX										
A. *Not Operated*	1601	7.4	39	2	2	6	9	14	19	32
B. *Operated*	1214	11.2	128	2	2	8	14	25	33	57
1. SINGLE DX	1677	5.1	29	<1	1	4	6	10	13	27
2. MULTIPLE DX	2815	9.0	81	2	2	6	11	19	27	49
A. NOT OPERATED	2432	6.5	33	1	2	5	8	13	17	29
B. OPERATED	2060	8.8	100	1	1	5	11	20	29	49
TOTAL 0-19 YRS	1158	4.6	14	1	1	4	6	8	11	18
20-34	895	5.6	38	<1	1	4	7	11	14	32
35-49	640	7.1	48	1	2	5	8	14	21	35
50-64	799	9.7	89	1	2	7	12	20	28	49
65+	1000	11.3	108	2	3	8	14	24	31	52
GRAND TOTAL	**4492**	**7.6**	**65**	**1**	**2**	**5**	**9**	**16**	**23**	**44**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.3	3	1	1	3	4	6	7	8
20-34	34	2.9	4	<1	<1	2	4	6	7	8
35-49	5	3.6	2	1	1	4	4	5	5	5
50-64	2	3.0		3	3	3	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	1077	3.8	4	1	2	4	5	6	8	11
20-34	1977	3.8	5	1	2	3	5	6	7	11
35-49	313	3.9	4	1	2	4	5	6	8	11
50-64	63	4.4	10	1	2	4	5	7	9	22
65+	14	4.5	15	2	2	4	5	7	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.3	6	<1	<1	3	5	7	8	9
20-34	22	3.1	4	<1	1	3	5	5	6	8
35-49	6	6.2	8	2	2	6	8	10	10	10
50-64	3	6.0	13	2	2	7	8	9	9	9
65+	4	7.3	75	1	1	4	12	20	20	20
B. *Operated*										
0-19 YRS	141	5.6	13	2	3	4	7	10	13	20
20-34	375	5.1	17	2	2	4	6	9	12	21
35-49	150	5.5	24	2	2	4	6	10	13	28
50-64	53	6.5	25	2	3	5	8	11	17	29
65+	17	10.1	183	2	2	5	12	16	44	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	3.1	4	<1	<1	3	4	6	7	8
B. *Operated*	3444	3.8	5	1	2	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	52	4.0	11	<1	1	3	5	8	9	20
B. *Operated*	736	5.5	22	2	2	4	6	10	13	22
1. SINGLE DX	3505	3.8	5	1	2	3	5	6	8	11
2. MULTIPLE DX	788	5.4	22	2	2	4	6	10	13	22
A. NOT OPERATED	113	3.5	7	<1	<1	3	5	7	8	14
B. OPERATED	4180	4.1	8	1	2	4	5	7	8	14
TOTAL 0-19 YRS	1254	4.0	5	1	2	4	5	6	8	13
20-34	2408	4.0	7	1	2	3	5	6	8	13
35-49	474	4.4	11	1	2	4	5	7	9	16
50-64	121	5.3	18	2	2	4	6	9	12	25
65+	36	7.5	102	2	2	5	7	16	19	59
GRAND TOTAL	**4293**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	13	2.8	3	<1	<1	3	4	5	5	5
35-49	7	3.0	4	<1	<1	3	3	6	7	7
50-64	4	4.3	16	<1	<1	3	7	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	233	1.7	1	<1	<1	1	2	3	4	6
20-34	269	2.2	4	<1	<1	2	3	4	5	12
35-49	176	2.1	2	<1	<1	2	2	3	5	9
50-64	154	2.8	13	<1	<1	2	3	5	6	25
65+	85	2.5	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.4		<1	<1	1	2	3	3	3
20-34	7	3.3	7	<1	<1	3	5	7	8	8
35-49	6	3.5	5	1	1	3	5	7	7	7
50-64	2	7.0	18	4	4	7	10	10	10	10
65+	8	4.4	9	<1	<1	4	7	8	8	8
B. *Operated*										
0-19 YRS	44	3.0	6	<1	1	2	3	6	9	13
20-34	129	3.5	12	<1	<1	2	4	7	9	22
35-49	151	3.9	15	1	1	3	4	8	11	23
50-64	160	4.8	23	1	1	3	6	10	13	26
65+	117	5.9	31	<1	1	4	8	13	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.2	5	<1	<1	3	4	6	7	10
B. *Operated*	917	2.2	4	<1	<1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	33	3.2	7	<1	<1	2	5	7	8	10
B. *Operated*	601	4.4	20	<1	1	3	5	9	13	24
1. SINGLE DX	944	2.2	5	<1	<1	2	3	4	5	10
2. MULTIPLE DX	634	4.3	19	<1	1	3	5	9	13	24
A. NOT OPERATED	60	3.2	6	<1	<1	3	5	7	8	10
B. OPERATED	1518	3.1	12	<1	<1	2	3	6	9	20
TOTAL 0-19 YRS	289	1.9	2	<1	<1	2	2	3	5	8
20-34	418	2.7	7	<1	<1	2	3	5	7	13
35-49	340	2.9	9	<1	<1	2	3	6	8	17
50-64	320	3.8	19	<1	<1	3	4	8	11	26
65+	211	4.4	21	<1	<1	3	6	9	13	24
GRAND TOTAL	**1578**	**3.1**	**11**	**<1**	**<1**	**2**	**3**	**6**	**9**	**20**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	823	3.9	15	<1	1	3	5	8	10	22
20-34	548	5.0	39	<1	<1	3	6	12	18	33
35-49	303	7.0	66	<1	<1	4	8	18	26	37
50-64	307	7.2	54	<1	<1	5	9	17	20	36
65+	397	10.6	104	1	2	8	13	24	33	46
B. *Operated*										
0-19 YRS	905	2.9	17	<1	1	2	3	5	8	18
20-34	1084	4.6	33	<1	1	3	5	10	13	31
35-49	801	5.0	45	<1	1	3	5	10	17	38
50-64	774	5.8	71	<1	1	3	5	15	22	43
65+	582	9.7	137	<1	1	4	13	26	33	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	770	4.7	19	1	1	3	6	9	12	22
20-34	757	7.5	79	<1	1	5	9	17	24	42
35-49	738	8.9	86	1	2	6	10	21	29	46
50-64	1152	10.6	89	2	3	8	13	21	31	51
65+	2537	12.6	106	3	4	10	16	25	33	52
B. *Operated*										
0-19 YRS	474	5.9	69	1	1	3	6	15	21	46
20-34	1053	11.8	218	1	2	5	16	34	47	99
35-49	1117	11.6	225	1	2	6	14	31	48	92
50-64	1591	13.4	241	2	2	7	19	35	49	88
65+	2250	19.3	292	2	3	15	27	44	58	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2378	6.1	52	<1	<1	4	7	14	22	36
B. *Operated*	4146	5.2	58	<1	1	3	5	12	20	40
2. MULTIPLE DX										
A. *Not Operated*	5954	10.1	93	1	2	7	13	22	29	49
B. *Operated*	6485	14.3	256	1	2	8	20	37	51	91
1. SINGLE DX	6524	5.5	56	<1	1	3	6	13	20	38
2. MULTIPLE DX	12439	12.3	182	1	2	8	16	30	42	76
A. NOT OPERATED	8332	8.9	85	<1	1	6	11	20	27	45
B. OPERATED	10631	10.8	198	1	1	5	14	29	42	81
TOTAL 0-19 YRS	2972	4.1	26	<1	1	3	5	8	12	27
20-34	3442	7.5	110	<1	1	4	8	18	31	58
35-49	2959	8.7	132	1	1	5	10	22	32	67
50-64	3824	10.5	155	1	2	6	13	25	37	68
65+	5766	14.8	195	2	3	11	20	33	44	80
GRAND TOTAL	**18963**	**10.0**	**149**	**1**	**1**	**5**	**12**	**25**	**36**	**68**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	6.9	38	1	2	5	9	16	19	32
20-34	111	6.8	65	<1	<1	5	8	13	16	44
35-49	93	7.4	40	<1	1	6	11	15	18	34
50-64	69	8.4	38	2	2	7	11	16	20	33
65+	24	10.6	72	2	2	8	15	29	47	99+
B. *Operated*										
0-19 YRS	19	10.7	479	1	2	4	9	17	62	99
20-34	37	9.4	76	1	2	7	12	18	29	41
35-49	26	11.0	107	2	2	8	14	21	36	48
50-64	49	8.6	72	1	1	6	12	18	27	44
65+	13	9.6	26	2	3	9	12	17	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	8.2	61	2	3	6	10	15	19	52
20-34	263	7.7	38	1	2	6	11	16	19	29
35-49	257	9.2	87	1	3	7	11	17	22	54
50-64	333	11.1	95	3	4	8	14	20	29	48
65+	272	11.9	96	2	3	10	15	23	33	51
B. *Operated*										
0-19 YRS	29	11.2	239	1	1	5	13	31	53	65
20-34	148	15.5	244	2	3	11	21	34	47	95
35-49	143	15.2	215	3	4	10	18	31	48	96
50-64	190	16.5	225	3	4	12	21	35	45	86
65+	159	19.0	239	4	5	15	24	36	49	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	7.5	50	<1	1	6	10	15	19	35
B. *Operated*	144	9.6	125	1	2	7	12	18	27	51
2. MULTIPLE DX										
A. *Not Operated*	1194	9.9	81	2	3	8	13	19	26	48
B. *Operated*	669	16.4	233	2	4	12	20	35	48	91
1. SINGLE DX	497	8.1	72	1	1	6	11	16	21	43
2. MULTIPLE DX	1863	12.3	145	2	3	9	15	25	35	70
A. NOT OPERATED	1547	9.4	75	1	2	7	12	18	24	48
B. OPERATED	813	15.2	220	2	3	11	18	33	46	90
TOTAL 0-19 YRS	173	8.6	128	1	2	6	10	17	21	64
20-34	559	9.7	112	1	2	7	12	20	27	70
35-49	519	10.6	123	1	2	8	13	20	29	66
50-64	641	12.2	134	2	3	9	15	24	35	59
65+	468	14.2	153	3	3	11	18	30	38	78
GRAND TOTAL	**2360**	**11.4**	**133**	**2**	**2**	**8**	**14**	**23**	**33**	**65**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	6.8	29	2	2	5	8	13	17	30
20-34	135	8.2	31	3	3	6	10	17	21	25
35-49	230	9.0	49	1	2	7	12	19	22	31
50-64	360	9.5	46	2	3	8	13	19	22	34
65+	301	9.5	42	2	3	8	12	18	22	34
B. *Operated*										
0-19 YRS	37	7.1	63	1	1	4	8	21	25	35
20-34	120	6.6	33	2	2	5	8	13	17	31
35-49	261	7.1	48	2	2	5	9	15	19	24
50-64	519	9.8	54	2	3	8	14	19	25	35
65+	357	12.8	92	2	3	11	17	24	28	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	7.2	63	2	2	5	8	13	18	50
20-34	126	8.1	90	2	3	7	9	12	17	60
35-49	350	9.5	49	2	3	8	12	19	22	31
50-64	1012	10.2	49	3	3	9	13	20	24	35
65+	1323	11.3	64	3	4	9	14	21	26	43
B. *Operated*										
0-19 YRS	42	9.3	69	1	2	6	12	22	28	37
20-34	111	10.9	96	2	3	8	14	24	30	52
35-49	298	11.0	100	2	3	8	15	21	27	77
50-64	776	13.6	136	3	3	11	17	26	34	77
65+	854	17.2	185	3	5	14	21	35	44	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1191	8.9	42	2	3	7	11	18	22	31
B. *Operated*	1294	9.7	67	2	3	7	14	19	25	38
2. MULTIPLE DX										
A. *Not Operated*	2901	10.4	59	3	3	9	13	20	24	41
B. *Operated*	2081	14.5	154	3	4	12	18	29	39	77
1. SINGLE DX	2485	9.3	55	2	3	7	13	19	23	35
2. MULTIPLE DX	4982	12.1	102	3	3	10	16	23	30	56
A. NOT OPERATED	4092	10.0	55	2	3	8	13	19	23	37
B. OPERATED	3375	12.7	126	2	3	10	17	25	34	65
TOTAL 0-19 YRS	334	7.2	47	1	2	5	9	14	22	35
20-34	492	8.4	63	2	3	6	10	16	22	39
35-49	1139	9.3	64	2	3	7	12	19	22	42
50-64	2667	11.0	78	2	3	9	15	21	26	47
65+	2835	13.1	110	3	4	10	17	25	33	58
GRAND TOTAL	**7467**	**11.2**	**88**	**2**	**3**	**9**	**15**	**22**	**28**	**49**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.1	40	1	1	3	5	16	20	20
20-34	30	6.0	33	<1	<1	4	9	11	19	27
35-49	84	6.2	35	<1	1	4	9	14	17	31
50-64	238	5.4	16	<1	<1	4	7	11	14	20
65+	466	6.5	26	<1	1	5	9	13	17	25
B. *Operated*										
0-19 YRS	29	4.2	6	1	1	4	5	7	10	12
20-34	344	4.9	22	1	1	3	6	11	14	25
35-49	803	5.9	25	1	2	4	9	13	16	23
50-64	2638	9.6	45	2	2	9	14	17	20	29
65+	3527	14.7	51	3	5	15	18	22	26	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	5.0	14	<1	1	4	8	11	11	11
20-34	59	6.7	20	1	2	5	10	13	17	19
35-49	250	7.6	29	1	2	6	10	15	18	29
50-64	1007	7.5	27	2	3	6	9	13	17	25
65+	3365	8.9	41	2	3	7	11	16	21	33
B. *Operated*										
0-19 YRS	25	7.1	73	1	1	3	9	19	29	34
20-34	276	5.7	42	1	2	4	7	13	17	26
35-49	693	7.5	49	1	2	5	10	16	21	33
50-64	2847	10.9	73	2	2	10	16	21	25	40
65+	5037	17.0	96	3	5	16	21	28	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	826	6.1	24	<1	1	5	8	12	16	24
B. *Operated*	7341	11.4	56	2	2	12	16	20	24	34
2. MULTIPLE DX										
A. *Not Operated*	4695	8.5	37	2	3	7	11	16	20	31
B. *Operated*	8878	13.9	97	2	3	13	18	25	31	48
1. SINGLE DX	8167	10.9	56	2	2	11	16	19	23	33
2. MULTIPLE DX	13573	12.0	83	2	3	10	16	23	29	44
A. NOT OPERATED	5521	8.1	36	2	2	7	10	15	19	30
B. OPERATED	16219	12.8	80	2	2	12	17	23	28	43
TOTAL 0-19 YRS	76	5.4	33	1	1	4	6	11	17	32
20-34	709	5.4	30	1	1	4	7	12	15	26
35-49	1830	6.7	35	1	2	5	9	15	18	29
50-64	6730	9.7	55	2	2	8	14	18	22	34
65+	12395	13.8	79	2	4	13	18	24	29	44
GRAND TOTAL	**21740**	**11.6**	**73**	**2**	**2**	**11**	**16**	**22**	**26**	**40**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	6.9	28	2	2	5	10	15	19	23
20-34	134	6.0	17	<1	1	5	8	11	16	19
35-49	111	5.8	21	<1	1	5	7	11	14	24
50-64	116	6.6	35	<1	<1	5	9	13	17	33
65+	156	6.7	31	<1	2	6	8	14	15	20
B. *Operated*										
0-19 YRS	105	12.1	92	1	2	11	16	23	29	50
20-34	256	5.7	25	1	2	4	7	12	16	21
35-49	268	6.0	34	1	2	4	8	13	18	28
50-64	296	9.1	60	2	2	6	12	18	22	40
65+	187	14.0	92	2	4	13	18	24	29	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	8.2	44	1	2	6	11	16	23	34
20-34	169	7.7	35	1	2	6	10	15	18	32
35-49	201	8.3	53	2	2	6	11	16	23	39
50-64	389	8.2	49	2	3	6	10	17	21	32
65+	760	9.0	61	2	3	7	11	17	23	43
B. *Operated*										
0-19 YRS	78	15.8	103	2	2	15	22	30	34	44
20-34	179	9.3	115	1	2	5	11	21	35	51
35-49	247	10.2	135	2	2	6	11	24	33	61
50-64	343	12.7	136	2	3	9	17	28	39	66
65+	386	19.3	262	3	4	15	23	42	60	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	700	6.5	27	<1	2	5	8	13	16	23
B. *Operated*	1112	8.7	64	2	2	6	12	18	23	41
2. MULTIPLE DX										
A. *Not Operated*	1655	8.6	54	2	3	7	10	16	22	37
B. *Operated*	1233	14.0	185	2	3	10	18	32	43	75
1. SINGLE DX	1812	7.8	50	1	2	5	10	17	21	38
2. MULTIPLE DX	2888	10.9	117	2	3	7	13	22	33	61
A. NOT OPERATED	2355	7.9	46	1	2	6	10	15	20	34
B. OPERATED	2345	11.5	135	2	2	8	15	24	36	65
TOTAL 0-19 YRS	502	9.7	68	2	2	7	14	21	26	38
20-34	738	7.1	50	1	2	5	9	14	18	42
35-49	827	7.8	70	1	2	5	9	16	24	42
50-64	1144	9.6	81	2	2	7	12	20	28	46
65+	1489	12.1	136	2	3	9	15	24	35	68
GRAND TOTAL	**4700**	**9.7**	**94**	**2**	**2**	**7**	**12**	**20**	**28**	**50**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.8	5	<1	1	2	4	6	7	11
20-34	81	2.4	4	<1	<1	1	3	5	7	10
35-49	36	3.9	17	<1	<1	2	5	10	15	16
50-64	10	2.2	2	<1	<1	2	4	5	5	5
65+	11	6.2	19	1	1	6	9	12	15	15
B. *Operated*										
0-19 YRS	1561	2.8	3	<1	1	2	4	5	6	9
20-34	3091	3.1	5	1	1	3	4	6	7	11
35-49	1519	3.3	7	1	1	3	4	6	7	13
50-64	792	3.4	5	1	1	3	4	6	7	11
65+	175	4.5	14	1	2	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	3.5	20	<1	<1	2	4	8	10	26
20-34	72	3.0	8	<1	<1	2	4	7	9	14
35-49	52	3.0	8	<1	<1	2	4	7	9	14
50-64	63	4.0	11	1	1	3	6	9	11	13
65+	40	6.9	24	1	1	6	10	14	16	19
B. *Operated*										
0-19 YRS	932	3.4	6	1	1	3	4	6	7	11
20-34	2205	3.7	9	1	1	3	5	6	8	15
35-49	1448	3.9	11	1	1	3	5	7	9	18
50-64	1341	4.2	14	1	1	3	5	8	11	21
65+	463	5.3	25	1	2	4	6	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	3.0	9	<1	<1	2	4	7	9	15
B. *Operated*	7138	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	265	3.9	14	<1	<1	3	5	9	11	18
B. *Operated*	6389	3.9	11	1	1	3	5	7	9	18
1. SINGLE DX	7307	3.1	5	1	1	3	4	6	7	11
2. MULTIPLE DX	6654	3.9	11	1	1	3	5	7	9	18
A. NOT OPERATED	434	3.6	12	<1	<1	2	5	8	11	15
B. OPERATED	13527	3.5	8	1	1	3	4	6	8	15
TOTAL 0-19 YRS	2562	3.0	5	1	1	2	4	5	7	10
20-34	5449	3.3	7	1	1	3	4	6	7	12
35-49	3055	3.6	9	1	1	3	5	6	8	15
50-64	2206	3.9	11	1	1	3	5	7	9	19
65+	689	5.2	22	1	2	4	6	10	14	24
GRAND TOTAL	**13961**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	288	3.8	9	1	1	3	5	8	10	16
20-34	247	3.6	13	<1	<1	3	4	8	11	19
35-49	160	4.5	19	<1	1	3	6	8	11	25
50-64	119	3.9	11	<1	<1	3	5	7	11	18
65+	144	6.0	27	<1	1	5	8	12	15	28
B. *Operated*										
0-19 YRS	1836	3.4	4	1	1	3	4	6	7	10
20-34	2619	3.7	6	1	1	3	4	6	8	12
35-49	838	3.9	9	1	1	3	5	7	10	16
50-64	459	4.8	17	1	2	4	6	9	13	25
65+	223	8.3	57	2	2	5	11	19	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	4.1	18	1	1	3	5	8	11	26
20-34	263	5.2	38	<1	1	3	7	10	17	35
35-49	267	5.6	28	<1	1	4	7	11	13	26
50-64	330	6.3	26	1	1	5	8	12	15	26
65+	621	8.2	46	2	2	7	10	16	20	33
B. *Operated*										
0-19 YRS	698	4.2	15	1	1	3	5	8	10	24
20-34	1271	4.8	29	1	1	3	5	9	13	25
35-49	642	5.2	32	1	1	4	6	11	14	26
50-64	571	7.6	71	2	2	5	9	17	23	47
65+	417	12.7	142	2	3	9	17	28	35	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	958	4.2	15	<1	<1	3	5	9	12	19
B. *Operated*	5975	3.9	9	1	1	3	5	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	1725	6.4	36	1	1	5	8	13	17	31
B. *Operated*	3599	6.1	53	1	2	4	7	13	19	39
1. SINGLE DX	6933	3.9	10	1	1	3	5	7	9	17
2. MULTIPLE DX	5324	6.2	48	1	1	4	7	13	18	36
A. NOT OPERATED	2683	5.6	30	<1	1	4	7	12	15	27
B. OPERATED	9574	4.7	27	1	2	3	5	9	13	27
TOTAL 0-19 YRS	3066	3.7	8	1	1	3	4	6	8	16
20-34	4400	4.1	15	1	1	3	5	7	9	19
35-49	1907	4.6	20	1	1	3	6	9	12	22
50-64	1479	6.1	41	1	2	4	7	13	18	32
65+	1405	9.3	79	1	2	7	12	20	26	43
GRAND TOTAL	**12257**	**4.9**	**28**	**1**	**1**	**3**	**5**	**10**	**14**	**27**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	6.7	26	<1	2	6	8	12	19	21
35-49	13	8.5	21	2	3	9	12	15	15	15
50-64	13	8.7	30	1	2	8	12	17	19	19
65+	3	22.0	156	8	8	26	30	32	32	32
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	7.3	15	3	3	7	10	13	13	13
35-49	4	19.0	274	8	8	13	30	43	43	43
50-64	4	24.5	545	4	4	18	39	58	58	58
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	8.1	46	2	2	7	9	17	26	28
35-49	20	9.3	30	2	3	9	13	17	19	20
50-64	34	8.1	35	1	3	6	11	17	20	25
65+	26	9.4	52	3	4	7	12	16	27	33
B. *Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	6	12.8	12	8	8	13	16	17	17	17
35-49	11	16.5	498	2	3	10	18	45	78	81
50-64	24	21.9	385	6	6	14	29	49	66	81
65+	11	16.4	166	3	4	12	24	37	42	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	8.8	44	1	2	7	11	17	22	32
B. *Operated*	17	14.5	217	3	4	9	16	38	53	58
2. MULTIPLE DX										
A. *Not Operated*	94	8.7	39	2	3	7	12	17	21	31
B. *Operated*	54	18.1	310	3	5	12	20	43	57	81
1. SINGLE DX	61	10.4	96	2	3	8	13	19	29	56
2. MULTIPLE DX	148	12.1	157	2	3	9	15	24	34	81
A. NOT OPERATED	138	8.8	40	2	2	7	11	17	21	32
B. OPERATED	71	17.2	286	3	4	11	19	43	57	81
TOTAL 0-19 YRS	4	5.8	6	4	4	5	7	9	9	9
20-34	41	8.2	31	2	2	7	10	16	19	28
35-49	48	11.5	156	2	3	9	14	20	23	81
50-64	75	13.5	209	2	3	9	17	27	48	75
65+	41	12.4	99	3	4	9	16	29	33	43
GRAND TOTAL	**209**	**11.6**	**139**	**2**	**3**	**8**	**14**	**21**	**33**	**68**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	16	2	2	2	5	11	11	11
20-34	64	7.4	24	1	2	7	11	13	17	21
35-49	248	6.9	22	1	2	6	9	13	15	23
50-64	426	6.8	23	2	2	6	9	13	16	22
65+	482	7.3	23	1	2	6	10	14	16	24
B. *Operated*										
0-19 YRS	8	7.6	18	3	3	8	9	14	16	16
20-34	114	5.9	21	1	2	5	8	13	15	20
35-49	473	7.5	30	2	2	6	10	15	18	25
50-64	625	8.0	36	1	2	7	11	16	19	29
65+	253	10.1	78	2	2	8	13	21	27	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.4	14	1	1	4	8	11	12	12
20-34	116	7.0	24	2	2	6	9	13	17	27
35-49	730	7.7	23	2	3	7	10	13	16	26
50-64	1898	7.9	23	2	3	7	10	14	17	24
65+	3264	8.9	35	2	3	8	11	16	20	30
B. *Operated*										
0-19 YRS	9	8.9	21	2	2	10	12	14	15	15
20-34	111	9.7	71	2	2	8	12	18	29	43
35-49	579	9.9	60	2	3	8	13	19	22	34
50-64	1133	11.4	78	2	3	9	15	22	29	44
65+	943	15.1	166	3	4	12	19	30	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1225	7.0	23	1	2	6	9	13	16	24
B. *Operated*	1473	8.0	41	2	2	7	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	6017	8.4	30	2	3	7	11	15	18	28
B. *Operated*	2775	12.3	108	2	3	10	16	24	32	56
1. SINGLE DX	2698	7.6	33	2	2	6	10	15	19	28
2. MULTIPLE DX	8792	9.6	58	2	3	8	12	18	23	39
A. NOT OPERATED	7242	8.2	29	2	3	7	10	14	18	27
B. OPERATED	4248	10.8	89	2	2	9	14	21	28	49
TOTAL 0-19 YRS	31	6.7	19	2	2	8	10	13	15	16
20-34	405	7.5	38	2	2	6	10	14	18	33
35-49	2030	8.2	36	2	2	7	10	15	19	28
50-64	4082	8.8	43	2	3	7	11	17	21	34
65+	4942	10.0	67	2	3	8	12	19	24	42
GRAND TOTAL	**11490**	**9.1**	**53**	**2**	**3**	**8**	**11**	**17**	**22**	**36**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	7.0	50	2	2	5	9	12	16	48
20-34	1270	7.0	18	1	2	6	9	12	15	20
35-49	1929	7.6	21	2	3	7	10	13	16	22
50-64	1118	8.4	29	2	3	7	11	15	18	27
65+	303	9.1	25	3	4	9	12	16	18	25
B. *Operated*										
0-19 YRS	209	7.1	22	1	2	7	10	13	15	23
20-34	4340	8.6	33	2	2	8	11	16	19	28
35-49	6550	9.0	38	2	2	8	12	17	21	29
50-64	3099	9.8	44	2	2	9	13	18	22	31
65+	669	11.5	62	2	3	10	15	22	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	7.6	16	2	2	8	10	11	15	17
20-34	722	8.3	21	2	3	8	11	15	17	21
35-49	1517	8.9	33	2	3	8	11	16	19	31
50-64	1556	9.4	33	3	4	8	12	16	20	29
65+	1255	10.3	40	3	4	9	13	18	22	31
B. *Operated*										
0-19 YRS	47	11.3	74	3	3	8	14	23	36	37
20-34	1421	11.6	71	2	3	10	15	21	26	46
35-49	2876	12.1	68	2	4	10	15	22	28	42
50-64	2692	13.3	81	3	4	11	17	24	30	47
65+	1153	16.8	119	3	5	15	22	30	38	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4688	7.7	23	2	3	7	10	14	16	23
B. *Operated*	14867	9.2	39	2	2	8	12	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	5076	9.3	33	2	3	8	12	16	20	30
B. *Operated*	8189	13.1	83	2	4	11	17	24	30	47
1. SINGLE DX	19555	8.8	36	2	2	8	11	16	20	28
2. MULTIPLE DX	13265	11.6	67	2	4	10	15	21	27	42
A. NOT OPERATED	9764	8.6	29	2	3	8	11	15	18	27
B. OPERATED	23056	10.5	58	2	3	9	14	20	24	38
TOTAL 0-19 YRS	350	7.7	36	1	2	7	10	14	17	36
20-34	7753	8.8	39	2	2	8	11	16	20	31
35-49	12872	9.5	44	2	3	8	12	17	22	33
50-64	8465	10.7	55	2	3	9	14	20	24	36
65+	3380	12.6	79	3	4	11	16	23	29	45
GRAND TOTAL	**32820**	**9.9**	**50**	**2**	**3**	**9**	**13**	**18**	**23**	**35**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	7.5	10	3	3	7	10	12	13	13
20-34	298	6.6	16	1	2	6	9	12	14	18
35-49	491	7.7	23	2	2	7	10	14	16	25
50-64	380	7.9	34	2	3	7	10	13	17	24
65+	94	7.8	33	1	2	7	10	15	18	31
B. *Operated*										
0-19 YRS	17	8.5	21	2	3	7	12	14	17	18
20-34	505	7.5	27	1	2	7	10	15	17	24
35-49	1327	8.3	34	2	2	7	11	16	19	28
50-64	686	8.7	36	2	2	8	12	17	20	28
65+	124	10.0	72	1	2	9	13	18	23	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.0	13	1	1	6	7	11	12	12
20-34	175	8.1	29	1	2	7	11	15	18	27
35-49	537	8.6	29	2	3	7	11	15	19	26
50-64	638	8.8	31	2	3	8	11	15	18	27
65+	483	9.5	51	3	3	8	12	17	22	37
B. *Operated*										
0-19 YRS	7	13.0	188	2	2	6	24	35	36	36
20-34	231	10.5	76	2	3	9	14	20	27	38
35-49	766	10.6	51	2	3	9	14	19	24	32
50-64	694	11.8	63	2	3	10	16	22	28	38
65+	194	15.0	130	3	5	12	19	29	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1273	7.5	25	2	2	7	10	13	16	24
B. *Operated*	2659	8.4	35	2	2	7	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	1839	8.8	36	2	3	8	11	16	19	29
B. *Operated*	1892	11.5	69	2	3	10	15	21	27	39
1. SINGLE DX	3932	8.1	32	2	2	7	11	15	18	27
2. MULTIPLE DX	3731	10.2	54	2	3	9	13	19	24	37
A. NOT OPERATED	3112	8.3	32	2	3	7	11	15	18	27
B. OPERATED	4551	9.7	52	2	2	8	13	18	23	34
TOTAL 0-19 YRS	40	8.7	46	2	3	7	11	14	23	36
20-34	1209	7.9	36	2	2	7	10	15	17	31
35-49	3121	8.8	37	2	3	8	12	16	20	30
50-64	2398	9.5	45	2	3	8	12	17	22	33
65+	895	10.6	75	2	3	9	13	20	25	41
GRAND TOTAL	**7663**	**9.1**	**44**	**2**	**3**	**8**	**12**	**17**	**21**	**33**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	7.4	33	1	3	5	8	15	21	28
20-34	528	8.0	35	2	2	7	10	14	18	35
35-49	577	7.9	34	1	2	7	10	14	17	34
50-64	304	7.1	19	1	2	6	9	12	15	23
65+	65	7.1	34	1	1	6	10	13	18	29
B. *Operated*										
0-19 YRS	9	7.4	43	1	1	5	11	18	21	21
20-34	230	7.1	30	2	2	6	9	14	19	25
35-49	289	9.2	43	2	2	8	12	18	20	33
50-64	81	9.4	38	2	3	9	12	17	21	33
65+	6	11.8	35	5	5	11	17	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	6.6	20	<1	1	6	8	11	17	19
20-34	449	8.4	31	2	3	8	10	14	19	31
35-49	741	9.1	36	2	3	8	11	16	20	33
50-64	527	8.8	31	1	2	8	12	15	19	28
65+	249	8.9	35	2	3	7	12	16	19	32
B. *Operated*										
0-19 YRS	9	10.3	104	3	3	6	12	28	34	34
20-34	191	10.9	58	2	3	10	14	19	21	32
35-49	272	11.8	55	3	4	11	15	21	26	36
50-64	152	11.8	52	3	3	10	15	22	26	31
65+	44	14.4	89	3	4	12	19	27	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1510	7.7	31	1	2	7	10	13	17	30
B. *Operated*	615	8.5	38	2	2	7	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	2002	8.8	33	2	3	8	11	15	19	31
B. *Operated*	668	11.7	58	2	3	10	15	21	26	36
1. SINGLE DX	2125	7.9	34	1	2	7	10	14	18	31
2. MULTIPLE DX	2670	9.5	41	2	3	8	12	17	21	33
A. NOT OPERATED	3512	8.3	33	1	2	7	11	15	18	31
B. OPERATED	1283	10.1	51	2	3	9	13	19	24	34
TOTAL 0-19 YRS	90	7.4	35	1	2	5	9	15	19	32
20-34	1398	8.4	37	2	2	7	10	15	19	32
35-49	1879	9.1	40	2	3	8	11	16	21	35
50-64	1064	8.8	33	1	2	8	12	16	19	28
65+	364	9.3	45	1	2	8	12	17	23	33
GRAND TOTAL	**4795**	**8.8**	**38**	**2**	**2**	**8**	**11**	**16**	**20**	**32**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.2	27	2	2	3	6	14	18	18
20-34	132	6.5	16	1	2	6	8	11	13	20
35-49	211	7.3	26	1	3	6	9	14	17	25
50-64	164	8.1	23	1	3	8	11	14	17	25
65+	104	8.0	20	2	3	7	10	14	17	23
B. *Operated*										
0-19 YRS	11	5.4	18	1	1	4	9	12	12	12
20-34	96	5.7	18	2	2	4	8	13	15	17
35-49	162	6.2	24	2	2	5	9	13	17	23
50-64	82	6.2	37	1	2	4	7	16	20	28
65+	19	8.8	31	2	3	8	11	16	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.1	7	2	3	5	9	10	10	10
20-34	112	8.1	23	3	3	7	10	15	18	24
35-49	288	8.9	38	2	3	8	11	15	18	25
50-64	379	9.3	26	3	4	9	11	16	21	26
65+	423	9.5	32	3	4	8	13	17	21	27
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	66	12.0	68	2	3	11	16	21	27	46
35-49	113	11.5	65	3	4	9	16	23	29	39
50-64	110	12.6	68	2	4	11	16	23	28	42
65+	67	14.7	64	3	6	13	18	28	29	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	620	7.4	22	1	2	7	10	13	16	24
B. *Operated*	370	6.2	26	2	2	4	9	13	17	23
2. MULTIPLE DX										
A. *Not Operated*	1212	9.1	31	3	4	8	11	16	19	26
B. *Operated*	357	12.6	67	2	4	11	16	24	29	40
1. SINGLE DX	990	7.0	24	1	2	6	9	13	17	24
2. MULTIPLE DX	1569	9.9	41	3	4	9	13	18	22	30
A. NOT OPERATED	1832	8.6	29	2	3	8	11	15	18	26
B. OPERATED	727	9.3	56	2	2	8	13	19	24	32
TOTAL 0-19 YRS	31	6.1	23	1	2	5	9	12	18	21
20-34	406	7.6	31	2	2	6	10	15	18	27
35-49	774	8.3	38	2	2	7	10	15	19	29
50-64	735	9.2	36	2	3	8	11	17	21	28
65+	613	9.8	37	3	4	8	13	18	22	29
GRAND TOTAL	**2559**	**8.8**	**36**	**2**	**3**	**8**	**11**	**16**	**20**	**28**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	4.2	11	<1	1	4	6	8	10	15
20-34	1913	6.1	20	<1	1	5	8	11	14	23
35-49	2452	7.1	25	1	2	6	9	13	16	25
50-64	1427	7.1	24	1	2	6	9	13	16	24
65+	610	7.3	29	1	2	6	10	14	18	26
B. *Operated*										
0-19 YRS	103	4.7	12	1	2	4	6	9	11	18
20-34	1422	5.7	23	1	2	4	8	12	15	22
35-49	2023	6.7	33	1	2	5	9	14	17	27
50-64	1249	7.7	42	1	2	6	10	16	20	32
65+	504	11.4	88	2	2	9	15	22	28	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	5.2	20	1	1	4	7	10	13	26
20-34	1941	7.1	27	1	2	6	9	14	17	26
35-49	3116	8.1	30	2	3	7	10	15	19	26
50-64	2701	8.5	32	2	3	7	11	15	18	27
65+	2477	9.2	37	2	3	8	12	17	21	31
B. *Operated*										
0-19 YRS	58	6.4	30	1	2	4	8	14	19	25
20-34	1125	8.5	52	2	2	7	11	17	21	38
35-49	1994	10.1	64	2	2	8	14	20	25	37
50-64	1957	11.1	79	2	2	9	14	22	27	44
65+	1240	15.2	130	3	4	13	20	30	37	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6633	6.7	24	1	2	6	9	13	16	24
B. *Operated*	5301	7.0	40	1	2	5	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	10452	8.2	32	2	3	7	11	15	19	28
B. *Operated*	6374	11.1	84	2	2	9	15	22	28	46
1. SINGLE DX	11934	6.9	31	1	2	6	9	14	17	26
2. MULTIPLE DX	16826	9.3	54	2	2	8	12	18	23	36
A. NOT OPERATED	17085	7.6	29	1	2	7	10	14	18	26
B. OPERATED	11675	9.3	68	2	2	7	12	19	25	40
TOTAL 0-19 YRS	609	4.8	17	1	1	4	6	9	12	22
20-34	6401	6.7	29	1	2	5	9	13	17	26
35-49	9585	8.0	38	2	2	7	10	16	19	29
50-64	7334	8.8	47	2	2	7	11	17	21	34
65+	4831	10.7	73	2	3	9	14	21	26	44
GRAND TOTAL	**28760**	**8.3**	**46**	**1**	**2**	**7**	**11**	**16**	**21**	**33**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	266	3.6	5	1	1	3	5	7	8	12
20-34	260	3.8	11	<1	<1	3	5	8	11	16
35-49	301	3.9	10	<1	<1	3	5	8	10	15
50-64	278	4.7	12	<1	<1	4	6	9	12	16
65+	138	5.4	12	<1	1	5	7	11	12	16
B. *Operated*										
0-19 YRS	539	2.6	3	1	1	2	3	4	6	10
20-34	1180	3.1	6	1	1	3	4	5	7	12
35-49	1733	3.2	5	1	1	3	4	5	7	12
50-64	1650	3.5	6	1	1	3	4	6	8	13
65+	437	3.8	11	1	1	3	4	7	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.5	12	1	1	4	6	8	12	17
20-34	210	5.2	26	<1	1	4	7	10	12	22
35-49	362	6.2	22	1	2	5	8	12	15	23
50-64	579	6.8	26	1	2	6	9	13	16	26
65+	632	8.6	42	2	3	7	11	16	19	30
B. *Operated*										
0-19 YRS	180	3.3	6	1	1	3	4	7	8	12
20-34	665	4.1	14	1	1	3	5	8	11	19
35-49	1043	4.9	23	1	2	3	5	9	13	27
50-64	1329	5.0	22	1	2	4	6	10	13	21
65+	590	7.2	70	1	2	5	9	15	21	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1243	4.2	10	<1	<1	3	5	8	11	15
B. *Operated*	5539	3.2	6	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	1904	6.9	31	1	2	6	9	13	16	26
B. *Operated*	3807	5.1	29	1	2	4	6	10	13	26
1. SINGLE DX	6782	3.4	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	5711	5.7	30	1	2	4	7	11	15	26
A. NOT OPERATED	3147	5.8	25	<1	1	5	8	12	15	23
B. OPERATED	9346	4.0	16	1	1	3	5	7	10	19
TOTAL 0-19 YRS	1106	3.1	5	1	1	2	4	6	8	12
20-34	2315	3.6	11	<1	1	3	4	7	9	16
35-49	3439	4.1	14	1	1	3	5	8	10	18
50-64	3836	4.6	17	1	2	3	6	9	12	18
65+	1797	6.7	45	1	2	5	8	14	18	34
GRAND TOTAL	**12493**	**4.5**	**19**	**1**	**1**	**3**	**5**	**9**	**12**	**20**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	7	1.4	1	<1	<1	1	2	3	3	3
35-49	7	1.4	1	<1	<1	1	1	3	4	4
50-64	7	2.3	4	<1	<1	1	3	6	6	6
65+	7	3.1	13	<1	<1	<1	6	9	9	9
B. *Operated*										
0-19 YRS	523	3.4	3	1	2	3	4	5	6	8
20-34	1143	3.5	3	1	2	3	4	5	6	9
35-49	1056	3.7	3	1	2	3	5	6	7	9
50-64	1395	4.0	5	2	2	4	5	6	7	12
65+	720	4.4	14	1	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.1		<1	<1	1	1	2	2	2
20-34	22	2.3	4	<1	<1	1	3	5	7	9
35-49	31	2.2	4	<1	<1	1	3	5	7	9
50-64	54	2.6	5	<1	<1	1	4	6	7	9
65+	44	4.8	19	<1	1	3	7	12	14	17
B. *Operated*										
0-19 YRS	465	3.8	3	2	2	4	5	6	7	9
20-34	1495	4.0	5	2	2	4	5	6	7	11
35-49	1898	4.3	6	2	2	4	5	7	8	13
50-64	3316	4.9	8	2	3	4	6	8	9	15
65+	1988	5.7	20	2	3	5	6	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.9	4	<1	<1	1	1	4	8	9
B. *Operated*	4837	3.8	5	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	168	2.9	9	<1	<1	1	4	7	9	15
B. *Operated*	9162	4.7	10	2	2	4	5	7	9	15
1. SINGLE DX	4871	3.8	5	1	2	3	5	6	7	10
2. MULTIPLE DX	9330	4.7	10	2	2	4	5	7	9	15
A. NOT OPERATED	202	2.7	8	<1	<1	1	4	7	9	14
B. OPERATED	13999	4.4	8	2	2	4	5	7	9	14
TOTAL 0-19 YRS	1011	3.6	3	1	2	3	4	6	6	9
20-34	2667	3.8	4	1	2	3	5	6	7	10
35-49	2992	4.1	5	2	2	4	5	6	8	12
50-64	4772	4.6	7	2	2	4	5	7	9	14
65+	2759	5.3	18	2	2	5	6	9	11	20
GRAND TOTAL	**14201**	**4.4**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	18	1.4	1	<1	<1	1	1	2	4	5
35-49	11	1.9	3	<1	<1	1	2	5	5	5
50-64	8	3.4	4	<1	<1	3	5	6	7	7
65+	4	3.5	14	1	1	2	6	9	9	9
B. *Operated*										
0-19 YRS	627	1.8	1	<1	<1	2	2	3	3	5
20-34	1127	2.0	1	<1	<1	2	2	3	4	6
35-49	647	2.3	2	<1	1	2	3	4	5	8
50-64	485	2.6	3	<1	1	2	3	4	6	10
65+	177	3.4	10	<1	1	2	4	7	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.7	2	<1	<1	1	2	4	5	5
20-34	20	2.1	3	<1	<1	1	3	5	6	7
35-49	9	6.0	29	1	1	4	9	15	15	15
50-64	24	4.6	8	<1	1	4	7	9	9	9
65+	24	4.7	13	1	1	4	6	8	13	17
B. *Operated*										
0-19 YRS	89	2.7	3	<1	1	2	3	5	6	10
20-34	268	3.1	5	1	1	2	4	6	8	11
35-49	309	3.9	12	1	1	3	4	7	10	17
50-64	350	4.3	19	1	1	3	5	8	11	22
65+	209	5.7	24	1	2	4	7	13	17	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.1	3	<1	<1	1	2	5	6	9
B. *Operated*	3063	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	92	3.8	11	<1	<1	3	5	8	9	16
B. *Operated*	1225	4.0	15	1	1	3	5	8	11	19
1. SINGLE DX	3109	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1317	4.0	14	1	1	3	5	8	11	19
A. NOT OPERATED	138	3.2	9	<1	<1	2	5	7	9	15
B. OPERATED	4288	2.7	6	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	736	1.9	1	<1	<1	2	2	3	4	6
20-34	1433	2.2	2	<1	<1	2	2	4	5	8
35-49	976	2.8	6	<1	1	2	3	5	7	15
50-64	867	3.4	10	<1	1	3	4	6	9	15
65+	414	4.6	18	1	1	3	6	10	15	20
GRAND TOTAL	**4426**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	13.1	68	2	2	12	18	24	29	39
20-34	63	13.1	196	1	2	8	21	33	38	73
35-49	60	12.5	130	2	3	8	15	30	39	46
50-64	44	10.8	48	2	3	10	14	21	22	34
65+	31	15.0	137	2	5	11	17	34	44	48
B. *Operated*										
0-19 YRS	132	16.5	131	2	4	15	24	32	40	46
20-34	174	16.2	248	2	3	11	21	34	46	89
35-49	138	15.5	141	2	3	13	22	34	40	49
50-64	114	15.0	174	2	3	11	22	34	45	77
65+	93	15.2	189	2	3	11	20	28	45	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	17.5	98	3	5	16	25	30	36	40
20-34	72	13.7	192	1	2	10	19	27	38	78
35-49	93	14.5	155	2	3	9	21	31	38	53
50-64	150	15.0	140	3	4	12	20	30	41	57
65+	204	17.4	187	4	5	14	21	41	48	63
B. *Operated*										
0-19 YRS	92	26.2	274	4	8	22	36	46	55	79
20-34	194	22.4	270	2	4	19	32	46	54	66
35-49	233	21.6	308	2	4	17	29	45	58	79
50-64	379	22.0	277	3	5	16	32	46	55	98
65+	399	24.1	279	4	6	21	32	49	59	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	12.9	105	2	3	10	18	28	33	45
B. *Operated*	651	15.8	179	2	3	12	22	33	43	64
2. MULTIPLE DX										
A. *Not Operated*	600	15.9	160	2	3	13	22	32	42	57
B. *Operated*	1297	22.9	283	3	5	19	32	46	57	82
1. SINGLE DX	994	14.8	156	2	3	11	20	31	40	60
2. MULTIPLE DX	1897	20.7	255	3	4	16	29	44	52	78
A. NOT OPERATED	943	14.8	142	2	3	12	20	30	39	54
B. OPERATED	1948	20.5	260	3	4	16	29	44	52	79
TOTAL 0-19 YRS	450	17.5	155	2	4	15	23	33	41	55
20-34	503	17.8	255	2	3	13	26	40	48	78
35-49	524	17.7	229	2	3	13	25	39	47	68
50-64	687	18.6	230	3	4	14	27	42	50	88
65+	727	20.7	250	3	5	17	28	44	53	78
GRAND TOTAL	**2891**	**18.7**	**229**	**2**	**4**	**15**	**26**	**41**	**49**	**74**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	5.2	27	<1	1	3	6	12	17	24
20-34	258	3.6	24	<1	<1	3	4	7	9	16
35-49	263	4.2	10	<1	1	3	5	8	10	20
50-64	247	5.0	18	<1	1	4	6	10	14	23
65+	439	8.1	40	1	2	6	11	16	19	27
B. *Operated*										
0-19 YRS	1406	4.1	13	1	1	3	5	8	11	18
20-34	1571	4.4	15	1	2	3	5	8	11	18
35-49	795	5.6	25	1	2	4	7	11	16	25
50-64	606	7.3	39	2	2	5	10	16	19	31
65+	411	11.9	69	2	3	11	16	22	26	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	4.9	30	1	1	3	6	10	12	33
20-34	394	4.9	18	1	1	4	6	9	13	22
35-49	635	5.9	26	1	2	5	7	11	14	27
50-64	1085	7.5	36	2	2	6	9	15	19	32
65+	3952	10.9	58	3	4	9	14	20	25	36
B. *Operated*										
0-19 YRS	471	5.5	48	1	1	3	6	11	17	40
20-34	930	6.7	76	1	2	4	7	14	21	51
35-49	835	9.0	105	2	2	5	11	19	28	49
50-64	967	12.4	148	2	3	9	16	26	36	73
65+	1441	17.6	156	4	5	15	22	32	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1446	5.6	29	<1	1	4	7	12	16	24
B. *Operated*	4789	5.5	28	1	2	4	6	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	6203	9.3	53	2	3	7	12	18	23	34
B. *Operated*	4644	11.5	139	2	2	8	16	24	34	65
1. SINGLE DX	6235	5.5	28	1	2	4	7	12	16	26
2. MULTIPLE DX	10847	10.2	91	2	2	8	13	21	27	49
A. NOT OPERATED	7649	8.6	51	1	2	7	11	18	22	33
B. OPERATED	9433	8.5	92	1	2	5	11	19	26	49
TOTAL 0-19 YRS	2253	4.5	23	1	1	3	5	9	13	23
20-34	3153	5.1	35	1	1	4	6	10	14	30
35-49	2528	6.7	53	1	2	4	8	13	18	39
50-64	2905	8.9	79	2	2	6	11	18	25	46
65+	6243	12.3	89	2	4	10	16	23	29	47
GRAND TOTAL	**17082**	**8.5**	**73**	**1**	**2**	**6**	**11**	**18**	**24**	**42**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.0	2	<1	<1	1	3	4	6	6
20-34	9	3.4	15	<1	<1	1	5	10	11	11
35-49	3	5.0	37	<1	<1	2	9	12	12	12
50-64										
65+	6	10.3	63	2	2	9	14	23	24	24
B. *Operated*										
0-19 YRS	361	4.2	16	1	1	4	5	8	10	14
20-34	308	3.8	24	<1	1	3	4	7	9	24
35-49	173	3.7	15	1	1	2	4	8	11	26
50-64	150	4.3	12	1	1	3	6	8	11	15
65+	57	6.5	32	2	2	4	10	15	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.8	9	<1	<1	1	4	7	10	11
20-34	18	2.6	5	<1	<1	1	3	7	7	7
35-49	21	4.2	18	<1	<1	3	6	12	14	15
50-64	19	7.7	73	<1	1	4	10	21	29	32
65+	38	9.4	50	2	3	7	13	18	27	30
B. *Operated*										
0-19 YRS	248	4.5	37	1	2	4	5	7	10	16
20-34	303	4.6	40	1	2	3	5	8	11	27
35-49	235	5.3	24	2	2	4	6	9	11	26
50-64	273	6.5	35	2	2	5	7	13	16	29
65+	154	9.4	69	2	2	7	13	20	25	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.3	27	<1	<1	2	5	11	14	24
B. *Operated*	1049	4.1	19	1	1	3	5	8	11	23
2. MULTIPLE DX										
A. *Not Operated*	113	6.1	42	<1	<1	4	8	14	19	31
B. *Operated*	1213	5.8	41	1	2	4	6	11	16	29
1. SINGLE DX	1081	4.1	19	<1	1	3	5	8	11	23
2. MULTIPLE DX	1326	5.8	41	1	2	4	7	11	16	30
A. NOT OPERATED	145	5.7	39	<1	<1	4	8	14	17	30
B. OPERATED	2262	5.0	31	1	2	4	6	10	13	26
TOTAL 0-19 YRS	640	4.2	24	<1	1	4	5	7	10	14
20-34	638	4.1	31	<1	1	3	5	7	10	24
35-49	432	4.6	21	1	1	3	5	9	11	25
50-64	442	5.8	30	1	2	4	7	11	15	28
65+	255	8.8	59	2	2	6	12	18	24	31
GRAND TOTAL	**2407**	**5.0**	**32**	**1**	**1**	**4**	**6**	**10**	**14**	**27**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	5	1	1	3	4	7	8	8
20-34	68	6.8	33	1	2	5	8	16	17	31
35-49	105	7.4	21	1	2	7	10	13	16	22
50-64	56	8.2	24	2	3	7	11	17	18	20
65+	35	8.1	52	1	2	5	11	19	25	29
B. *Operated*										
0-19 YRS	4	5.3	11	2	2	5	8	9	9	9
20-34	54	6.4	40	2	2	4	8	16	24	25
35-49	114	5.3	21	2	2	3	7	13	15	21
50-64	76	8.3	141	1	2	5	11	18	24	76
65+	14	8.1	70	1	1	6	12	17	29	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.9	72	1	1	4	7	22	27	27
20-34	50	7.6	23	2	2	7	10	12	13	25
35-49	126	8.5	37	1	2	7	11	18	22	25
50-64	169	7.8	30	2	2	7	10	15	18	27
65+	200	9.4	38	2	3	8	12	17	19	34
B. *Operated*										
0-19 YRS										
20-34	34	9.0	70	1	2	7	10	20	28	39
35-49	74	8.9	37	2	3	8	13	16	19	31
50-64	68	10.0	76	2	2	8	12	23	26	92
65+	54	14.5	124	3	4	12	19	24	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	7.4	28	1	2	6	10	15	18	27
B. *Operated*	262	6.6	63	1	2	4	8	15	20	27
2. MULTIPLE DX										
A. *Not Operated*	553	8.5	35	2	2	7	11	16	19	27
B. *Operated*	230	10.6	78	2	3	8	14	22	26	57
1. SINGLE DX	534	7.0	45	1	2	5	10	15	18	27
2. MULTIPLE DX	783	9.1	48	2	3	8	12	18	23	36
A. NOT OPERATED	825	8.1	33	2	2	7	11	16	19	27
B. OPERATED	492	8.4	74	2	2	6	11	18	24	47
TOTAL 0-19 YRS	20	5.1	33	1	1	3	6	9	18	27
20-34	206	7.3	39	1	2	6	10	16	21	31
35-49	419	7.4	30	2	2	6	11	15	18	25
50-64	369	8.4	60	2	2	7	11	17	21	29
65+	303	10.1	60	2	3	8	13	19	24	42
GRAND TOTAL	**1317**	**8.3**	**48**	**2**	**2**	**7**	**11**	**16**	**21**	**29**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	311	3.9	12	<1	1	3	5	9	12	15
20-34	802	4.6	17	<1	<1	3	6	10	13	19
35-49	808	5.7	27	<1	1	4	7	11	14	28
50-64	503	5.4	19	<1	1	4	7	11	14	22
65+	306	6.0	27	<1	1	4	8	13	16	26
B. *Operated*										
0-19 YRS	784	4.3	21	1	1	2	4	12	14	21
20-34	1237	4.2	19	1	1	3	5	9	13	22
35-49	912	5.0	23	1	1	3	6	11	14	24
50-64	957	4.0	18	1	1	3	4	8	12	21
65+	493	4.2	23	1	1	3	4	9	13	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	272	4.4	11	1	1	3	6	9	11	16
20-34	1167	6.3	23	1	1	5	9	12	15	23
35-49	1663	7.0	25	1	2	6	9	13	16	27
50-64	1495	6.9	30	1	2	6	9	13	17	26
65+	1532	8.0	37	2	2	7	10	15	20	29
B. *Operated*										
0-19 YRS	646	4.2	33	1	1	3	4	9	13	25
20-34	1381	5.2	32	1	1	3	6	11	16	30
35-49	1172	6.5	49	1	2	4	9	14	18	32
50-64	1223	7.7	74	1	2	5	10	17	22	43
65+	834	9.2	100	2	2	6	12	19	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2730	5.2	21	<1	<1	4	7	11	14	23
B. *Operated*	4383	4.4	21	1	1	3	5	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	6129	7.0	29	1	2	6	9	13	17	26
B. *Operated*	5256	6.6	59	1	2	4	8	15	20	38
1. SINGLE DX	7113	4.7	21	<1	1	3	6	10	14	23
2. MULTIPLE DX	11385	6.8	43	1	2	5	9	14	18	31
A. NOT OPERATED	8859	6.4	27	1	1	5	8	13	16	25
B. OPERATED	9639	5.6	43	1	1	3	7	13	17	31
TOTAL 0-19 YRS	2013	4.2	22	1	1	3	5	10	14	20
20-34	4587	5.1	24	<1	1	3	7	11	14	24
35-49	4555	6.2	32	1	2	5	8	12	16	28
50-64	4178	6.3	41	1	2	4	8	13	17	30
65+	3165	7.5	53	1	2	5	10	15	21	35
GRAND TOTAL	**18498**	**6.0**	**35**	**1**	**1**	**4**	**8**	**13**	**16**	**29**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	5	<1	1	5	6	8	8	8
20-34	58	5.8	9	2	3	5	7	9	11	17
35-49	66	6.4	10	2	3	6	8	11	12	15
50-64	27	7.2	16	2	2	6	9	13	15	16
65+	3	8.7	4	7	7	8	10	11	11	11
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	17	6.9	22	2	2	6	9	12	18	21
35-49	17	7.2	19	2	2	7	10	14	15	15
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.0	8	<1	1	5	6	10	11	11
20-34	185	6.3	13	3	3	6	8	11	12	21
35-49	263	7.5	20	3	3	7	9	13	15	24
50-64	144	7.8	18	3	3	7	11	13	15	20
65+	67	8.7	41	2	2	8	11	14	25	32
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	46	9.8	45	2	3	9	13	17	23	35
35-49	77	10.3	77	3	3	8	12	17	19	59
50-64	37	8.2	33	3	3	6	11	16	21	26
65+	9	12.8	34	3	5	14	17	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	6.3	10	2	3	6	8	11	13	16
B. *Operated*	36	6.8	21	2	2	6	9	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	680	7.3	20	3	3	6	9	13	15	25
B. *Operated*	170	9.8	57	3	3	8	13	17	21	42
1. SINGLE DX	197	6.4	12	2	2	6	8	11	13	17
2. MULTIPLE DX	850	7.8	28	3	3	7	10	14	17	26
A. NOT OPERATED	841	7.1	18	2	3	6	9	12	14	23
B. OPERATED	206	9.3	52	2	3	8	12	17	20	39
TOTAL 0-19 YRS	30	4.8	7	<1	1	5	6	9	10	11
20-34	306	6.8	19	2	3	6	9	12	14	23
35-49	423	7.8	30	3	3	7	10	14	16	27
50-64	209	7.8	20	3	3	7	11	14	16	23
65+	79	9.1	40	2	3	8	12	16	23	32
GRAND TOTAL	**1047**	**7.5**	**25**	**2**	**3**	**7**	**10**	**13**	**16**	**25**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.2	12	<1	1	2	4	8	11	18
20-34	6	7.7	38	3	3	4	14	17	17	17
35-49	6	6.8	17	2	2	7	7	13	14	14
50-64	4	3.5	4	2	2	3	5	6	6	6
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	102	7.1	42	2	2	6	9	12	16	42
20-34	10	7.2	18	2	2	9	10	12	12	12
35-49	10	11.4	36	2	2	11	16	19	19	19
50-64	6	11.2	75	3	3	9	10	26	28	28
65+	3	4.7	6	2	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	5.4	28	1	1	4	6	12	17	26
20-34	28	7.2	54	1	1	4	11	17	20	33
35-49	13	18.4	560	1	1	10	25	51	79	86
50-64	5	17.6	323	5	5	6	31	45	45	45
65+	17	7.0	30	1	1	6	12	15	15	15
B. *Operated*										
0-19 YRS	144	11.3	121	2	2	8	14	29	36	52
20-34	19	8.2	30	1	2	8	13	16	18	19
35-49	13	9.5	32	3	4	9	11	17	22	23
50-64	21	19.3	332	3	4	14	24	45	69	69
65+	8	14.5	225	1	1	10	21	40	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	4.1	17	<1	1	3	4	10	14	18
B. *Operated*	131	7.6	41	2	2	6	10	14	17	40
2. MULTIPLE DX										
A. *Not Operated*	201	6.9	82	1	1	4	8	15	24	43
B. *Operated*	205	11.9	137	2	2	8	15	28	36	61
1. SINGLE DX	194	6.5	36	1	1	5	9	13	16	34
2. MULTIPLE DX	406	9.4	116	1	2	6	12	23	31	53
A. NOT OPERATED	264	6.2	68	1	1	4	7	14	20	41
B. OPERATED	336	10.2	104	2	2	7	12	22	32	52
TOTAL 0-19 YRS	430	7.5	69	1	1	5	9	17	26	41
20-34	63	7.5	38	1	2	5	12	15	18	31
35-49	42	12.3	202	1	2	9	15	24	33	86
50-64	36	16.0	267	2	3	10	22	29	52	69
65+	29	9.0	87	1	1	7	12	15	29	45
GRAND TOTAL	**600**	**8.5**	**92**	**1**	**2**	**5**	**10**	**19**	**27**	**46**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	134	1.7	5	<1	<1	1	1	2	6	14
20-34	8	2.4	3	1	1	2	3	5	6	6
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	669	2.2	1	1	1	2	2	3	4	7
20-34	195	2.8	3	1	1	2	3	4	6	10
35-49	113	3.0	5	1	1	3	3	5	6	13
50-64	130	2.7	2	1	1	2	3	4	5	11
65+	118	2.9	2	2	2	3	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	2.0	4	<1	<1	1	2	5	7	8
20-34	5	1.2		<1	<1	<1	1	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	4	3.3	20	1	1	1	6	10	10	10
65+	5	5.8	38	1	1	3	9	16	16	16
B. Operated										
0-19 YRS	186	2.7	5	1	1	2	3	5	6	14
20-34	75	4.0	12	1	2	3	5	9	10	20
35-49	54	3.5	5	1	2	3	4	6	9	11
50-64	110	3.1	4	2	2	2	3	5	7	13
65+	145	3.3	5	2	2	3	4	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	1.8	5	<1	<1	1	1	3	6	14
B. Operated	1225	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	53	2.4	8	<1	<1	1	3	6	8	16
B. Operated	570	3.2	6	1	1	2	4	6	7	14
1. SINGLE DX	1373	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	623	3.1	6	1	1	2	4	6	7	14
A. NOT OPERATED	201	1.9	6	<1	<1	1	2	4	7	15
B. OPERATED	1795	2.7	3	1	1	2	3	4	6	10
TOTAL 0-19 YRS	1026	2.2	3	<1	1	2	2	4	5	8
20-34	283	3.1	6	1	1	2	3	5	8	12
35-49	172	3.2	5	1	1	3	4	5	7	11
50-64	245	2.9	3	1	2	2	3	5	6	11
65+	270	3.2	4	2	2	3	3	5	6	14
GRAND TOTAL	**1996**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	3.1	10	<1	<1	2	4	6	8	18
20-34	26	3.8	5	1	2	3	5	7	8	8
35-49	13	4.2	10	1	1	4	5	8	12	13
50-64	13	5.2	10	2	2	5	7	10	12	12
65+	7	6.4	13	2	2	5	10	11	11	11
B. Operated										
0-19 YRS	787	5.1	37	1	1	2	8	11	14	24
20-34	159	6.4	73	1	2	4	9	11	14	35
35-49	102	7.1	41	1	2	5	10	14	21	30
50-64	62	7.4	56	2	2	5	10	15	20	44
65+	21	9.0	51	2	3	5	12	21	24	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	285	5.4	43	1	1	3	6	10	17	33
20-34	91	6.1	34	1	2	4	7	12	14	33
35-49	61	6.6	28	1	2	5	7	14	20	24
50-64	40	7.5	39	1	2	6	9	15	20	33
65+	91	8.6	57	2	3	7	10	15	21	42
B. Operated										
0-19 YRS	781	7.6	88	1	1	4	10	17	25	56
20-34	185	8.8	95	2	2	6	11	18	29	70
35-49	137	8.6	73	1	2	7	11	19	27	60
50-64	153	10.6	130	2	2	7	14	22	32	47
65+	105	12.5	107	2	2	10	17	29	35	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	3.6	10	<1	<1	2	5	7	9	14
B. Operated	1131	5.7	45	1	1	3	8	12	15	27
2. MULTIPLE DX										
A. Not Operated	568	6.3	43	1	1	4	7	13	18	35
B. Operated	1361	8.5	96	1	1	6	11	19	27	54
1. SINGLE DX	1290	5.4	41	1	1	3	8	11	15	27
2. MULTIPLE DX	1929	7.9	81	1	1	5	10	17	25	47
A. NOT OPERATED	727	5.7	37	1	1	4	7	11	16	33
B. OPERATED	2492	7.2	75	1	1	4	10	16	23	46
TOTAL 0-19 YRS	1953	6.0	59	1	1	3	8	13	19	39
20-34	461	7.2	72	1	2	4	9	14	22	47
35-49	313	7.5	52	1	2	5	10	16	23	36
50-64	268	9.1	96	2	2	6	12	20	26	47
65+	224	10.4	82	2	2	8	13	20	31	42
GRAND TOTAL	**3219**	**6.9**	**66**	**1**	**1**	**4**	**9**	**15**	**22**	**42**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	16	<1	<1	1	7	10	10	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	423	4.1	7	1	2	3	6	7	8	10
20-34	18	3.9	3	2	2	4	5	6	7	8
35-49	8	3.1	1	2	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	1.7	3	<1	<1	1	1	5	6	7
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	302	3.9	5	1	2	3	5	7	8	11
20-34	30	3.2	3	2	2	3	4	6	7	7
35-49	3	6.7	9	4	4	6	9	10	10	10
50-64	3	2.3		2	2	2	3	3	3	3
65+	2	9.0	98	2	2	9	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	16	<1	<1	1	7	10	10	10
B. *Operated*	450	4.0	7	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	27	1.8	3	<1	<1	1	1	5	6	7
B. *Operated*	340	3.9	6	2	2	3	5	7	8	12
1. SINGLE DX	456	4.0	7	1	2	3	5	7	8	10
2. MULTIPLE DX	367	3.7	6	1	1	3	5	7	8	12
A. NOT OPERATED	33	2.1	5	<1	<1	1	2	6	7	10
B. OPERATED	790	4.0	6	1	2	3	5	7	8	11
TOTAL 0-19 YRS	757	3.9	6	1	2	3	5	7	8	10
20-34	48	3.5	3	2	2	3	5	6	7	8
35-49	11	4.1	5	2	2	3	5	8	10	10
50-64	4	2.3		2	2	2	3	3	3	3
65+	3	7.3	57	2	2	4	13	16	16	16
GRAND TOTAL	**823**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.2	4	1	1	3	4	6	8	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	497	4.2	4	2	2	4	5	6	7	11
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.2	9	2	2	4	7	10	11	12
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	103	6.3	16	3	3	5	8	10	12	25
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.2	4	1	1	3	4	6	8	9
B. *Operated*	497	4.2	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	22	5.2	9	2	2	4	7	10	11	12
B. *Operated*	103	6.3	16	3	3	5	8	10	12	25
1. SINGLE DX	539	4.1	4	2	2	4	5	6	7	11
2. MULTIPLE DX	125	6.1	15	2	3	5	7	10	11	21
A. NOT OPERATED	64	3.9	7	1	1	3	5	7	9	12
B. OPERATED	600	4.5	7	2	2	4	5	7	9	13
TOTAL 0-19 YRS	664	4.5	7	2	2	4	5	7	9	13
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**664**	**4.5**	**7**	**2**	**2**	**4**	**5**	**7**	**9**	**13**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	3.7	25	<1	1	2	4	7	10	28
20-34	15	4.1	12	2	2	3	4	8	13	15
35-49	8	4.4	3	2	2	4	5	7	7	7
50-64	8	3.9	8	1	1	3	6	8	9	9
65+	7	1.9		1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	296	5.4	33	1	1	4	7	11	14	35
20-34	83	5.2	20	1	1	4	7	10	13	23
35-49	39	6.1	43	1	1	5	9	11	14	39
50-64	29	5.5	16	<1	1	5	8	11	15	15
65+	20	7.3	54	<1	1	5	9	17	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	6.4	70	1	1	4	7	11	20	51
20-34	23	5.4	26	1	2	4	7	10	16	25
35-49	21	4.7	9	<1	1	5	7	9	9	10
50-64	35	5.9	24	1	2	4	6	12	14	26
65+	66	7.8	48	2	2	7	9	14	16	41
B. *Operated*										
0-19 YRS	242	9.5	157	2	2	6	11	17	26	74
20-34	100	8.5	64	2	2	6	11	16	19	50
35-49	77	8.7	56	1	2	7	11	18	22	44
50-64	69	10.6	61	2	3	9	14	22	28	35
65+	91	13.1	100	2	3	11	16	30	36	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	3.7	20	<1	1	2	4	7	9	20
B. *Operated*	467	5.5	31	1	1	4	7	11	14	32
2. MULTIPLE DX										
A. *Not Operated*	281	6.4	51	1	1	5	8	12	16	43
B. *Operated*	579	9.9	109	2	2	7	12	19	27	68
1. SINGLE DX	620	5.0	29	1	1	3	7	10	14	30
2. MULTIPLE DX	860	8.8	92	1	2	6	11	17	25	51
A. NOT OPERATED	434	5.5	42	1	1	4	7	11	15	42
B. OPERATED	1046	7.9	79	1	2	5	10	16	22	49
TOTAL 0-19 YRS	789	6.5	80	1	1	4	8	13	18	50
20-34	221	6.7	43	1	2	5	9	13	17	28
35-49	145	7.2	45	1	2	6	9	15	19	39
50-64	141	8.0	46	1	2	6	11	15	22	33
65+	184	10.1	81	1	2	8	13	21	31	43
GRAND TOTAL	**1480**	**7.2**	**69**	**1**	**1**	**5**	**9**	**15**	**20**	**43**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.4	1	<1	<1	1	1	3	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	947	2.6	2	1	1	2	3	4	6	7
20-34	69	3.1	2	1	1	3	4	5	6	8
35-49	22	2.8	2	1	2	3	3	4	6	9
50-64	7	3.3	1	2	2	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	1.2		<1	<1	1	1	2	2	4
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	673	3.0	4	1	1	2	4	5	7	11
20-34	105	3.7	6	1	2	3	5	6	7	16
35-49	31	4.3	3	2	2	4	6	7	8	9
50-64	14	4.3	4	2	3	4	5	7	9	10
65+	7	7.0	49	2	2	6	8	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	1046	2.7	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	36	1.5	1	<1	<1	1	2	4	4	4
B. *Operated*	830	3.2	4	1	1	3	4	5	7	11
1. SINGLE DX	1065	2.7	2	1	1	2	3	4	6	8
2. MULTIPLE DX	866	3.1	4	1	1	3	4	5	7	11
A. NOT OPERATED	55	1.4	1	<1	<1	1	1	4	4	4
B. OPERATED	1876	2.9	3	1	1	2	3	5	6	9
TOTAL 0-19 YRS	1667	2.7	3	1	1	2	3	5	6	8
20-34	180	3.4	5	1	1	3	4	5	7	12
35-49	54	3.7	3	2	2	3	5	6	8	9
50-64	21	4.0	3	2	2	3	4	6	8	10
65+	9	6.2	39	2	2	4	7	16	22	22
GRAND TOTAL	**1931**	**2.8**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.2	3	<1	1	2	3	5	6	6
20-34	22	3.8	21	<1	1	3	4	6	13	23
35-49	11	3.8	3	<1	1	4	5	6	6	6
50-64	10	3.8	6	1	1	3	4	8	8	8
65+	13	5.1	28	1	2	3	5	11	19	21
B. *Operated*										
0-19 YRS	792	4.8	11	1	1	4	7	10	11	15
20-34	270	4.0	10	<1	1	3	5	8	9	16
35-49	73	4.9	14	1	1	4	6	10	13	19
50-64	58	4.9	16	1	1	4	7	9	13	19
65+	23	5.7	30	1	2	4	7	12	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.3	11	<1	1	2	4	7	9	19
20-34	59	4.9	12	1	2	4	6	8	12	20
35-49	88	6.1	20	1	2	5	8	13	14	25
50-64	66	6.4	33	1	1	5	8	14	19	29
65+	58	7.1	16	2	3	6	9	13	16	17
B. *Operated*										
0-19 YRS	504	5.8	27	1	1	4	8	11	15	27
20-34	349	6.0	45	1	2	5	7	11	15	30
35-49	198	8.8	82	1	2	7	10	15	22	54
50-64	188	9.4	76	1	2	7	12	18	25	50
65+	133	8.8	67	2	2	7	12	17	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.4	12	<1	1	3	4	6	8	22
B. *Operated*	1216	4.6	12	1	1	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	331	5.6	20	1	1	4	7	11	15	21
B. *Operated*	1372	7.1	52	1	2	5	9	14	18	38
1. SINGLE DX	1304	4.6	12	1	1	4	6	9	11	16
2. MULTIPLE DX	1703	6.8	47	1	2	5	9	13	17	32
A. NOT OPERATED	419	5.2	19	1	1	4	7	10	14	21
B. OPERATED	2588	5.9	35	1	1	5	8	11	15	28
TOTAL 0-19 YRS	1388	5.1	17	1	1	4	7	10	12	20
20-34	700	5.1	29	1	1	4	6	9	13	21
35-49	370	7.2	55	1	2	6	9	13	17	38
50-64	322	7.8	58	1	2	6	10	17	21	43
65+	227	7.9	49	1	2	6	10	16	20	40
GRAND TOTAL	**3007**	**5.8**	**33**	**1**	**1**	**4**	**8**	**11**	**15**	**27**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.5	2	<1	<1	1	1	3	4	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	544	3.5	4	1	2	3	4	6	7	10
20-34	52	4.5	3	1	2	5	5	7	8	9
35-49	21	6.5	14	2	3	6	8	13	14	15
50-64	14	6.6	20	2	2	5	9	14	16	16
65+	10	5.2	7	1	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.5	2	<1	<1	1	1	3	5	7
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	286	4.7	21	1	2	4	5	7	9	31
20-34	95	5.2	16	2	2	4	6	8	11	27
35-49	79	5.2	5	2	3	5	6	8	10	14
50-64	93	5.1	6	3	3	5	6	8	10	17
65+	41	6.1	11	3	3	5	7	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	1.5	1	<1	<1	1	1	3	4	6
B. *Operated*	641	3.8	5	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	34	1.8	3	<1	<1	1	1	4	7	8
B. *Operated*	594	5.0	15	2	2	4	6	8	10	20
1. SINGLE DX	667	3.7	5	1	1	3	5	6	8	13
2. MULTIPLE DX	628	4.8	15	1	2	4	6	8	10	19
A. NOT OPERATED	60	1.7	2	<1	<1	1	1	4	5	8
B. OPERATED	1235	4.4	10	1	2	4	5	7	9	16
TOTAL 0-19 YRS	883	3.8	10	1	1	3	5	6	8	13
20-34	150	4.9	12	2	2	4	6	8	9	16
35-49	102	5.4	7	2	3	5	6	9	11	15
50-64	108	5.3	8	3	3	5	6	9	10	18
65+	52	5.8	10	3	3	5	7	10	11	19
GRAND TOTAL	**1295**	**4.2**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247	3.2	16	<1	<1	2	3	8	9	28
20-34	108	5.2	24	<1	<1	4	7	12	14	24
35-49	65	6.0	22	1	2	5	7	11	12	28
50-64	46	5.8	13	<1	2	5	8	12	13	14
65+	19	5.5	9	1	2	5	8	10	11	12
B. *Operated*										
0-19 YRS	1643	4.4	18	1	1	3	5	9	13	23
20-34	701	4.5	19	1	1	3	5	10	12	20
35-49	367	5.9	25	1	2	4	8	13	16	25
50-64	187	6.6	31	1	2	5	9	14	17	27
65+	68	7.4	43	1	2	5	10	18	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	5.3	47	<1	1	3	7	12	17	37
20-34	155	5.6	20	<1	1	4	8	11	14	24
35-49	129	7.4	29	1	2	6	11	14	17	27
50-64	169	7.9	43	1	2	6	10	15	18	30
65+	154	9.2	42	2	3	8	12	18	23	30
B. *Operated*										
0-19 YRS	593	6.3	62	1	2	4	8	13	20	42
20-34	363	7.3	71	1	2	5	9	14	19	48
35-49	301	8.5	58	2	2	7	11	17	24	39
50-64	319	10.5	92	2	2	8	14	20	27	48
65+	130	13.0	125	2	3	10	18	27	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	4.3	19	<1	1	3	6	9	12	26
B. *Operated*	2966	4.8	21	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	908	6.8	40	1	1	5	9	14	19	31
B. *Operated*	1706	8.2	78	1	2	5	10	17	24	44
1. SINGLE DX	3451	4.8	21	1	1	3	6	10	14	23
2. MULTIPLE DX	2614	7.7	65	1	2	5	10	16	22	40
A. NOT OPERATED	1393	5.9	34	<1	1	4	8	13	16	29
B. OPERATED	4672	6.1	44	1	1	4	8	13	18	33
TOTAL 0-19 YRS	2784	4.8	31	1	1	3	6	10	14	29
20-34	1327	5.5	35	<1	1	3	7	11	14	29
35-49	862	7.0	38	1	2	5	9	14	18	29
50-64	721	8.6	63	1	2	7	11	17	22	35
65+	371	10.0	75	2	2	8	13	21	27	40
GRAND TOTAL	**6065**	**6.0**	**42**	**1**	**1**	**4**	**8**	**13**	**17**	**31**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1915	3.8	21	1	1	3	4	7	11	25
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	47	6.7	42	1	2	5	9	17	20	32
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1181	9.5	120	1	2	5	12	23	33	55
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	78	17.7	325	1	2	12	25	44	69	96
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1915	3.8	21	1	1	3	4	7	11	25
B. *Operated*	47	6.7	42	1	2	5	9	17	20	32
2. MULTIPLE DX										
A. *Not Operated*	1181	9.5	120	1	2	5	12	23	33	55
B. *Operated*	78	17.7	325	1	2	12	25	44	69	96
1. SINGLE DX	1962	3.8	22	1	1	3	4	7	11	25
2. MULTIPLE DX	1259	10.0	136	1	2	6	13	25	35	59
A. NOT OPERATED	3096	6.0	67	1	1	3	6	14	22	42
B. OPERATED	125	13.6	246	1	2	8	19	32	48	90
TOTAL 0-19 YRS	3221	6.3	76	1	1	3	6	15	24	45
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**3221**	**6.3**	**76**	**1**	**1**	**3**	**6**	**15**	**24**	**45**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2715	3.2	8	1	1	3	4	6	7	14
20-34	1255	3.7	9	1	1	3	5	7	9	14
35-49	592	4.2	11	1	1	3	5	8	9	14
50-64	419	4.4	12	1	1	4	6	8	11	19
65+	334	5.4	22	1	1	4	6	10	14	23
B. *Operated*										
0-19 YRS	37	4.1	4	2	2	4	5	7	8	9
20-34	46	4.9	16	1	2	4	6	9	13	23
35-49	34	7.3	24	1	2	7	10	14	17	20
50-64	26	7.4	21	3	3	6	8	15	17	21
65+	16	8.1	14	4	4	7	9	13	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3365	3.8	10	1	1	3	5	7	9	17
20-34	1426	5.6	27	1	2	4	7	11	14	24
35-49	1208	6.2	27	1	2	5	8	12	16	28
50-64	1548	7.1	31	2	2	6	9	14	17	27
65+	1885	8.0	38	2	3	6	10	15	20	31
B. *Operated*										
0-19 YRS	102	7.3	57	1	2	5	8	14	19	44
20-34	172	9.1	65	2	3	7	10	16	23	53
35-49	143	11.7	113	3	3	8	15	23	36	59
50-64	199	13.7	111	4	4	11	17	25	32	62
65+	181	13.0	114	3	4	10	16	25	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5315	3.7	10	1	1	3	5	7	9	16
B. *Operated*	159	6.0	18	2	2	5	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	9432	5.7	26	1	2	4	7	11	15	26
B. *Operated*	797	11.4	100	2	3	9	14	22	29	53
1. SINGLE DX	5474	3.7	11	1	1	3	5	7	9	16
2. MULTIPLE DX	10229	6.2	34	1	2	4	8	12	17	29
A. NOT OPERATED	14747	5.0	22	1	1	4	6	10	13	24
B. OPERATED	956	10.5	90	2	3	8	13	21	27	51
TOTAL 0-19 YRS	6219	3.6	10	1	1	3	4	7	9	16
20-34	2899	5.0	23	1	1	4	6	9	13	24
35-49	1977	6.0	32	1	2	5	7	11	16	30
50-64	2192	7.2	40	1	2	5	9	14	18	32
65+	2416	8.0	44	2	2	6	10	16	20	33
GRAND TOTAL	**15703**	**5.3**	**27**	**1**	**1**	**4**	**7**	**11**	**15**	**26**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	928	3.1	4	1	1	3	4	5	6	10
20-34	196	4.6	9	1	2	4	6	8	11	16
35-49	112	5.2	11	1	2	4	7	10	12	17
50-64	99	5.0	8	1	2	5	6	9	11	14
65+	129	6.1	14	2	2	5	8	11	12	19
B. *Operated*										
0-19 YRS	21	7.1	18	3	3	6	9	13	16	19
20-34	20	7.8	19	2	2	7	11	14	16	17
35-49	17	10.2	69	2	3	7	12	21	31	36
50-64	26	14.1	154	2	3	11	16	22	41	64
65+	23	13.1	119	1	2	12	16	28	41	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1394	3.5	5	1	1	3	4	6	7	11
20-34	382	5.4	20	1	2	4	6	10	13	22
35-49	283	6.1	23	2	2	5	8	11	14	23
50-64	466	7.1	25	2	3	6	9	13	16	28
65+	875	8.1	37	2	3	7	10	15	18	28
B. *Operated*										
0-19 YRS	38	8.6	28	3	3	7	13	17	18	20
20-34	82	11.4	64	2	4	10	15	26	28	35
35-49	68	12.0	58	2	4	11	15	25	29	34
50-64	115	14.4	103	3	5	12	17	26	32	59
65+	150	17.0	140	3	5	13	26	35	41	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1464	3.9	7	1	1	3	5	7	9	14
B. *Operated*	107	10.7	86	2	3	9	13	19	26	53
2. MULTIPLE DX										
A. *Not Operated*	3400	5.6	23	1	2	4	7	11	15	22
B. *Operated*	453	13.9	102	3	4	11	18	28	34	48
1. SINGLE DX	1571	4.4	15	1	1	3	5	8	11	18
2. MULTIPLE DX	3853	6.6	39	1	2	5	8	13	18	31
A. NOT OPERATED	4864	5.1	19	1	2	4	6	10	13	21
B. OPERATED	560	13.3	100	3	4	11	17	28	34	48
TOTAL 0-19 YRS	2381	3.5	5	1	1	3	4	6	7	13
20-34	680	6.0	26	1	2	4	7	12	16	28
35-49	480	6.9	31	2	2	5	8	13	17	29
50-64	706	8.2	50	2	3	6	10	16	20	35
65+	1177	9.1	59	2	3	7	11	17	24	41
GRAND TOTAL	**5424**	**5.9**	**33**	**1**	**2**	**4**	**7**	**12**	**16**	**29**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	490	3.1	4	1	1	3	4	6	7	10
20-34	985	3.7	11	<1	<1	3	4	7	9	17
35-49	520	4.1	12	<1	1	3	5	8	11	18
50-64	223	4.3	24	<1	1	3	5	8	10	18
65+	100	5.3	31	<1	<1	3	7	13	15	31
B. *Operated*										
0-19 YRS	28	3.8	7	1	1	3	5	8	9	10
20-34	90	5.3	13	2	2	5	7	10	11	21
35-49	64	6.2	21	1	2	5	9	12	13	23
50-64	57	5.8	26	2	2	4	8	13	19	21
65+	18	5.4	15	2	2	4	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	494	3.6	5	1	1	3	5	6	8	11
20-34	1213	5.2	23	1	1	4	6	10	12	25
35-49	991	6.0	24	1	2	5	7	11	15	26
50-64	742	6.1	23	2	2	5	8	12	14	25
65+	574	5.9	20	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	22	5.8	15	1	2	5	8	11	14	16
20-34	135	9.0	53	2	2	7	11	18	25	39
35-49	179	8.8	55	2	2	7	13	18	23	37
50-64	129	9.2	42	2	3	8	11	18	23	34
65+	93	11.8	64	3	4	10	14	24	28	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2318	3.8	12	<1	1	3	5	7	9	16
B. *Operated*	257	5.5	18	1	2	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	4014	5.5	21	1	2	4	7	10	13	24
B. *Operated*	558	9.3	53	2	2	7	12	18	24	34
1. SINGLE DX	2575	4.0	13	<1	1	3	5	8	10	18
2. MULTIPLE DX	4572	5.9	27	1	2	5	7	11	15	27
A. NOT OPERATED	6332	4.9	19	1	1	4	6	9	12	23
B. OPERATED	815	8.1	45	2	2	6	10	17	22	33
TOTAL 0-19 YRS	1034	3.4	5	1	1	3	4	6	8	11
20-34	2423	4.8	21	<1	1	4	6	9	12	25
35-49	1754	5.7	25	1	1	4	7	11	15	26
50-64	1151	6.1	27	1	2	5	8	12	15	25
65+	785	6.5	30	1	2	5	8	13	17	28
GRAND TOTAL	**7147**	**5.2**	**23**	**1**	**1**	**4**	**7**	**10**	**14**	**25**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	1.9	3	<1	<1	1	2	3	4	10
20-34	95	3.0	7	<1	<1	2	4	6	8	15
35-49	122	3.2	5	<1	1	3	4	6	7	13
50-64	231	3.9	7	<1	1	3	6	7	8	12
65+	333	3.5	7	<1	1	3	5	6	7	12
B. *Operated*										
0-19 YRS	76	2.4	4	<1	<1	1	4	6	6	9
20-34	63	4.4	6	<1	1	4	6	8	9	11
35-49	108	4.5	6	1	1	4	6	8	9	13
50-64	148	5.2	10	1	2	5	7	9	11	13
65+	135	5.0	13	1	1	4	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.9	3	1	1	2	4	6	6	7
20-34	86	3.9	6	<1	<1	4	5	7	8	13
35-49	195	4.6	9	1	1	4	6	9	11	13
50-64	499	4.5	12	1	1	4	6	9	11	20
65+	918	5.0	16	1	1	4	6	10	13	20
B. *Operated*										
0-19 YRS	44	3.1	6	<1	1	2	4	7	9	9
20-34	44	5.2	12	1	1	4	8	9	11	18
35-49	86	5.3	20	1	1	5	7	9	14	27
50-64	261	6.5	31	1	2	5	8	11	14	28
65+	386	7.2	42	1	2	6	9	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	837	3.4	6	<1	1	3	5	6	8	12
B. *Operated*	530	4.5	9	<1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1777	4.7	13	1	1	4	6	9	12	19
B. *Operated*	821	6.5	33	1	2	5	8	12	16	29
1. SINGLE DX	1367	3.8	8	<1	1	3	5	7	9	13
2. MULTIPLE DX	2598	5.3	20	1	1	4	7	10	13	21
A. NOT OPERATED	2614	4.3	11	1	1	3	6	8	11	17
B. OPERATED	1351	5.7	25	1	1	5	7	10	14	23
TOTAL 0-19 YRS	255	2.6	4	<1	<1	2	4	6	6	9
20-34	288	3.9	8	<1	<1	3	5	8	9	13
35-49	511	4.4	10	1	1	4	6	8	10	15
50-64	1139	4.9	16	1	1	4	6	9	11	20
65+	1772	5.2	21	1	1	4	7	10	13	21
GRAND TOTAL	**3965**	**4.8**	**16**	**1**	**1**	**4**	**6**	**9**	**12**	**19**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	3.3	8	<1	<1	2	4	7	8	15
20-34	88	3.3	6	<1	<1	3	4	6	8	13
35-49	56	3.5	13	<1	1	3	4	6	7	25
50-64	55	3.5	8	1	1	3	4	8	10	13
65+	45	2.9	5	<1	<1	2	4	6	8	8
B. *Operated*										
0-19 YRS	288	2.3	3	<1	1	2	2	4	6	11
20-34	231	2.9	5	<1	1	2	3	5	8	11
35-49	156	3.1	6	<1	1	2	3	6	8	13
50-64	150	3.6	11	1	1	2	4	7	10	19
65+	73	4.0	10	2	2	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	4.0	11	<1	1	3	5	7	8	21
20-34	160	4.2	9	<1	1	4	5	8	9	17
35-49	176	5.2	37	<1	1	4	7	9	14	22
50-64	235	5.7	23	1	2	4	7	12	15	23
65+	404	8.3	54	1	2	6	11	17	23	37
B. *Operated*										
0-19 YRS	84	4.2	9	1	1	3	6	9	10	14
20-34	138	5.8	29	1	2	4	7	13	19	27
35-49	129	5.8	37	1	2	4	7	11	15	33
50-64	183	8.8	123	1	2	4	11	18	27	66
65+	219	11.1	118	1	2	8	15	24	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	3.3	8	<1	<1	3	4	7	8	13
B. *Operated*	898	3.0	6	<1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1085	6.2	37	1	1	4	8	13	18	31
B. *Operated*	753	7.9	83	1	2	5	10	18	25	49
1. SINGLE DX	1251	3.1	7	<1	1	2	4	6	8	13
2. MULTIPLE DX	1838	6.9	56	1	2	4	8	15	21	41
A. NOT OPERATED	1438	5.5	31	<1	1	4	7	11	16	28
B. OPERATED	1651	5.2	47	1	1	3	6	12	17	31
TOTAL 0-19 YRS	591	3.1	7	<1	<1	2	4	6	8	13
20-34	617	3.9	13	<1	1	3	5	8	11	19
35-49	517	4.5	26	<1	1	3	5	9	12	22
50-64	623	5.9	52	1	1	4	7	13	18	37
65+	741	8.4	72	1	2	5	11	18	25	45
GRAND TOTAL	**3089**	**5.3**	**40**	**<1**	**1**	**3**	**6**	**11**	**16**	**30**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	1	5	5	6	7	7	7	7
20-34	3	3.3	4	<1	<1	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	6	6.5	17	2	2	5	11	12	12	12
65+	32	9.2	70	1	2	5	12	22	25	36
B. *Operated*										
0-19 YRS	26	5.9	46	<1	1	3	9	15	22	26
20-34	47	7.5	119	1	2	4	9	15	20	72
35-49	26	8.7	83	2	2	5	10	23	30	40
50-64	81	12.4	101	1	2	9	20	25	31	42
65+	168	18.4	165	4	6	15	24	32	40	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	145	2	2	10	19	19	19	19
20-34	10	10.2	113	2	2	7	8	28	37	37
35-49	9	10.1	22	4	5	8	13	17	19	19
50-64	48	11.9	119	2	2	10	13	28	34	57
65+	229	13.0	108	3	4	10	17	27	33	54
B. *Operated*										
0-19 YRS	15	7.6	47	<1	1	7	13	16	21	23
20-34	57	14.3	189	2	2	8	21	38	46	58
35-49	108	18.1	203	2	3	16	25	37	44	66
50-64	434	24.2	288	3	5	21	33	47	60	79
65+	1244	24.7	287	6	8	21	32	46	61	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	8.1	55	1	2	5	11	18	23	36
B. *Operated*	348	13.9	151	2	2	11	20	29	35	63
2. MULTIPLE DX										
A. *Not Operated*	298	12.6	107	2	4	10	16	27	34	55
B. *Operated*	1858	23.7	284	4	7	20	31	46	59	89
1. SINGLE DX	393	13.2	143	1	2	10	19	28	34	62
2. MULTIPLE DX	2156	22.2	274	3	5	18	29	44	57	86
A. NOT OPERATED	343	12.0	102	2	3	9	15	25	33	53
B. OPERATED	2206	22.2	276	3	5	18	29	44	57	86
TOTAL 0-19 YRS	46	6.7	45	1	1	3	10	16	21	26
20-34	117	10.9	159	2	2	7	14	24	41	63
35-49	144	15.8	184	2	3	13	23	34	43	57
50-64	569	21.3	271	3	4	18	29	44	56	78
65+	1673	22.2	267	4	6	18	29	43	57	89
GRAND TOTAL	**2549**	**20.8**	**265**	**3**	**5**	**17**	**27**	**43**	**55**	**84**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	2.9	3	<1	1	3	4	5	7	9
20-34	1198	3.0	5	<1	1	2	4	6	7	10
35-49	2925	3.3	4	1	1	3	4	6	7	10
50-64	2277	3.6	7	1	1	3	5	7	8	14
65+	874	3.9	7	<1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	9	2.3	1	1	1	2	3	4	4	4
20-34	123	3.9	11	1	2	3	5	8	11	17
35-49	783	3.4	7	1	2	2	4	7	9	13
50-64	963	3.4	10	1	2	2	4	7	10	18
65+	160	3.7	7	1	2	2	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	3.7	6	1	1	3	5	7	9	14
20-34	1778	4.2	12	1	1	3	5	8	10	17
35-49	5306	4.5	10	1	2	4	6	8	10	16
50-64	6610	4.9	11	1	2	4	6	9	11	16
65+	4643	5.5	15	1	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	10	5.0	15	1	1	4	6	11	14	14
20-34	227	5.8	23	1	2	4	8	12	16	23
35-49	1370	5.6	27	2	2	4	8	12	15	24
50-64	2150	5.7	26	2	2	4	8	12	16	23
65+	739	7.9	63	2	2	6	10	15	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7431	3.4	6	1	1	3	4	6	8	11
B. *Operated*	2038	3.4	8	1	2	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	18552	4.8	12	1	2	4	6	9	11	17
B. *Operated*	4496	6.0	33	2	2	4	8	13	16	27
1. SINGLE DX	9469	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	23048	5.1	16	1	2	4	6	10	12	20
A. NOT OPERATED	25983	4.4	11	1	1	4	6	8	10	16
B. OPERATED	6534	5.2	27	2	2	3	7	11	15	24
TOTAL 0-19 YRS	391	3.4	5	<1	1	3	4	6	8	13
20-34	3326	3.9	11	<1	1	3	5	8	10	17
35-49	10384	4.2	11	1	1	3	5	8	10	16
50-64	12000	4.7	13	1	2	4	6	9	11	18
65+	6416	5.5	21	1	2	4	7	10	13	23
GRAND TOTAL	**32517**	**4.6**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	597	3.7	14	1	1	3	5	7	9	15
20-34	91	2.5	5	<1	<1	2	3	6	7	11
35-49	103	3.8	9	<1	1	3	5	7	11	15
50-64	131	3.9	13	<1	1	3	5	7	10	19
65+	132	4.7	22	<1	<1	4	6	10	12	26
B. *Operated*										
0-19 YRS	51	4.4	21	1	1	3	6	11	13	25
20-34	49	4.2	12	1	1	3	5	9	12	15
35-49	86	4.7	21	1	1	3	6	9	15	24
50-64	166	4.9	16	1	1	4	6	10	13	20
65+	118	6.1	46	1	2	4	8	11	15	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	581	4.6	23	1	1	3	6	9	11	22
20-34	220	4.0	10	<1	1	3	5	8	10	43
35-49	290	5.0	21	<1	1	4	7	10	13	22
50-64	809	7.1	38	1	2	6	9	13	17	33
65+	1241	7.8	34	2	2	6	10	15	19	29
B. *Operated*										
0-19 YRS	54	5.6	18	1	1	4	9	11	13	19
20-34	71	6.6	62	1	1	4	8	12	17	52
35-49	198	6.3	27	2	2	5	8	13	16	26
50-64	500	8.0	79	2	2	6	9	16	22	54
65+	523	9.7	89	2	2	7	12	20	24	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1054	3.8	14	<1	1	3	5	7	10	17
B. *Operated*	470	5.0	25	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	3141	6.5	32	1	2	5	8	13	16	29
B. *Operated*	1346	8.2	74	2	2	6	10	17	22	51
1. SINGLE DX	1524	4.2	17	1	1	3	5	8	11	19
2. MULTIPLE DX	4487	7.0	45	1	2	5	9	14	18	33
A. NOT OPERATED	4195	5.8	29	1	1	4	8	11	15	27
B. OPERATED	1816	7.4	63	1	2	5	9	15	21	45
TOTAL 0-19 YRS	1283	4.2	19	1	1	3	5	8	11	18
20-34	431	4.1	19	<1	1	3	5	8	12	22
35-49	677	5.2	21	1	1	4	7	10	14	24
50-64	1606	6.9	48	1	2	5	9	13	18	34
65+	2014	8.0	50	1	2	6	10	15	21	36
GRAND TOTAL	**6011**	**6.3**	**40**	**1**	**1**	**5**	**8**	**12**	**17**	**30**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	2.5	5	1	1	2	3	4	5	15
20-34	304	2.4	3	<1	1	2	3	4	5	8
35-49	341	2.6	28	<1	1	2	3	5	6	10
50-64	233	2.6	4	<1	1	2	3	5	7	10
65+	182	3.5	13	<1	1	3	4	6	8	15
B. *Operated*										
0-19 YRS	159	2.0	2	<1	<1	1	2	3	5	9
20-34	100	4.6	16	<1	1	3	5	10	12	22
35-49	109	5.8	82	1	1	4	7	10	13	49
50-64	92	6.3	21	1	2	5	9	12	16	23
65+	146	6.8	30	1	2	5	9	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.2	6	<1	1	3	4	6	8	13
20-34	337	3.3	8	<1	1	3	4	6	8	15
35-49	347	3.4	7	1	1	3	4	7	8	14
50-64	441	4.4	19	1	1	3	5	8	11	18
65+	1028	6.5	35	1	2	5	8	13	17	28
B. *Operated*										
0-19 YRS	193	2.9	10	1	1	2	3	6	8	19
20-34	189	6.2	45	1	2	5	8	12	14	26
35-49	246	7.0	27	1	2	6	9	13	19	28
50-64	403	9.1	68	2	2	7	11	16	20	46
65+	1060	11.0	59	2	3	9	14	20	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1182	2.7	12	<1	1	2	3	5	6	11
B. *Operated*	606	4.9	32	1	1	3	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	2285	5.0	24	1	1	4	6	10	14	23
B. *Operated*	2091	9.0	58	1	2	7	12	17	22	34
1. SINGLE DX	1788	3.4	20	<1	1	2	4	7	10	17
2. MULTIPLE DX	4376	6.9	44	1	1	5	9	14	19	31
A. NOT OPERATED	3467	4.2	21	1	1	3	5	9	12	21
B. OPERATED	2697	8.1	55	1	2	6	11	16	21	33
TOTAL 0-19 YRS	606	2.6	6	<1	1	2	3	5	7	14
20-34	930	3.7	17	1	1	3	5	7	10	17
35-49	1043	4.2	30	1	1	3	5	9	11	20
50-64	1169	5.8	40	1	1	4	8	12	15	25
65+	2416	8.3	50	1	2	6	11	17	21	33
GRAND TOTAL	**6164**	**5.9**	**40**	**1**	**1**	**4**	**8**	**13**	**17**	**28**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3287	2.6	3	1	1	2	3	5	6	9
20-34	3275	3.0	5	<1	1	2	4	6	7	11
35-49	1590	3.7	8	1	1	3	5	7	9	14
50-64	1009	3.7	7	<1	1	3	5	7	9	12
65+	788	4.3	15	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	396	4.2	6	2	2	4	5	7	9	13
20-34	555	4.7	13	1	1	4	6	9	11	19
35-49	241	5.2	17	1	1	4	7	10	12	21
50-64	142	6.1	18	1	2	5	8	11	15	21
65+	79	8.1	36	1	2	7	10	15	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2188	3.3	7	1	1	3	4	6	8	12
20-34	3099	3.9	10	1	1	3	5	7	10	15
35-49	2242	4.8	13	1	1	4	6	9	11	17
50-64	2437	5.3	15	1	2	4	7	10	12	19
65+	3397	6.2	20	1	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	281	5.4	15	1	2	5	7	9	12	16
20-34	819	6.8	33	1	2	6	9	13	16	27
35-49	541	8.6	42	2	2	7	11	16	21	37
50-64	508	9.7	57	2	2	8	12	18	24	37
65+	498	11.6	73	2	3	10	14	21	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9949	3.2	6	<1	1	3	4	6	8	12
B. *Operated*	1413	5.0	15	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	13363	4.8	15	1	1	4	6	9	12	19
B. *Operated*	2647	8.5	49	2	2	7	11	16	21	37
1. SINGLE DX	11362	3.4	8	1	1	3	4	7	8	14
2. MULTIPLE DX	16010	5.4	22	1	1	4	7	11	14	23
A. NOT OPERATED	23312	4.1	12	1	1	3	5	8	10	17
B. OPERATED	4060	7.3	40	1	2	6	9	14	18	31
TOTAL 0-19 YRS	6152	3.0	6	1	1	2	4	6	7	11
20-34	7748	3.9	12	1	1	3	5	8	10	17
35-49	4614	4.9	17	1	1	4	6	10	12	21
50-64	4096	5.5	22	1	1	4	7	11	14	23
65+	4762	6.5	29	1	2	5	8	12	16	26
GRAND TOTAL	**27372**	**4.6**	**17**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	347	2.8	4	<1	1	2	3	5	7	11
20-34	170	3.4	6	<1	<1	3	4	7	8	11
35-49	112	2.8	5	<1	<1	2	4	5	7	12
50-64	116	4.5	13	<1	1	3	6	10	13	17
65+	188	4.6	17	<1	1	3	6	10	13	21
B. *Operated*										
0-19 YRS	16	4.3	37	<1	1	2	4	7	20	26
20-34	75	5.4	13	1	2	5	8	10	12	16
35-49	47	4.9	10	1	1	4	6	10	11	13
50-64	54	6.0	35	1	1	5	7	13	17	34
65+	54	7.0	79	1	2	4	8	13	20	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	753	3.6	10	1	1	3	4	7	8	18
20-34	453	4.3	17	1	1	3	5	8	11	25
35-49	491	5.5	24	1	1	4	7	11	15	22
50-64	734	6.6	32	1	2	5	8	13	16	27
65+	1599	7.5	42	2	2	6	9	15	20	32
B. *Operated*										
0-19 YRS	51	8.1	65	<1	1	6	10	18	25	42
20-34	168	6.2	19	1	2	6	8	11	12	27
35-49	166	9.4	100	1	2	7	12	19	25	41
50-64	272	10.4	60	2	3	9	14	21	26	33
65+	400	13.4	144	2	3	10	18	27	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	933	3.5	9	<1	1	3	4	7	9	16
B. *Operated*	246	5.7	33	1	1	4	7	11	15	33
2. MULTIPLE DX										
A. *Not Operated*	4030	6.0	31	1	1	4	7	12	16	28
B. *Operated*	1057	10.6	98	2	2	8	14	22	29	44
1. SINGLE DX	1179	3.9	15	<1	1	3	5	8	11	17
2. MULTIPLE DX	5087	7.0	49	1	2	5	9	15	20	36
A. NOT OPERATED	4963	5.5	28	1	1	4	7	11	15	27
B. OPERATED	1303	9.7	90	1	2	7	12	21	27	43
TOTAL 0-19 YRS	1167	3.6	12	1	1	3	4	7	9	19
20-34	866	4.6	16	1	1	4	6	9	11	22
35-49	816	5.9	40	1	1	4	7	12	16	33
50-64	1176	7.2	40	1	2	5	9	15	19	31
65+	2241	8.3	65	1	2	6	10	17	23	40
GRAND TOTAL	**6266**	**6.4**	**44**	**1**	**1**	**4**	**8**	**13**	**19**	**33**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2448	3.8	17	1	1	3	4	7	9	18
20-34	1564	4.6	30	<1	1	3	5	8	14	26
35-49	1203	5.2	33	<1	1	4	6	11	17	27
50-64	1403	5.1	35	<1	1	3	6	11	15	26
65+	1694	5.8	47	<1	1	4	7	12	16	32
B. *Operated*										
0-19 YRS	205	4.4	21	<1	1	3	5	10	13	25
20-34	439	4.2	31	<1	1	2	5	9	13	21
35-49	410	5.8	63	1	1	3	7	13	17	35
50-64	510	6.1	65	1	1	3	7	15	22	45
65+	323	7.9	117	1	1	4	9	20	27	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2832	5.1	22	1	1	4	6	10	14	26
20-34	2299	4.9	19	1	1	4	6	9	12	25
35-49	2640	5.4	20	1	2	4	7	10	13	23
50-64	5018	6.4	36	1	2	5	8	12	16	32
65+	11090	7.5	42	2	2	6	9	15	19	32
B. *Operated*										
0-19 YRS	211	8.6	111	1	1	5	10	22	33	53
20-34	480	6.4	56	1	1	4	8	13	19	39
35-49	612	8.0	88	1	2	5	10	16	25	49
50-64	1227	9.3	90	2	2	7	12	20	27	56
65+	1811	12.8	140	2	3	9	16	28	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8312	4.8	31	<1	1	3	5	9	14	26
B. *Operated*	1887	5.7	62	1	1	3	6	13	19	43
2. MULTIPLE DX										
A. *Not Operated*	23879	6.5	35	1	2	5	8	13	17	30
B. *Operated*	4341	10.2	113	1	2	7	13	22	32	57
1. SINGLE DX	10199	4.9	37	<1	1	3	6	10	15	29
2. MULTIPLE DX	28220	7.1	49	1	2	5	9	14	19	36
A. NOT OPERATED	32191	6.1	34	1	2	4	7	12	16	29
B. OPERATED	6228	8.9	102	1	2	6	11	20	28	54
TOTAL 0-19 YRS	5696	4.6	24	1	1	3	5	9	13	26
20-34	4782	4.9	28	<1	1	4	6	9	13	26
35-49	4865	5.7	36	1	1	4	7	11	16	30
50-64	8158	6.6	47	1	2	5	8	13	19	35
65+	14918	8.0	60	2	2	6	10	16	21	40
GRAND TOTAL	**38419**	**6.5**	**46**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	342	2.3	3	1	1	2	3	4	6	8
20-34	34	3.5	8	1	1	3	4	8	10	11
35-49	8	3.1	3	1	1	3	5	5	5	5
50-64	16	6.6	28	2	2	5	7	12	20	24
65+	8	4.3	21	<1	<1	2	6	12	14	14
B. *Operated*										
0-19 YRS	57	6.7	54	1	2	5	8	12	17	96
20-34	16	7.2	10	1	3	7	9	12	13	13
35-49	9	9.1	18	3	4	8	14	15	15	15
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	780	3.1	13	1	1	2	4	6	8	16
20-34	144	5.2	29	1	1	4	7	11	[illegible]	23
35-49	69	6.6	53	1	1	5	8	13	16	41
50-64	58	7.3	35	1	2	5	10	16	22	25
65+	58	13.1	121	2	3	8	20	30	39	46
B. *Operated*										
0-19 YRS	183	11.5	195	1	2	7	11	34	42	83
20-34	154	12.6	200	2	2	8	14	28	58	99+
35-49	64	14.7	223	1	2	10	21	46	61	99+
50-64	42	20.8	418	2	3	13	32	63	85	99+
65+	29	30.4	575	2	5	22	47	58	86	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	2.6	5	1	1	2	3	5	7	11
B. *Operated*	84	7.0	41	1	2	6	8	13	15	84
2. MULTIPLE DX										
A. *Not Operated*	1109	4.3	30	1	1	3	5	9	13	29
B. *Operated*	472	14.3	264	1	2	8	18	41	58	99+
1. SINGLE DX	492	3.3	14	1	1	2	4	7	9	16
2. MULTIPLE DX	1581	7.3	121	1	1	4	8	18	31	73
A. NOT OPERATED	1517	3.9	24	1	1	2	4	8	11	24
B. OPERATED	556	13.2	237	1	2	8	15	38	55	99+
TOTAL 0-19 YRS	1362	4.2	45	1	1	2	4	8	11	41
20-34	348	8.4	116	1	1	5	10	19	27	79
35-49	150	10.0	137	1	1	7	12	23	42	99
50-64	117	12.0	213	2	2	7	13	31	60	99+
65+	96	17.5	322	1	2	10	23	42	53	91
GRAND TOTAL	**2073**	**6.4**	**98**	**1**	**1**	**3**	**7**	**14**	**25**	**62**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.7	5	1	1	2	3	7	8	9
20-34	43	4.5	10	<1	1	4	6	8	11	14
35-49	16	4.9	13	1	1	4	6	12	13	13
50-64	7	5.0	12	1	1	4	8	10	10	10
65+	8	6.8	19	1	2	6	9	13	15	15
B. *Operated*										
0-19 YRS	15	6.9	18	1	2	7	10	11	15	17
20-34	7	2.9	2	2	2	2	3	5	6	6
35-49	3	6.3	24	3	3	4	10	12	12	12
50-64	3	16.7	602	2	2	3	34	45	45	45
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	4.0	17	1	1	3	5	8	10	24
20-34	169	4.9	16	1	1	4	7	10	13	22
35-49	53	9.0	192	1	1	5	10	16	26	96
50-64	61	8.6	78	1	2	6	12	18	24	48
65+	80	10.1	96	2	2	7	13	19	24	60
B. *Operated*										
0-19 YRS	104	14.5	367	1	2	7	17	43	67	94
20-34	105	13.8	248	1	2	9	18	31	59	99+
35-49	43	12.6	311	2	2	7	13	41	69	99+
50-64	45	18.5	423	1	2	10	25	49	62	97
65+	27	26.8	450	3	9	23	33	58	81	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	3.5	9	1	1	2	5	8	9	14
B. *Operated*	29	6.7	69	2	2	4	8	12	18	45
2. MULTIPLE DX										
A. *Not Operated*	683	5.7	50	1	1	4	7	12	17	30
B. *Operated*	324	15.6	346	1	2	9	20	42	63	99+
1. SINGLE DX	215	4.0	18	1	1	3	5	9	10	16
2. MULTIPLE DX	1007	8.9	166	1	1	5	10	21	32	85
A. NOT OPERATED	869	5.3	42	1	1	3	7	11	15	28
B. OPERATED	353	14.8	329	1	2	9	19	41	62	99+
TOTAL 0-19 YRS	551	5.8	99	1	1	3	6	10	22	65
20-34	324	7.7	108	1	1	5	9	17	25	74
35-49	115	9.7	211	1	2	5	11	20	37	99
50-64	116	12.4	239	1	2	7	14	35	48	74
65+	116	13.7	223	2	3	9	17	29	35	83
GRAND TOTAL	**1222**	**8.0**	**144**	**1**	**1**	**4**	**9**	**18**	**28**	**79**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	1.5	1	<1	1	1	2	3	3	4
20-34	74	2.3	3	<1	<1	2	3	5	6	9
35-49	26	2.1	1	<1	1	2	2	4	4	5
50-64	5	4.4	16	<1	<1	3	8	10	10	10
65+	8	3.4	7	1	1	3	4	8	9	9
B. *Operated*										
0-19 YRS	601	2.3	3	<1	<1	2	3	4	6	10
20-34	763	2.7	3	<1	1	2	3	5	6	9
35-49	202	3.3	5	1	1	3	4	6	8	11
50-64	59	3.9	12	<1	1	3	5	9	10	18
65+	27	7.6	63	1	1	4	11	20	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	2.1	3	<1	<1	1	3	4	5	9
20-34	380	2.6	6	<1	<1	2	3	5	7	14
35-49	150	2.9	6	<1	<1	2	4	6	8	13
50-64	104	4.5	20	1	1	3	6	11	14	22
65+	212	6.8	43	1	1	5	9	13	20	37
B. *Operated*										
0-19 YRS	1308	3.6	18	1	1	2	4	7	10	20
20-34	2298	4.3	18	1	1	3	5	8	12	22
35-49	741	5.3	33	1	1	4	6	10	16	31
50-64	346	7.0	66	1	2	5	9	13	19	45
65+	263	8.8	71	1	2	7	11	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*	1652	2.8	5	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	1051	3.6	17	<1	<1	2	4	8	11	21
B. *Operated*	4956	4.7	28	1	1	3	5	9	13	25
1. SINGLE DX	1805	2.7	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	6007	4.5	26	1	1	3	5	9	13	25
A. NOT OPERATED	1204	3.4	16	<1	<1	2	4	7	10	20
B. OPERATED	6608	4.2	23	1	1	3	5	8	12	23
TOTAL 0-19 YRS	2154	3.1	13	<1	1	2	4	6	8	17
20-34	3515	3.7	14	<1	1	3	4	7	10	19
35-49	1119	4.5	25	1	1	3	5	9	13	25
50-64	514	6.1	51	1	1	4	8	12	17	35
65+	510	7.8	59	1	2	6	10	16	22	37
GRAND TOTAL	**7812**	**4.1**	**22**	**<1**	**1**	**3**	**5**	**8**	**12**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	4.5	12	1	1	4	6	9	11	18
20-34	297	5.3	26	1	1	4	6	10	13	25
35-49	174	6.4	20	1	2	5	8	13	16	21
50-64	184	7.5	24	2	3	6	10	14	18	23
65+	357	10.0	40	3	3	9	13	18	22	30
B. *Operated*										
0-19 YRS	22	13.0	176	2	3	10	18	22	39	64
20-34	41	15.3	196	2	3	10	18	41	48	52
35-49	23	12.8	75	2	3	11	18	27	29	32
50-64	12	10.1	64	2	3	8	14	21	29	30
65+	14	20.0	112	5	7	19	23	38	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	418	5.6	24	1	1	4	7	11	15	23
20-34	786	6.2	31	1	2	5	8	12	15	28
35-49	541	7.5	48	1	2	6	9	13	18	41
50-64	916	9.3	44	2	3	8	12	17	21	32
65+	3304	12.2	60	3	4	11	15	22	27	40
B. *Operated*										
0-19 YRS	107	17.1	244	3	4	13	21	38	58	99+
20-34	293	16.9	279	2	3	11	22	45	60	99+
35-49	152	16.5	167	3	5	14	20	37	48	61
50-64	166	17.6	190	3	5	13	23	36	48	81
65+	342	19.6	175	5	8	16	24	35	45	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1167	7.1	32	1	2	6	9	14	18	27
B. *Operated*	112	14.4	145	3	3	11	19	31	41	57
2. MULTIPLE DX										
A. *Not Operated*	5965	10.1	57	2	3	8	13	19	24	38
B. *Operated*	1060	17.9	212	3	5	14	23	37	51	99
1. SINGLE DX	1279	7.8	46	1	2	6	10	15	20	37
2. MULTIPLE DX	7025	11.3	88	2	3	9	14	22	28	50
A. NOT OPERATED	7132	9.6	54	2	3	8	13	19	24	37
B. OPERATED	1172	17.5	207	3	5	14	22	37	50	96
TOTAL 0-19 YRS	702	7.3	79	1	2	5	9	16	22	58
20-34	1417	8.5	107	1	2	6	9	18	28	61
35-49	890	9.0	76	2	2	6	10	18	27	51
50-64	1278	10.2	69	2	3	8	13	20	25	45
65+	4017	12.7	73	3	4	11	16	23	29	43
GRAND TOTAL	**8304**	**10.7**	**83**	**2**	**3**	**8**	**14**	**21**	**28**	**48**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	13.2	147	4	4	9	18	34	34	34
20-34	14	11.6	327	1	3	7	10	19	61	73
35-49	3	4.0	13	<1	<1	3	7	8	8	8
50-64	4	12.0	105	4	4	8	18	27	27	27
65+	8	9.8	26	3	4	10	14	16	17	17
B. *Operated*										
0-19 YRS	4	23.5	300	9	9	19	36	47	47	47
20-34	8	26.6	802	4	4	14	40	75	85	85
35-49	3	38.0	2251	3	3	19	74	92	92	92
50-64	2	20.5	5	19	19	20	22	22	22	22
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.3	70	<1	1	5	10	45	90	99+
20-34	27	10.7	206	2	3	6	12	24	36	74
35-49	20	9.2	72	<1	1	7	11	21	31	34
50-64	21	16.9	477	3	4	8	13	56	75	84
65+	63	13.3	118	2	3	10	18	26	35	95
B. *Operated*										
0-19 YRS	20	37.5	634	9	12	42	95	99+	99+	99+
20-34	70	35.4	633	6	10	31	67	98	99+	99+
35-49	20	32.1	455	7	12	31	70	99+	99+	99+
50-64	21	35.8	838	6	9	29	70	99	99+	99+
65+	12	25.8	442	5	8	23	40	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	10.8	168	1	3	8	13	18	33	73
B. *Operated*	18	26.5	686	3	4	17	28	75	89	92
2. MULTIPLE DX										
A. *Not Operated*	143	12.3	179	2	3	8	14	27	42	99+
B. *Operated*	143	34.5	615	7	10	31	70	99+	99+	99+
1. SINGLE DX	52	16.2	394	3	3	10	16	38	71	92
2. MULTIPLE DX	286	23.4	519	3	4	17	40	85	99+	99+
A. NOT OPERATED	177	12.0	176	2	3	8	13	27	37	95
B. OPERATED	161	33.6	625	5	9	29	68	99+	99+	99+
TOTAL 0-19 YRS	41	24.3	546	3	4	25	52	99+	99+	99+
20-34	119	26.4	630	3	4	18	44	81	99+	99+
35-49	46	20.7	478	1	2	14	34	85	99+	99+
50-64	48	24.9	664	4	5	13	46	79	99	99+
65+	84	14.8	171	3	4	12	20	31	71	99+
GRAND TOTAL	**338**	**22.3**	**506**	**3**	**4**	**15**	**34**	**80**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	7	1	1	2	3	5	9	12
20-34	62	2.6	3	<1	1	2	3	5	6	8
35-49	85	3.0	4	1	1	2	4	6	7	9
50-64	105	4.2	12	1	1	3	6	8	10	18
65+	137	5.8	23	1	2	4	7	12	14	26
B. *Operated*										
0-19 YRS	4	7.0	28	2	2	6	11	14	14	14
20-34	6	4.3	5	2	2	4	6	8	8	8
35-49	3	6.7	4	5	5	6	8	9	9	9
50-64	4	7.0	8	5	5	6	9	11	11	11
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	3.6	9	1	1	3	5	7	8	18
20-34	482	4.5	16	<1	1	3	6	9	12	20
35-49	583	5.5	19	1	1	5	7	10	12	24
50-64	954	6.7	27	1	2	6	9	13	17	25
65+	1931	8.7	40	2	3	7	11	17	21	32
B. *Operated*										
0-19 YRS	52	6.5	19	1	2	5	9	13	16	18
20-34	179	9.2	73	2	2	7	11	17	22	50
35-49	147	8.9	56	1	2	7	11	18	24	36
50-64	177	10.9	86	2	3	8	14	21	28	53
65+	286	17.5	171	4	6	14	22	33	46	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	4.2	14	1	1	3	5	8	11	22
B. *Operated*	18	6.4	13	2	2	6	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	4084	7.1	33	1	2	6	9	14	18	29
B. *Operated*	841	12.2	118	2	3	9	15	25	33	56
1. SINGLE DX	427	4.3	14	1	1	3	5	8	11	22
2. MULTIPLE DX	4925	8.0	51	1	2	6	10	16	21	36
A. NOT OPERATED	4493	6.9	32	1	2	5	9	14	18	28
B. OPERATED	859	12.0	117	2	3	9	15	25	33	56
TOTAL 0-19 YRS	210	4.3	13	1	1	3	6	9	12	18
20-34	729	5.5	33	1	1	4	7	11	14	31
35-49	818	5.9	27	1	1	5	7	11	15	26
50-64	1240	7.1	37	1	2	6	9	14	18	31
65+	2355	9.6	64	2	3	8	12	18	24	40
GRAND TOTAL	**5352**	**7.7**	**49**	**1**	**2**	**6**	**10**	**15**	**21**	**35**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	6.7	47	1	2	5	8	14	17	42
20-34	54	6.9	37	2	2	5	9	14	20	34
35-49	32	7.0	40	2	2	5	8	14	23	29
50-64	70	9.6	46	2	2	8	12	18	23	33
65+	258	12.2	72	2	4	10	16	22	30	41
B. *Operated*										
0-19 YRS	7	17.7	314	3	3	10	26	47	52	52
20-34	4	28.5	395	10	10	27	45	49	49	49
35-49	4	39.5	487	23	23	31	52	72	72	72
50-64	1	3.0		3	3	3	3	3	3	3
65+	6	18.7	48	9	9	18	26	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	8.3	67	2	2	6	10	18	24	42
20-34	284	11.9	111	2	3	9	14	27	36	50
35-49	148	13.4	145	3	4	10	15	26	44	59
50-64	319	12.9	105	3	4	10	16	24	31	63
65+	2017	15.0	89	4	5	13	19	27	34	48
B. *Operated*										
0-19 YRS	117	21.9	350	4	5	15	29	50	57	82
20-34	170	26.0	314	5	7	22	39	53	63	99+
35-49	84	27.8	320	5	8	24	43	56	63	88
50-64	87	31.5	492	6	8	27	44	68	84	97
65+	238	24.8	209	7	9	23	32	45	52	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	480	10.1	64	2	2	8	14	19	27	38
B. *Operated*	22	23.2	318	3	4	19	30	50	60	72
2. MULTIPLE DX										
A. *Not Operated*	3031	13.9	97	3	4	12	18	26	33	50
B. *Operated*	696	25.8	312	5	7	22	36	52	63	91
1. SINGLE DX	502	10.7	82	2	3	8	14	21	29	44
2. MULTIPLE DX	3727	16.1	159	3	5	13	21	33	42	65
A. NOT OPERATED	3511	13.4	95	3	4	11	17	25	32	49
B. OPERATED	718	25.7	312	5	7	22	36	51	63	91
TOTAL 0-19 YRS	453	11.7	177	2	2	7	13	27	44	67
20-34	512	16.2	224	2	3	10	21	40	50	75
35-49	268	17.5	253	3	4	12	23	45	55	65
50-64	477	15.8	223	3	4	11	18	33	47	82
65+	2519	15.7	108	4	5	13	20	29	36	52
GRAND TOTAL	**4229**	**15.5**	**153**	**3**	**4**	**12**	**20**	**31**	**41**	**63**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	3.4	27	1	1	2	3	7	16	28
20-34	36	2.3	3	1	1	2	3	4	6	8
35-49	34	3.2	9	<1	1	2	4	6	7	17
50-64	66	3.7	20	1	1	3	4	6	8	31
65+	290	5.9	26	1	1	4	8	12	16	23
B. *Operated*										
0-19 YRS	714	4.4	30	1	1	2	4	13	18	23
20-34	96	4.5	21	1	1	3	5	8	11	27
35-49	83	6.1	70	1	1	4	6	11	18	55
50-64	140	5.6	19	1	1	5	7	11	15	22
65+	210	7.3	30	1	2	6	10	14	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	4.4	35	1	1	2	4	15	21	25
20-34	104	4.6	32	<1	1	3	5	10	12	34
35-49	120	6.2	59	<1	1	4	6	13	24	40
50-64	366	6.9	41	1	1	5	9	15	19	30
65+	1590	9.0	59	2	2	7	12	18	24	37
B. *Operated*										
0-19 YRS	1068	5.1	42	1	1	3	5	14	19	30
20-34	313	9.7	145	1	2	5	10	24	39	62
35-49	252	8.5	93	1	2	6	10	19	23	55
50-64	481	9.5	89	1	2	7	11	19	29	49
65+	1068	12.9	126	2	3	10	17	28	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	604	4.6	25	1	1	3	6	10	15	23
B. *Operated*	1243	5.2	32	1	1	3	6	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	2424	7.9	55	1	1	6	10	17	22	35
B. *Operated*	3182	9.1	102	1	1	6	12	21	29	48
1. SINGLE DX	1847	5.0	30	1	1	3	6	11	17	24
2. MULTIPLE DX	5606	8.6	82	1	1	6	11	19	26	46
A. NOT OPERATED	3028	7.2	51	1	1	5	10	16	21	34
B. OPERATED	4425	8.0	85	1	1	5	10	19	26	46
TOTAL 0-19 YRS	2204	4.7	36	1	1	2	5	13	18	26
20-34	549	7.3	100	1	1	4	8	17	30	47
35-49	489	7.1	77	1	1	4	8	16	22	49
50-64	1053	7.7	62	1	2	5	10	16	22	41
65+	3158	9.9	82	2	2	7	13	21	28	46
GRAND TOTAL	**7453**	**7.7**	**71**	**1**	**1**	**5**	**10**	**18**	**23**	**42**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	1.5	1	<1	1	1	2	2	3	7
20-34	31	1.8	2	<1	<1	1	2	4	5	7
35-49	27	2.3	2	<1	1	2	3	4	5	6
50-64	42	3.7	48	<1	<1	2	4	6	7	46
65+	68	4.2	15	1	1	3	5	10	13	18
B. *Operated*										
0-19 YRS	1595	1.7	2	<1	1	1	2	3	4	7
20-34	438	3.2	6	1	1	3	4	6	7	10
35-49	302	3.0	4	1	1	3	4	5	7	12
50-64	519	2.7	5	1	1	2	3	5	6	11
65+	563	3.7	10	1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	2.6	14	<1	<1	1	3	5	6	27
20-34	153	2.9	7	<1	<1	2	4	6	7	10
35-49	100	3.5	12	<1	<1	2	5	7	13	17
50-64	196	5.0	33	<1	<1	3	6	12	17	26
65+	469	6.8	50	<1	1	5	9	14	18	39
B. *Operated*										
0-19 YRS	2134	2.6	18	1	1	1	3	5	7	17
20-34	978	5.1	39	1	1	4	6	10	14	33
35-49	680	4.9	37	1	1	3	5	10	13	31
50-64	1176	4.6	32	1	1	3	5	9	15	26
65+	1717	6.6	53	1	1	4	8	15	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	2.6	13	<1	1	2	3	5	7	16
B. *Operated*	3417	2.5	5	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	1083	5.0	35	<1	<1	3	6	12	15	28
B. *Operated*	6685	4.6	37	1	1	3	5	10	15	30
1. SINGLE DX	3691	2.5	6	1	1	2	3	5	6	12
2. MULTIPLE DX	7768	4.6	36	1	1	3	5	10	15	30
A. NOT OPERATED	1357	4.5	31	<1	<1	3	6	10	15	26
B. OPERATED	10102	3.9	27	1	1	2	4	8	12	26
TOTAL 0-19 YRS	4000	2.2	11	<1	1	1	2	4	6	12
20-34	1600	4.3	27	1	1	3	5	8	11	29
35-49	1109	4.2	26	1	1	3	5	8	11	27
50-64	1933	4.1	26	1	1	3	5	8	13	25
65+	2817	6.0	44	1	1	4	7	14	18	35
GRAND TOTAL	**11459**	**3.9**	**28**	**1**	**1**	**2**	**4**	**8**	**13**	**26**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.5	1	<1	<1	1	2	3	3	4
20-34	27	2.7	5	<1	<1	2	4	5	9	9
35-49	11	3.0	5	<1	<1	3	5	6	7	7
50-64	8	2.4	2	1	1	2	3	5	5	5
65+	16	3.2	4	<1	<1	3	5	6	6	6
B. *Operated*										
0-19 YRS	487	1.7	1	<1	<1	1	2	3	3	5
20-34	535	2.1	3	<1	<1	2	2	4	4	10
35-49	191	2.2	5	<1	1	2	3	4	6	11
50-64	114	2.2	2	<1	1	2	3	5	6	8
65+	83	3.0	13	<1	1	2	3	6	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	2.2	14	<1	<1	1	2	4	5	21
20-34	245	1.9	5	<1	<1	<1	2	4	6	12
35-49	89	2.7	10	<1	<1	<1	3	6	11	16
50-64	66	3.5	16	<1	<1	2	4	9	10	20
65+	147	7.1	38	<1	<1	5	10	15	23	27
B. *Operated*										
0-19 YRS	702	2.3	5	<1	1	2	2	4	6	12
20-34	1065	2.6	6	<1	1	2	3	5	7	12
35-49	494	3.4	18	<1	1	2	4	6	11	25
50-64	402	4.4	44	<1	1	2	5	9	15	39
65+	298	5.7	46	1	1	3	7	13	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.5	3	<1	<1	2	4	5	6	9
B. *Operated*	1410	2.0	3	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	661	3.4	20	<1	<1	1	4	8	12	25
B. *Operated*	2961	3.2	18	<1	1	2	3	6	9	22
1. SINGLE DX	1492	2.0	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX	3622	3.3	18	<1	<1	2	3	7	10	23
A. NOT OPERATED	743	3.3	18	<1	<1	1	4	8	11	24
B. OPERATED	4371	2.8	14	<1	1	2	3	5	8	19
TOTAL 0-19 YRS	1323	2.0	5	<1	<1	1	2	4	5	9
20-34	1872	2.4	5	<1	<1	2	3	4	6	12
35-49	785	3.0	14	<1	<1	2	3	6	10	20
50-64	590	3.9	33	<1	1	2	4	8	12	33
65+	544	5.6	40	<1	1	3	7	13	17	28
GRAND TOTAL	**5114**	**2.9**	**14**	**<1**	**<1**	**2**	**3**	**6**	**9**	**19**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	13.7	138	1	1	11	23	30	34	39
20-34	6	17.5	375	2	2	15	15	51	55	55
35-49	10	9.3	50	1	1	9	14	19	24	24
50-64	24	12.0	99	1	3	9	15	30	36	37
65+	143	11.2	126	<1	2	9	15	24	29	57
B. *Operated*										
0-19 YRS	73	12.1	87	2	3	9	17	29	31	37
20-34	42	9.7	34	3	4	8	12	14	25	31
35-49	49	11.5	23	6	6	11	14	17	19	28
50-64	337	13.6	39	6	7	13	17	20	22	39
65+	2274	17.5	51	9	10	16	20	26	30	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	15.5	192	1	1	11	26	41	43	50
20-34	16	22.9	849	2	3	9	38	91	97	99+
35-49	35	11.0	213	1	3	6	14	21	27	86
50-64	141	11.9	122	1	2	10	15	23	31	77
65+	1082	14.9	153	2	3	12	19	30	39	67
B. *Operated*										
0-19 YRS	173	18.2	208	4	5	13	25	35	45	72
20-34	216	19.5	282	6	7	15	22	42	61	99
35-49	307	17.3	152	6	7	14	21	35	46	99+
50-64	1426	17.6	109	7	8	15	21	30	39	59
65+	13281	20.2	108	9	11	18	24	32	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	11.7	127	<1	1	9	16	24	33	54
B. *Operated*	2775	16.6	53	7	9	16	20	25	29	43
2. MULTIPLE DX										
A. *Not Operated*	1322	14.6	163	2	3	12	19	29	40	74
B. *Operated*	15403	19.9	113	8	10	17	23	32	40	63
1. SINGLE DX	2988	16.3	60	6	8	15	19	25	29	43
2. MULTIPLE DX	16725	19.5	119	7	9	17	23	32	40	65
A. NOT OPERATED	1535	14.2	159	1	3	11	18	29	39	71
B. OPERATED	18178	19.4	105	8	10	17	23	31	38	61
TOTAL 0-19 YRS	324	16.0	177	2	3	12	24	31	41	60
20-34	280	18.2	288	5	6	13	22	40	61	99
35-49	401	15.9	146	4	6	13	19	30	42	99
50-64	1928	16.4	102	6	7	14	19	27	36	59
65+	16780	19.4	106	8	10	17	23	31	38	60
GRAND TOTAL	**19713**	**19.0**	**111**	**7**	**9**	**17**	**23**	**31**	**39**	**61**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	262	16.4	138	1	2	17	25	30	34	52
20-34	26	16.3	435	<1	1	5	28	51	56	66
35-49	6	4.3	25	<1	<1	2	5	13	14	14
50-64	16	14.1	225	1	1	8	20	42	43	43
65+	66	15.6	297	2	2	11	21	36	51	93
B. *Operated*										
0-19 YRS	303	15.5	170	2	2	13	23	32	38	56
20-34	112	15.4	157	1	2	13	18	33	45	77
35-49	25	17.1	262	1	3	10	26	43	51	65
50-64	40	16.6	190	2	5	13	19	30	38	82
65+	152	21.7	161	6	10	18	25	39	50	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	458	19.6	174	1	2	20	27	37	42	55
20-34	63	16.2	266	2	3	8	28	45	51	94
35-49	53	19.2	344	2	2	10	34	46	50	75
50-64	86	21.4	353	2	3	15	28	52	64	74
65+	404	21.5	391	3	4	15	28	54	70	98
B. *Operated*										
0-19 YRS	773	19.7	239	2	3	17	28	40	49	83
20-34	552	21.4	294	4	5	16	27	48	60	95
35-49	182	23.3	372	2	3	18	31	55	68	96
50-64	272	25.9	378	5	7	21	35	60	77	99+
65+	936	24.2	229	8	11	20	31	44	60	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	16.0	188	1	2	15	24	31	40	64
B. *Operated*	632	17.1	176	2	3	15	23	34	45	65
2. MULTIPLE DX										
A. *Not Operated*	1064	20.2	286	2	3	17	28	44	55	84
B. *Operated*	2715	22.5	274	3	6	19	29	45	61	96
1. SINGLE DX	1008	16.7	181	1	2	15	23	33	43	65
2. MULTIPLE DX	3779	21.8	278	3	4	18	29	45	59	94
A. NOT OPERATED	1440	19.1	264	1	2	17	27	41	52	78
B. OPERATED	3347	21.4	260	3	5	18	28	43	56	93
TOTAL 0-19 YRS	1796	18.5	199	1	2	17	26	36	45	68
20-34	753	19.9	282	2	4	15	26	46	56	95
35-49	266	21.5	358	2	3	16	31	49	65	87
50-64	414	23.6	360	3	6	18	32	52	69	99+
65+	1558	22.9	271	4	7	19	29	46	63	96
GRAND TOTAL	**4787**	**20.7**	**262**	**2**	**4**	**17**	**28**	**43**	**55**	**90**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	268	2.6	8	1	1	2	3	5	7	11
20-34	113	3.5	7	<1	1	3	5	6	8	14
35-49	77	4.2	15	<1	1	3	5	8	10	23
50-64	76	5.9	17	1	2	5	7	12	14	21
65+	106	8.4	65	1	2	6	10	15	20	30
B. *Operated*										
0-19 YRS	604	4.1	18	1	1	3	5	7	10	21
20-34	411	6.0	24	1	2	5	8	11	14	24
35-49	295	6.2	18	1	2	5	8	12	14	22
50-64	217	9.1	95	2	2	7	10	15	26	53
65+	125	13.9	95	3	4	13	18	24	30	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	394	3.3	12	1	1	2	4	6	8	20
20-34	287	4.6	23	<1	1	3	6	9	12	22
35-49	215	5.8	40	<1	1	4	6	12	17	34
50-64	299	7.6	59	1	2	5	9	16	21	40
65+	569	11.0	70	2	3	9	14	20	28	42
B. *Operated*										
0-19 YRS	1086	6.7	61	1	1	4	8	15	21	40
20-34	1196	10.5	133	2	3	7	12	23	34	69
35-49	671	10.4	112	2	3	8	12	22	29	64
50-64	704	13.4	155	3	4	10	16	25	39	71
65+	555	16.6	180	3	4	13	21	32	44	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	640	4.3	23	1	1	3	5	9	12	23
B. *Operated*	1652	6.4	42	1	1	5	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	1764	7.0	53	1	1	5	9	16	21	35
B. *Operated*	4212	10.8	131	1	2	7	13	23	33	65
1. SINGLE DX	2292	5.8	38	1	1	4	7	12	16	30
2. MULTIPLE DX	5976	9.7	111	1	2	6	12	21	29	58
A. NOT OPERATED	2404	6.3	47	1	1	4	8	14	19	34
B. OPERATED	5864	9.5	110	1	2	6	12	21	29	58
TOTAL 0-19 YRS	2352	5.0	38	1	1	3	5	10	16	34
20-34	2007	8.3	95	1	2	5	9	17	27	56
35-49	1258	8.2	77	1	2	6	10	17	23	48
50-64	1296	10.9	122	2	3	8	13	21	29	67
65+	1355	13.4	125	3	4	11	17	26	34	60
GRAND TOTAL	**8268**	**8.6**	**94**	**1**	**2**	**6**	**11**	**19**	**26**	**53**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	2.3	3	<1	1	2	3	5	6	8
20-34	150	3.1	7	<1	<1	2	4	6	9	14
35-49	115	3.5	7	<1	1	3	5	7	9	13
50-64	126	4.1	7	1	1	4	6	8	9	12
65+	156	5.6	17	1	2	4	7	12	14	21
B. *Operated*										
0-19 YRS	700	3.7	8	1	1	3	5	7	9	13
20-34	952	4.5	9	1	2	4	6	8	10	16
35-49	699	5.3	13	1	2	4	7	10	11	18
50-64	641	6.1	15	2	2	5	8	11	13	22
65+	407	8.1	25	2	3	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	266	2.8	8	<1	<1	2	3	6	7	12
20-34	532	3.7	17	<1	<1	2	5	8	10	22
35-49	373	4.3	30	<1	<1	3	5	9	12	23
50-64	504	5.6	29	<1	1	4	7	12	16	27
65+	882	8.0	41	2	2	6	10	15	20	32
B. *Operated*										
0-19 YRS	1235	5.1	34	1	1	4	6	9	13	31
20-34	2267	5.9	27	2	2	5	7	11	14	28
35-49	1642	6.9	41	2	3	5	8	12	15	39
50-64	1899	8.1	42	2	3	7	10	14	18	36
65+	1518	11.4	72	3	4	9	14	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	3.8	10	<1	1	3	5	7	10	15
B. *Operated*	3399	5.2	14	1	2	4	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	2557	5.6	32	<1	<1	4	7	12	16	28
B. *Operated*	8561	7.4	46	2	2	6	9	14	19	36
1. SINGLE DX	4092	5.0	14	1	1	4	6	9	12	18
2. MULTIPLE DX	11118	7.0	44	1	2	5	8	13	18	35
A. NOT OPERATED	3250	5.2	28	<1	<1	4	7	11	15	26
B. OPERATED	11960	6.8	38	2	2	5	8	13	17	33
TOTAL 0-19 YRS	2347	4.3	22	1	1	3	5	8	10	25
20-34	3901	5.1	21	1	1	4	6	10	12	25
35-49	2829	6.0	32	1	2	5	7	11	14	31
50-64	3170	7.1	34	1	2	6	9	13	16	29
65+	2963	9.6	57	2	3	8	12	18	23	39
GRAND TOTAL	**15210**	**6.5**	**36**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.0	3	1	1	1	2	5	6	6
20-34	25	2.4	5	<1	<1	1	4	6	7	9
35-49	7	1.7	1	<1	<1	1	2	4	4	4
50-64	10	4.4	26	1	1	3	5	12	18	18
65+	23	5.3	16	<1	1	4	7	10	15	17
B. *Operated*										
0-19 YRS	52	2.9	5	1	1	2	3	6	8	13
20-34	41	4.2	36	1	1	3	5	6	7	40
35-49	9	4.4	12	1	2	4	4	10	13	13
50-64	7	4.4	15	2	2	3	4	11	13	13
65+	4	4.5	1	3	3	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.2	25	1	1	2	4	5	8	35
20-34	234	3.7	12	<1	1	3	5	7	9	18
35-49	150	4.7	14	1	1	4	6	10	13	16
50-64	132	5.9	17	1	1	5	8	12	14	21
65+	284	9.0	49	2	2	7	11	17	23	38
B. *Operated*										
0-19 YRS	127	4.6	25	1	1	3	5	10	14	26
20-34	150	6.4	89	1	1	4	7	14	20	52
35-49	65	7.9	109	1	2	6	9	16	20	71
50-64	38	7.9	57	1	2	5	10	19	26	35
65+	65	11.7	119	1	3	7	16	25	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.1	10	<1	1	2	4	6	9	17
B. *Operated*	113	3.7	17	1	1	3	4	6	8	23
2. MULTIPLE DX										
A. *Not Operated*	978	5.6	31	1	1	4	7	12	16	28
B. *Operated*	445	7.0	80	1	1	4	7	15	23	47
1. SINGLE DX	215	3.4	14	1	1	2	4	6	9	17
2. MULTIPLE DX	1423	6.1	47	1	1	4	7	13	18	33
A. NOT OPERATED	1080	5.4	30	1	1	4	7	12	15	25
B. OPERATED	558	6.3	69	1	1	4	7	14	21	41
TOTAL 0-19 YRS	394	3.5	21	1	1	2	4	6	11	21
20-34	450	4.6	41	<1	1	3	5	9	13	33
35-49	231	5.5	42	1	1	4	7	12	15	22
50-64	187	6.2	26	1	1	5	8	13	15	26
65+	376	9.2	61	1	2	7	11	20	24	40
GRAND TOTAL	**1638**	**5.7**	**43**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	5.1	60	1	1	2	4	17	26	26
20-34	2	4.0		4	4	4	4	4	4	4
35-49	2	6.0		6	6	6	6	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	10.3	61	3	3	10	17	17	17	17
B. *Operated*										
0-19 YRS	9	4.6	49	1	1	2	4	15	23	23
20-34	3	4.7	4	3	3	4	6	7	7	7
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.3	37	1	1	3	7	18	19	20
20-34	8	8.5	51	3	3	5	12	20	23	23
35-49	2	3.0		3	3	3	3	3	3	3
50-64	6	7.3	45	1	1	6	10	18	19	19
65+	9	9.7	65	2	2	7	12	23	28	28
B. *Operated*										
0-19 YRS	15	19.1	321	2	2	13	32	41	60	66
20-34	18	11.4	152	1	2	9	18	77	99+	99+
35-49	11	18.0	777	1	2	10	20	54	95	99
50-64	6	25.5	372	5	5	22	39	54	56	56
65+	1	49.0		49	49	74	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.1	45	1	1	4	6	17	22	26
B. *Operated*	14	5.8	44	1	1	3	7	18	22	23
2. MULTIPLE DX										
A. *Not Operated*	47	6.8	45	1	1	4	10	18	20	28
B. *Operated*	51	17.5	376	1	3	10	25	57	99+	99+
1. SINGLE DX	33	6.0	43	1	1	4	6	17	22	26
2. MULTIPLE DX	98	12.4	244	1	2	8	18	36	60	99+
A. NOT OPERATED	66	6.6	44	1	1	4	8	18	21	28
B. OPERATED	65	15.0	326	1	2	9	23	52	99	99+
TOTAL 0-19 YRS	56	8.8	152	1	1	3	11	26	34	64
20-34	31	9.5	105	1	3	7	12	31	93	99+
35-49	16	14.0	557	1	3	7	10	24	76	99
50-64	13	15.5	268	1	2	8	22	42	53	56
65+	15	13.0	154	2	3	9	18	47	85	99+
GRAND TOTAL	**131**	**10.8**	**200**	**1**	**1**	**7**	**13**	**27**	**53**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	22	1.9	2	<1	<1	1	2	4	5	6
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64	9	2.3	2	<1	<1	2	3	5	5	5
65+	8	1.9	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	116	2.8	2	1	1	3	3	5	5	7
20-34	414	3.1	3	1	1	3	4	5	6	9
35-49	117	3.3	3	1	1	3	4	6	6	10
50-64	56	2.5	3	<1	1	2	3	5	6	9
65+	76	2.8	10	<1	1	1	3	7	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	2	<1	<1	1	2	4	5	5
20-34	87	1.9	3	<1	<1	1	2	4	5	10
35-49	36	3.1	10	<1	<1	2	4	6	7	18
50-64	30	4.4	13	<1	<1	2	8	10	11	12
65+	80	6.2	34	<1	1	4	9	13	15	33
B. *Operated*										
0-19 YRS	102	3.4	4	1	1	3	4	5	8	12
20-34	412	3.2	5	1	1	3	4	5	6	9
35-49	168	4.1	11	1	1	3	5	8	10	19
50-64	130	5.3	68	1	1	3	6	11	18	55
65+	224	6.3	80	1	1	4	7	14	18	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.0	2	<1	<1	2	3	4	4	6
B. *Operated*	779	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	255	3.7	18	<1	<1	2	5	9	12	19
B. *Operated*	1036	4.3	31	1	1	3	5	8	11	26
1. SINGLE DX	828	2.9	4	1	1	3	4	5	6	9
2. MULTIPLE DX	1291	4.2	29	<1	1	3	5	8	11	25
A. NOT OPERATED	304	3.4	16	<1	<1	2	4	8	11	18
B. OPERATED	1815	3.7	20	1	1	3	4	6	9	20
TOTAL 0-19 YRS	246	2.9	3	<1	1	3	4	5	6	10
20-34	935	3.0	4	<1	1	3	4	5	6	9
35-49	325	3.7	8	<1	1	3	4	7	8	17
50-64	225	4.4	44	<1	1	3	5	9	12	39
65+	388	5.5	57	1	1	3	7	12	17	35
GRAND TOTAL	**2119**	**3.7**	**19**	**<1**	**1**	**3**	**4**	**7**	**9**	**19**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.0	3	<1	<1	1	2	4	6	7
20-34	33	2.3	4	<1	<1	1	3	5	7	8
35-49	13	1.8	1	<1	<1	1	2	3	5	5
50-64	11	2.9	6	1	1	2	4	7	7	7
65+	8	5.3	15	<1	1	4	6	12	14	14
B. *Operated*										
0-19 YRS	1006	3.0	4	1	1	3	4	5	6	10
20-34	1986	3.3	4	1	1	3	4	6	7	10
35-49	940	3.3	5	1	1	3	4	6	7	10
50-64	497	3.7	6	1	1	3	5	7	8	12
65+	129	5.1	22	1	1	4	6	10	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	2.3	3	<1	<1	2	3	5	6	8
20-34	82	2.5	8	<1	<1	1	3	5	7	17
35-49	46	2.9	12	<1	<1	1	3	7	9	18
50-64	40	4.4	17	<1	<1	3	6	9	9	24
65+	17	6.7	28	<1	1	6	8	16	18	19
B. *Operated*										
0-19 YRS	1043	3.5	7	1	1	3	5	6	8	14
20-34	2104	3.8	10	1	1	3	5	7	9	16
35-49	1094	4.1	10	1	1	3	5	8	9	17
50-64	894	4.6	15	1	1	4	6	9	11	19
65+	331	6.4	46	1	2	4	8	13	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	2.4	5	<1	<1	1	4	5	7	11
B. *Operated*	4558	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	237	3.2	12	<1	<1	2	4	7	9	19
B. *Operated*	5466	4.1	13	1	1	3	5	7	10	19
1. SINGLE DX	4657	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	5703	4.0	13	1	1	3	5	7	10	19
A. NOT OPERATED	336	2.9	10	<1	<1	2	4	7	8	18
B. OPERATED	10024	3.7	9	1	1	3	5	7	8	15
TOTAL 0-19 YRS	2135	3.2	6	1	1	3	4	6	7	11
20-34	4205	3.5	7	1	1	3	5	6	8	13
35-49	2093	3.7	8	1	1	3	5	7	8	15
50-64	1442	4.3	12	1	1	3	5	8	10	17
65+	485	6.0	38	1	2	4	7	12	18	32
GRAND TOTAL	**10360**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**8**	**15**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.1	10	<1	<1	2	4	8	10	14
20-34	27	4.6	47	<1	<1	3	5	8	18	35
35-49	16	6.4	19	1	1	6	9	13	14	15
50-64	11	8.4	48	<1	1	8	13	19	20	20
65+	12	5.7	23	1	1	4	7	15	16	16
B. *Operated*										
0-19 YRS	172	3.0	14	<1	1	2	3	7	11	21
20-34	209	3.9	24	<1	1	2	4	8	16	23
35-49	95	5.7	46	1	1	3	7	16	19	35
50-64	61	4.5	31	1	1	3	4	10	16	31
65+	49	7.2	54	1	1	4	10	21	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.7	34	<1	1	3	6	9	14	35
20-34	118	4.8	35	<1	<1	3	6	11	17	32
35-49	82	7.2	47	<1	1	4	10	16	21	33
50-64	44	6.8	24	<1	1	5	10	15	16	17
65+	65	11.7	154	2	3	8	12	23	40	63
B. *Operated*										
0-19 YRS	300	5.1	61	<1	1	2	5	14	20	34
20-34	427	6.9	74	1	1	4	9	17	24	42
35-49	231	8.4	128	1	1	4	11	21	29	69
50-64	223	9.2	211	1	1	4	10	20	36	86
65+	166	11.0	133	1	2	7	14	29	35	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	5.0	29	<1	1	3	7	13	15	28
B. *Operated*	586	4.3	29	<1	1	2	4	10	17	24
2. MULTIPLE DX										
A. *Not Operated*	379	6.7	62	<1	1	4	9	15	20	38
B. *Operated*	1347	7.7	114	1	1	4	9	19	27	53
1. SINGLE DX	683	4.4	29	<1	1	2	5	11	16	24
2. MULTIPLE DX	1726	7.4	102	1	1	4	9	18	25	51
A. NOT OPERATED	476	6.4	56	<1	1	4	8	14	19	37
B. OPERATED	1933	6.6	90	1	1	3	8	16	24	46
TOTAL 0-19 YRS	573	4.3	42	<1	1	2	5	10	17	31
20-34	781	5.7	56	<1	1	3	7	14	20	37
35-49	424	7.5	91	1	1	4	10	18	24	51
50-64	339	8.0	152	1	1	4	9	16	26	80
65+	292	10.3	122	1	2	7	13	24	34	57
GRAND TOTAL	**2409**	**6.6**	**84**	**1**	**1**	**3**	**8**	**16**	**23**	**44**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	2.5	4	<1	1	2	3	5	6	12
20-34	85	2.4	3	<1	<1	2	3	5	6	9
35-49	44	3.2	11	<1	1	2	4	8	9	18
50-64	32	3.8	5	1	1	4	5	7	9	9
65+	38	5.7	23	1	1	5	8	14	16	18
B. *Operated*										
0-19 YRS	360	3.0	4	<1	1	2	4	6	6	10
20-34	508	3.3	5	<1	1	3	4	6	7	10
35-49	131	3.9	9	1	1	3	5	7	9	17
50-64	46	5.2	12	1	2	5	7	8	10	21
65+	19	9.2	84	2	2	7	11	19	31	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	2.4	4	<1	<1	2	3	5	6	12
20-34	180	3.2	16	<1	<1	2	4	8	10	19
35-49	135	3.9	13	<1	<1	3	5	8	11	18
50-64	154	4.8	13	<1	<1	4	7	9	12	16
65+	218	7.4	41	1	2	5	10	14	18	37
B. *Operated*										
0-19 YRS	832	4.1	7	1	1	4	6	7	8	12
20-34	1278	4.6	10	1	1	4	6	8	10	16
35-49	370	5.3	13	1	2	5	7	9	12	17
50-64	172	7.4	40	2	2	6	8	15	22	35
65+	77	9.9	71	2	3	7	12	18	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	3.2	9	<1	1	2	4	7	9	16
B. *Operated*	1064	3.5	7	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	807	4.7	23	<1	<1	3	6	10	13	24
B. *Operated*	2729	4.9	15	1	1	4	6	8	11	20
1. SINGLE DX	1331	3.4	8	<1	1	3	4	6	8	14
2. MULTIPLE DX	3536	4.8	16	<1	1	4	6	9	11	21
A. NOT OPERATED	1074	4.3	20	<1	<1	3	6	9	12	20
B. OPERATED	3793	4.5	13	1	1	4	6	8	10	18
TOTAL 0-19 YRS	1380	3.6	6	<1	1	3	5	7	8	12
20-34	2051	4.1	10	<1	1	4	5	7	9	15
35-49	680	4.6	13	<1	1	4	6	9	11	17
50-64	404	5.9	26	1	1	5	7	11	15	25
65+	352	7.8	49	1	2	6	10	15	19	41
GRAND TOTAL	**4867**	**4.4**	**14**	**<1**	**1**	**4**	**6**	**8**	**10**	**19**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	4.9	11	1	2	4	7	9	12	15
20-34	1398	6.0	14	1	2	5	8	11	12	19
35-49	1343	6.6	15	2	3	6	8	11	13	20
50-64	639	6.9	18	2	3	6	9	12	15	20
65+	209	7.3	20	2	3	6	10	13	15	22
B. *Operated*										
0-19 YRS	10	4.7	20	1	1	3	10	11	12	12
20-34	204	8.7	37	2	2	8	12	16	20	28
35-49	187	9.0	36	2	2	8	12	17	21	31
50-64	70	9.4	49	2	3	8	12	16	21	36
65+	13	9.4	38	2	2	9	12	18	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	5.4	15	1	1	5	7	10	13	18
20-34	2283	7.0	20	1	2	6	9	13	15	23
35-49	2754	7.7	20	2	3	7	10	13	16	23
50-64	1829	7.9	24	2	3	7	10	14	17	25
65+	1291	8.6	29	3	3	7	11	15	18	27
B. *Operated*										
0-19 YRS	14	9.6	39	1	3	8	15	18	21	22
20-34	368	10.8	45	2	3	10	14	21	24	29
35-49	447	11.6	55	2	3	11	15	20	25	43
50-64	292	12.8	64	3	4	11	16	22	28	40
65+	105	15.9	85	5	6	14	22	27	34	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3740	6.4	15	2	2	6	8	11	13	20
B. *Operated*	484	8.9	38	2	2	8	12	16	21	31
2. MULTIPLE DX										
A. *Not Operated*	8360	7.6	23	2	3	7	10	14	17	24
B. *Operated*	1226	12.0	59	2	4	11	15	22	26	40
1. SINGLE DX	4224	6.7	18	2	2	6	9	12	14	23
2. MULTIPLE DX	9586	8.2	29	2	3	7	10	15	18	27
A. NOT OPERATED	12100	7.3	21	2	3	6	9	13	16	23
B. OPERATED	1710	11.1	54	2	3	10	14	20	25	36
TOTAL 0-19 YRS	378	5.3	15	1	2	4	7	10	13	18
20-34	4253	7.1	23	1	2	6	9	13	16	24
35-49	4731	7.8	24	2	3	7	10	14	17	25
50-64	2830	8.2	30	2	3	7	10	15	18	28
65+	1618	8.9	35	2	3	8	11	16	20	30
GRAND TOTAL	**13810**	**7.7**	**26**	**2**	**3**	**7**	**10**	**14**	**17**	**26**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	213	3.2	8	1	1	2	4	6	9	15
20-34	976	5.6	14	1	2	5	7	11	12	18
35-49	715	6.4	18	1	2	5	8	12	14	20
50-64	336	6.3	18	1	2	6	8	11	14	22
65+	123	6.0	14	2	2	5	8	11	14	17
B. *Operated*										
0-19 YRS	9	5.3	19	1	1	3	10	12	13	13
20-34	172	6.8	26	1	2	5	10	14	18	23
35-49	147	8.5	40	2	2	8	11	16	18	34
50-64	30	9.0	38	2	3	8	11	17	23	27
65+	7	10.1	29	2	3	10	15	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	578	3.5	14	<1	1	2	4	7	10	16
20-34	2728	6.1	20	<1	1	5	8	12	14	22
35-49	2301	7.3	25	1	2	6	10	13	17	24
50-64	1381	7.5	23	1	2	7	10	14	16	23
65+	961	7.8	28	2	3	7	10	15	18	28
B. *Operated*										
0-19 YRS	31	6.1	27	1	1	4	8	14	18	22
20-34	379	9.9	39	2	3	9	13	17	23	30
35-49	379	10.6	56	2	3	9	14	19	26	36
50-64	167	11.2	66	2	3	9	14	22	28	37
65+	69	14.8	73	3	4	13	20	26	31	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2363	5.7	16	1	2	5	8	11	13	19
B. *Operated*	365	7.7	33	1	2	6	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	7949	6.7	23	<1	1	6	9	13	16	23
B. *Operated*	1025	10.6	53	2	3	9	14	20	25	35
1. SINGLE DX	2728	6.0	18	1	2	5	8	11	14	20
2. MULTIPLE DX	8974	7.2	28	1	2	6	10	14	17	26
A. NOT OPERATED	10312	6.5	22	1	1	6	9	12	15	22
B. OPERATED	1390	9.8	50	2	3	9	13	18	24	34
TOTAL 0-19 YRS	831	3.5	13	<1	1	2	4	7	10	17
20-34	4255	6.4	22	<1	1	5	8	12	15	23
35-49	3542	7.5	29	1	2	6	10	14	17	27
50-64	1914	7.6	27	1	2	7	10	14	17	25
65+	1160	8.1	32	2	2	7	11	15	19	29
GRAND TOTAL	**11702**	**6.9**	**26**	**1**	**2**	**6**	**9**	**13**	**16**	**25**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	2.6	5	<1	<1	2	3	5	6	13
20-34	169	2.8	7	<1	<1	2	3	6	8	15
35-49	109	3.6	19	<1	<1	3	4	7	8	27
50-64	79	4.4	14	<1	<1	3	6	10	12	17
65+	46	4.5	9	<1	1	3	7	9	10	12
B. *Operated*										
0-19 YRS	160	3.0	3	1	1	3	4	5	7	11
20-34	429	3.2	4	1	1	3	4	5	7	10
35-49	321	3.4	4	1	1	3	4	5	6	11
50-64	363	5.1	12	2	2	4	6	8	10	21
65+	120	6.1	17	2	3	5	8	11	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	315	2.1	4	<1	<1	1	2	5	7	10
20-34	885	2.0	6	<1	<1	<1	2	5	7	13
35-49	493	3.0	10	<1	<1	1	4	7	9	15
50-64	419	4.0	14	<1	<1	3	6	9	11	18
65+	505	7.1	30	<1	1	6	10	14	17	25
B. *Operated*										
0-19 YRS	237	3.0	7	1	1	3	4	5	6	13
20-34	526	3.6	5	1	2	3	4	6	8	11
35-49	443	4.6	8	2	2	4	6	8	10	14
50-64	562	5.9	23	2	2	5	7	11	15	27
65+	241	8.5	50	2	3	7	10	16	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	534	3.3	11	<1	<1	2	4	7	10	15
B. *Operated*	1393	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	2617	3.5	16	<1	<1	2	5	9	11	19
B. *Operated*	2009	5.0	19	1	2	4	6	9	12	24
1. SINGLE DX	1927	3.8	9	<1	1	3	5	7	9	14
2. MULTIPLE DX	4626	4.2	18	<1	<1	3	5	9	12	22
A. NOT OPERATED	3151	3.5	15	<1	<1	2	5	8	11	18
B. OPERATED	3402	4.6	15	1	2	4	5	8	11	22
TOTAL 0-19 YRS	843	2.6	5	<1	<1	2	3	5	6	11
20-34	2009	2.7	6	<1	<1	2	4	5	7	12
35-49	1366	3.7	9	<1	<1	3	5	7	9	14
50-64	1423	5.1	18	<1	1	4	6	9	12	23
65+	912	7.2	33	1	2	6	9	14	18	28
GRAND TOTAL	**6553**	**4.0**	**15**	**<1**	**<1**	**3**	**5**	**8**	**11**	**20**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1935	1.6	1	<1	1	1	2	3	4	6
20-34	504	2.4	7	<1	1	2	3	5	6	12
35-49	170	2.7	8	1	1	2	3	5	7	13
50-64	68	2.4	3	<1	<1	2	3	5	6	10
65+	44	2.6	5	<1	1	2	4	6	6	11
B. *Operated*										
0-19 YRS	10	1.4		<1	<1	1	2	3	3	3
20-34	7	3.3	9	<1	<1	2	6	8	8	8
35-49	6	5.2	15	1	1	5	8	10	10	10
50-64	5	5.2	19	1	1	5	9	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4986	2.1	6	1	1	2	2	4	5	9
20-34	3039	3.3	10	<1	1	2	4	7	9	15
35-49	1175	4.3	18	1	1	3	5	9	13	21
50-64	820	4.7	16	1	1	3	6	9	12	19
65+	871	6.5	34	1	1	5	9	14	18	30
B. *Operated*										
0-19 YRS	566	4.4	45	1	1	2	5	10	15	41
20-34	755	4.9	47	1	1	3	6	11	17	33
35-49	272	6.5	81	1	1	4	8	15	25	96
50-64	203	7.0	84	1	1	5	9	14	17	73
65+	225	9.6	99	1	2	6	12	23	33	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2721	1.9	3	<1	1	1	2	3	5	8
B. *Operated*	28	3.4	11	<1	1	2	6	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	10891	3.2	13	1	1	2	4	7	10	18
B. *Operated*	2021	5.7	63	1	1	3	7	13	20	47
1. SINGLE DX	2749	1.9	3	<1	1	1	2	3	5	8
2. MULTIPLE DX	12912	3.6	22	1	1	2	4	8	11	23
A. NOT OPERATED	13612	3.0	11	1	1	2	3	6	9	16
B. OPERATED	2049	5.7	63	1	1	3	7	13	20	47
TOTAL 0-19 YRS	7497	2.2	8	1	1	1	2	4	6	11
20-34	4305	3.5	17	<1	1	2	4	7	10	20
35-49	1623	4.5	29	1	1	3	5	10	14	26
50-64	1096	5.0	29	1	1	3	6	10	13	23
65+	1140	7.0	48	1	1	5	9	15	21	34
GRAND TOTAL	**15661**	**3.3**	**19**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	737	2.0	10	<1	1	1	2	3	5	17
20-34	218	3.0	27	<1	<1	2	3	6	9	24
35-49	57	3.3	20	<1	<1	2	4	6	9	27
50-64	46	4.4	23	1	1	2	6	10	16	22
65+	38	5.8	53	<1	<1	3	8	13	23	35
B. *Operated*										
0-19 YRS	31	10.8	155	1	1	8	11	24	35	63
20-34	43	12.4	264	1	1	6	16	36	57	66
35-49	22	12.1	113	2	3	9	17	25	36	48
50-64	23	14.6	149	3	5	12	17	33	47	50
65+	42	19.6	269	4	6	14	27	50	59	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1930	2.7	20	<1	1	1	3	5	8	23
20-34	1165	4.0	34	<1	<1	2	4	9	13	36
35-49	445	4.9	38	<1	1	3	6	11	14	33
50-64	337	6.3	58	1	1	4	8	16	21	37
65+	563	8.2	64	1	1	6	10	18	26	39
B. *Operated*										
0-19 YRS	349	12.3	347	1	1	6	15	47	75	99+
20-34	492	12.3	381	<1	1	4	14	43	74	99+
35-49	222	13.1	349	<1	1	6	16	45	68	99+
50-64	209	16.1	363	<1	1	10	23	44	75	99+
65+	348	18.8	246	1	2	15	26	39	48	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1096	2.5	17	<1	1	1	2	5	8	20
B. *Operated*	161	14.3	214	1	2	9	17	34	51	65
2. MULTIPLE DX										
A. *Not Operated*	4440	4.2	37	<1	1	2	5	10	15	32
B. *Operated*	1620	14.3	344	<1	1	7	19	43	68	99+
1. SINGLE DX	1257	4.0	57	<1	1	2	3	9	17	48
2. MULTIPLE DX	6060	6.9	139	<1	1	3	7	18	30	80
A. NOT OPERATED	5536	3.9	34	<1	1	2	4	9	14	31
B. OPERATED	1781	14.3	332	<1	1	8	19	42	66	99+
TOTAL 0-19 YRS	3047	3.7	66	<1	1	2	3	7	14	63
20-34	1918	6.2	142	<1	<1	2	6	14	30	87
35-49	746	7.4	146	<1	1	3	7	18	32	81
50-64	615	9.8	185	1	1	5	13	25	34	88
65+	991	12.3	164	1	1	8	17	30	37	59
GRAND TOTAL	**7317**	**6.4**	**126**	**<1**	**1**	**2**	**6**	**17**	**28**	**75**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.6	9	<1	<1	1	3	8	10	10
20-34	36	3.1	6	1	1	2	4	7	8	11
35-49	11	3.2	2	2	2	3	4	5	5	5
50-64	7	3.7	13	1	1	2	5	10	11	11
65+	4	3.8	6	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	14	5.6	31	1	2	4	6	14	20	22
20-34	52	6.0	16	2	3	5	7	9	15	25
35-49	16	7.3	61	1	2	4	7	21	26	28
50-64	8	7.8	15	1	2	8	10	13	13	13
65+	4	9.8	38	4	4	9	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	3.7	10	1	1	3	5	6	9	18
20-34	158	4.4	9	1	1	4	5	9	11	15
35-49	99	5.8	19	1	2	5	7	10	13	27
50-64	102	6.3	22	1	2	5	8	12	16	23
65+	112	9.0	32	2	3	7	12	17	20	24
B. *Operated*										
0-19 YRS	145	10.0	103	3	3	7	11	19	25	65
20-34	370	9.4	69	2	3	7	11	17	23	48
35-49	148	10.0	74	3	3	7	12	20	23	52
50-64	101	13.1	82	3	4	11	16	25	29	50
65+	101	14.7	200	3	4	11	17	29	40	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.1	6	1	1	2	4	7	8	11
B. *Operated*	94	6.5	26	2	2	5	7	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	561	5.8	21	1	2	5	7	12	16	23
B. *Operated*	865	10.7	95	2	3	8	12	20	28	52
1. SINGLE DX	163	5.1	20	1	1	4	6	10	14	25
2. MULTIPLE DX	1426	8.7	72	2	2	7	11	17	22	48
A. NOT OPERATED	630	5.5	20	1	1	4	7	11	15	23
B. OPERATED	959	10.2	90	2	3	8	12	20	27	52
TOTAL 0-19 YRS	260	7.3	72	1	1	5	9	13	20	53
20-34	616	7.5	51	1	2	6	9	14	18	40
35-49	274	8.1	55	2	2	6	9	16	21	42
50-64	218	9.4	61	1	2	8	12	19	24	43
65+	221	11.5	116	2	3	8	15	21	28	56
GRAND TOTAL	**1589**	**8.4**	**68**	**1**	**2**	**6**	**10**	**17**	**22**	**46**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	169	3.6	10	1	1	2	4	8	10	16
20-34	98	3.3	9	1	1	3	4	6	8	17
35-49	27	3.1	5	<1	1	2	5	6	7	9
50-64	9	3.2	5	1	1	3	4	7	8	8
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	74	7.0	12	2	4	6	8	11	13	22
20-34	82	7.7	16	2	3	7	10	12	13	25
35-49	25	6.8	9	1	2	7	9	11	11	12
50-64	12	10.3	42	1	3	9	13	17	26	27
65+	6	11.5	29	5	5	11	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	543	3.8	12	1	1	3	5	8	10	15
20-34	398	3.9	10	1	1	3	5	8	10	14
35-49	141	5.3	19	1	1	4	7	10	14	23
50-64	97	5.6	20	1	1	5	8	10	14	24
65+	91	7.4	32	2	2	6	10	14	18	30
B. *Operated*										
0-19 YRS	457	11.2	108	3	4	8	12	21	30	58
20-34	725	13.7	195	3	5	9	14	30	44	88
35-49	257	14.6	143	3	5	11	19	32	43	73
50-64	165	17.2	224	4	5	13	21	36	55	94
65+	96	14.7	137	3	4	11	17	32	44	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	3.4	9	1	1	2	4	7	9	15
B. *Operated*	199	7.6	16	2	3	7	9	12	13	26
2. MULTIPLE DX										
A. *Not Operated*	1270	4.4	15	1	1	3	6	9	12	19
B. *Operated*	1700	13.6	166	3	5	9	15	28	42	81
1. SINGLE DX	505	5.1	16	1	1	4	7	10	13	18
2. MULTIPLE DX	2970	9.7	122	1	2	7	11	20	31	63
A. NOT OPERATED	1576	4.2	14	1	1	3	5	9	11	18
B. OPERATED	1899	12.9	153	3	4	9	14	26	39	79
TOTAL 0-19 YRS	1243	6.7	59	1	1	5	8	13	18	40
20-34	1303	9.6	136	1	2	7	10	19	32	78
35-49	450	10.6	110	1	2	8	12	24	34	65
50-64	283	12.5	171	1	2	9	15	24	41	73
65+	196	11.0	97	2	3	8	14	20	32	52
GRAND TOTAL	**3475**	**9.0**	**109**	**1**	**2**	**6**	**10**	**18**	**28**	**60**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	3	<1	<1	1	4	5	5	5
20-34	8	1.8	1	<1	<1	1	2	4	4	4
35-49	3	2.7	8	<1	<1	1	5	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	143	2.8	5	1	1	2	4	5	7	9
20-34	72	3.2	5	<1	1	3	4	6	7	12
35-49	45	3.6	36	1	1	2	4	6	9	40
50-64	15	3.4	3	<1	1	3	4	6	7	7
65+	11	3.3	5	1	1	3	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	2.7	3	<1	1	2	4	6	6	6
20-34	39	2.5	4	<1	<1	1	4	6	6	7
35-49	17	3.9	10	<1	1	3	4	8	12	14
50-64	11	2.6	6	<1	<1	2	3	7	9	9
65+	12	2.5	3	<1	<1	2	4	5	6	6
B. *Operated*										
0-19 YRS	412	3.8	17	1	1	3	5	8	10	18
20-34	369	4.1	11	1	1	3	5	8	10	16
35-49	155	3.9	10	<1	1	3	5	8	9	16
50-64	93	5.2	26	1	1	4	6	10	12	30
65+	86	6.9	35	1	2	5	8	16	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.2	3	<1	<1	1	4	5	5	6
B. *Operated*	286	3.1	9	1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	122	2.8	5	<1	<1	2	4	6	6	11
B. *Operated*	1115	4.3	17	1	1	3	5	8	11	22
1. SINGLE DX	312	3.0	9	<1	1	2	4	6	7	13
2. MULTIPLE DX	1237	4.1	16	<1	1	3	5	8	11	21
A. NOT OPERATED	148	2.7	4	<1	<1	2	4	6	6	9
B. OPERATED	1401	4.0	16	1	1	3	5	8	10	20
TOTAL 0-19 YRS	611	3.5	13	1	1	2	5	7	9	15
20-34	488	3.8	10	<1	1	3	5	8	9	14
35-49	220	3.8	15	<1	1	3	5	7	9	17
50-64	120	4.7	22	1	1	4	6	9	11	29
65+	110	6.0	31	<1	1	4	8	14	18	26
GRAND TOTAL	**1549**	**3.9**	**15**	**<1**	**1**	**3**	**5**	**8**	**10**	**19**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.0	2	<1	1	1	3	4	5	7
20-34	61	2.0	2	<1	<1	1	2	4	6	7
35-49	16	1.4	1	<1	1	1	2	3	3	3
50-64	9	3.1	11	<1	<1	2	4	9	11	11
65+	17	3.5	11	1	1	2	5	8	12	13
B. *Operated*										
0-19 YRS	293	2.0	4	<1	1	1	2	4	6	11
20-34	161	2.4	7	<1	<1	2	3	5	7	15
35-49	50	2.8	12	<1	<1	2	4	5	8	23
50-64	25	2.2	3	<1	1	2	2	6	6	6
65+	18	2.1	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	433	2.3	3	<1	<1	2	3	5	6	10
20-34	525	2.8	8	<1	<1	2	4	6	8	14
35-49	209	3.7	18	<1	1	2	4	8	12	23
50-64	203	4.4	22	<1	1	3	5	9	16	23
65+	466	6.3	38	1	1	5	8	13	18	37
B. *Operated*										
0-19 YRS	1217	2.8	12	<1	<1	2	3	6	8	18
20-34	1499	4.0	38	<1	<1	2	4	8	12	34
35-49	569	4.0	34	<1	<1	2	5	9	12	27
50-64	397	5.2	62	<1	<1	3	5	13	18	40
65+	629	6.4	68	<1	1	4	8	13	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	2.2	3	<1	<1	1	3	4	6	10
B. *Operated*	547	2.2	6	<1	1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	1836	3.8	20	<1	<1	2	5	8	12	21
B. *Operated*	4311	4.1	38	<1	<1	2	5	9	13	30
1. SINGLE DX	734	2.2	5	<1	<1	1	3	4	6	11
2. MULTIPLE DX	6147	4.0	33	<1	<1	2	5	9	13	28
A. NOT OPERATED	2023	3.7	18	<1	<1	2	5	8	11	21
B. OPERATED	4858	3.9	35	<1	<1	2	4	8	13	28
TOTAL 0-19 YRS	2027	2.5	8	<1	<1	2	3	5	7	15
20-34	2246	3.5	28	<1	<1	2	4	7	10	26
35-49	844	3.8	28	<1	<1	2	4	8	12	25
50-64	634	4.8	47	<1	<1	3	5	11	16	29
65+	1130	6.3	54	<1	1	4	8	13	18	37
GRAND TOTAL	**6881**	**3.8**	**30**	**<1**	**<1**	**2**	**4**	**8**	**12**	**27**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.2	2	<1	1	2	3	4	5	8
20-34	150	3.1	27	<1	1	2	3	5	8	19
35-49	39	2.6	6	<1	<1	2	4	5	7	14
50-64	11	3.3	4	1	1	3	5	6	6	6
65+	7	6.1	41	<1	<1	4	9	17	19	19
B. *Operated*										
0-19 YRS	114	3.7	10	1	1	2	5	8	12	14
20-34	125	4.7	24	1	1	3	6	9	12	29
35-49	36	4.8	14	<1	1	4	8	10	11	13
50-64	12	9.0	205	1	1	4	7	30	48	51
65+	4	3.5	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	2.8	9	<1	<1	2	3	6	8	17
20-34	472	3.2	16	<1	1	2	4	6	8	19
35-49	137	3.6	25	<1	1	2	4	6	9	21
50-64	68	4.4	23	<1	1	3	5	10	16	25
65+	43	8.2	40	1	1	7	13	18	20	24
B. *Operated*										
0-19 YRS	377	5.5	61	1	1	4	7	11	15	33
20-34	795	7.2	50	1	1	6	9	14	21	39
35-49	245	8.6	82	1	2	6	10	17	27	48
50-64	96	10.1	186	1	1	7	13	19	24	81
65+	52	11.6	174	1	1	7	14	26	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	2.9	17	<1	1	2	3	5	7	16
B. *Operated*	291	4.5	25	1	1	3	6	9	12	27
2. MULTIPLE DX										
A. *Not Operated*	935	3.5	18	<1	1	2	4	7	10	20
B. *Operated*	1565	7.3	72	1	1	5	9	14	21	46
1. SINGLE DX	591	3.7	21	<1	1	2	5	7	10	21
2. MULTIPLE DX	2500	5.9	55	<1	1	4	7	12	18	38
A. NOT OPERATED	1235	3.3	18	<1	1	2	4	6	9	19
B. OPERATED	1856	6.9	66	1	1	5	8	13	21	42
TOTAL 0-19 YRS	799	4.1	35	<1	1	2	5	9	12	25
20-34	1542	5.4	39	<1	1	3	7	11	16	33
35-49	457	6.3	59	1	1	4	8	12	19	42
50-64	187	7.5	124	1	1	4	9	16	21	76
65+	106	9.6	108	1	1	6	13	21	26	60
GRAND TOTAL	**3091**	**5.5**	**50**	**<1**	**1**	**3**	**7**	**11**	**17**	**36**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.9	5	<1	1	2	4	6	8	11
20-34	120	2.5	4	<1	<1	2	4	5	6	10
35-49	51	2.9	5	<1	<1	2	4	5	7	12
50-64	17	2.8	3	<1	1	3	4	5	6	6
65+	11	4.7	19	<1	<1	3	7	12	14	14
B. *Operated*										
0-19 YRS	652	2.2	5	<1	1	2	2	4	5	12
20-34	889	2.4	9	<1	<1	2	3	4	6	14
35-49	346	2.4	10	<1	1	2	3	4	6	14
50-64	217	2.5	7	<1	1	2	3	5	8	16
65+	104	2.9	13	1	1	2	3	6	8	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	306	3.1	13	<1	<1	2	4	6	8	23
20-34	715	2.6	15	<1	<1	1	3	5	8	16
35-49	256	2.9	10	<1	<1	1	4	6	8	20
50-64	145	3.7	20	<1	<1	2	4	7	10	26
65+	122	5.8	29	<1	<1	4	7	11	20	26
B. *Operated*										
0-19 YRS	1688	2.8	12	<1	1	2	3	6	8	20
20-34	3141	2.9	16	<1	<1	2	3	6	9	22
35-49	1240	3.0	22	<1	<1	2	3	6	9	25
50-64	850	3.4	24	<1	<1	2	4	7	11	24
65+	439	4.4	41	<1	<1	2	5	9	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	2.8	5	<1	<1	2	4	6	7	11
B. *Operated*	2208	2.3	8	<1	1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	1544	3.1	16	<1	<1	2	4	6	9	22
B. *Operated*	7358	3.0	19	<1	<1	2	3	6	9	23
1. SINGLE DX	2495	2.4	8	<1	1	2	3	5	6	14
2. MULTIPLE DX	8902	3.0	18	<1	<1	2	3	6	9	23
A. NOT OPERATED	1831	3.0	14	<1	<1	2	4	6	9	21
B. OPERATED	9566	2.9	16	<1	<1	2	3	6	9	21
TOTAL 0-19 YRS	2734	2.7	10	<1	<1	2	3	5	7	17
20-34	4865	2.7	14	<1	<1	2	3	6	8	19
35-49	1893	2.9	18	<1	<1	2	3	6	8	22
50-64	1229	3.3	20	<1	<1	2	4	7	10	24
65+	676	4.4	35	<1	<1	2	5	9	14	27
GRAND TOTAL	**11397**	**2.9**	**16**	**<1**	**<1**	**2**	**3**	**6**	**9**	**21**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.9	4	<1	1	2	4	6	7	10
20-34	142	3.0	8	<1	1	2	4	7	9	14
35-49	32	3.1	6	<1	1	3	4	6	7	13
50-64	24	4.2	8	<1	1	3	5	8	10	11
65+	12	3.8	7	<1	1	4	5	8	8	8
B. *Operated*										
0-19 YRS	408	3.9	19	<1	1	3	5	8	12	23
20-34	290	5.0	37	1	1	3	6	11	15	31
35-49	106	5.0	32	1	1	3	6	12	16	31
50-64	57	5.5	30	1	1	3	7	14	18	26
65+	31	8.9	88	1	1	6	11	21	36	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	3.6	8	<1	<1	3	5	7	9	14
20-34	388	3.7	15	<1	<1	3	5	8	11	22
35-49	110	4.5	37	<1	<1	3	6	10	12	32
50-64	92	5.1	31	<1	<1	4	7	9	15	32
65+	127	8.0	46	<1	1	7	10	17	20	35
B. *Operated*										
0-19 YRS	749	5.7	56	<1	1	3	6	13	20	42
20-34	782	6.5	95	<1	<1	4	7	14	21	51
35-49	310	7.3	118	<1	1	4	8	16	22	56
50-64	224	8.8	97	<1	<1	5	12	20	30	45
65+	159	12.0	138	1	2	8	18	25	32	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	3.1	6	<1	1	2	4	7	8	12
B. *Operated*	892	4.7	30	1	1	3	6	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	952	4.5	24	<1	<1	3	6	9	12	24
B. *Operated*	2224	7.0	91	<1	1	4	8	16	24	46
1. SINGLE DX	1219	4.3	24	<1	1	3	5	9	13	26
2. MULTIPLE DX	3176	6.2	72	<1	<1	4	7	14	21	44
A. NOT OPERATED	1279	4.1	19	<1	<1	3	5	9	12	20
B. OPERATED	3116	6.3	75	<1	1	4	7	14	21	44
TOTAL 0-19 YRS	1509	4.7	35	<1	1	3	5	10	14	35
20-34	1602	5.3	59	<1	<1	3	6	11	16	43
35-49	558	6.0	81	<1	<1	3	6	14	19	51
50-64	397	7.2	70	<1	<1	4	9	17	26	43
65+	329	9.8	97	1	1	7	13	21	29	37
GRAND TOTAL	**4395**	**5.7**	**60**	**<1**	**1**	**3**	**6**	**12**	**19**	**42**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	15	1	1	2	5	11	12	12
20-34	3	4.3	9	1	1	5	6	7	7	7
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.0	2	1	1	2	2	5	5	5
20-34	14	2.6	5	<1	1	2	3	5	8	9
35-49	4	4.8	24	2	2	3	7	12	12	12
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	4	2.8		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.0	2	<1	1	1	3	4	5	5
20-34	17	4.1	16	<1	<1	2	7	9	12	14
35-49	12	5.5	41	1	1	4	6	13	22	24
50-64	10	6.2	18	<1	<1	7	10	11	12	12
65+	8	10.9	98	1	2	8	16	27	30	30
B. *Operated*										
0-19 YRS	53	9.7	205	1	1	3	13	28	44	99
20-34	150	7.6	142	1	1	4	9	15	23	72
35-49	40	9.9	104	1	1	6	14	26	32	41
50-64	29	7.3	57	1	1	5	9	16	25	33
65+	10	14.8	397	1	1	6	17	50	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.7	12	<1	<1	2	5	9	12	12
B. *Operated*	30	2.9	6	1	1	2	3	5	9	12
2. MULTIPLE DX										
A. *Not Operated*	68	4.8	31	<1	<1	3	6	11	15	29
B. *Operated*	282	8.5	149	1	1	4	10	22	32	75
1. SINGLE DX	41	3.1	7	<1	1	2	4	6	10	12
2. MULTIPLE DX	350	7.8	128	1	1	4	9	19	29	72
A. NOT OPERATED	79	4.7	28	<1	<1	2	6	11	14	28
B. OPERATED	312	8.0	138	1	1	4	9	20	29	74
TOTAL 0-19 YRS	87	6.8	138	1	1	2	7	23	29	93
20-34	184	6.8	120	<1	1	3	8	13	22	72
35-49	57	8.5	87	1	1	5	12	24	30	40
50-64	41	6.9	45	<1	1	5	9	14	21	33
65+	22	11.2	223	1	1	4	14	34	49	58
GRAND TOTAL	**391**	**7.3**	**117**	**1**	**1**	**4**	**9**	**17**	**27**	**72**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	8.0	237	<1	1	4	5	16	50	68
20-34	32	6.0	88	<1	<1	3	7	12	15	53
35-49	24	5.9	32	1	1	4	7	13	19	25
50-64	12	5.3	24	1	1	4	7	11	18	19
65+	14	6.9	109	<1	1	4	6	12	35	42
B. *Operated*										
0-19 YRS	216	4.2	26	1	1	3	4	8	14	30
20-34	396	4.8	38	1	1	3	5	9	12	31
35-49	195	4.5	17	1	2	3	5	9	12	26
50-64	115	4.9	16	1	2	3	6	12	14	19
65+	48	8.0	42	2	2	6	10	16	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	6.2	79	<1	1	4	7	12	19	55
20-34	154	7.4	79	1	1	5	9	17	21	83
35-49	103	7.6	95	1	2	5	9	14	20	64
50-64	94	10.0	77	2	3	7	13	21	28	45
65+	148	9.3	48	2	3	7	12	19	23	35
B. *Operated*										
0-19 YRS	322	4.6	35	1	1	3	5	9	14	35
20-34	689	6.1	80	1	2	4	6	13	19	57
35-49	384	6.4	64	1	2	4	7	14	22	45
50-64	260	7.2	79	2	2	5	9	14	21	41
65+	149	14.6	223	2	3	9	19	30	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	6.4	99	<1	1	4	6	12	21	60
B. *Operated*	970	4.8	29	1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	572	8.2	75	1	2	6	10	17	24	47
B. *Operated*	1804	6.8	86	1	2	4	7	15	22	54
1. SINGLE DX	1074	4.9	36	1	1	3	5	10	14	32
2. MULTIPLE DX	2376	7.1	84	1	2	4	8	15	22	51
A. NOT OPERATED	676	7.9	79	1	1	5	10	16	23	52
B. OPERATED	2774	6.1	67	1	2	4	6	13	19	42
TOTAL 0-19 YRS	633	4.8	44	1	1	3	5	9	15	37
20-34	1271	5.8	68	1	1	4	6	12	17	51
35-49	706	6.0	55	1	2	4	7	12	18	40
50-64	481	7.1	65	2	2	5	9	15	21	39
65+	359	11.2	130	2	3	8	14	22	31	61
GRAND TOTAL	**3450**	**6.4**	**70**	**1**	**2**	**4**	**7**	**14**	**20**	**43**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	3.9	4	1	2	4	5	6	7	12
20-34	76	3.9	6	1	1	4	5	6	10	12
35-49	22	5.0	30	<1	1	3	6	10	19	25
50-64	15	3.3	4	<1	1	3	5	6	7	7
65+	3	4.3	17	<1	<1	3	7	9	9	9
B. *Operated*										
0-19 YRS	6	5.5	11	1	1	6	8	9	9	9
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	7	3.9	9	1	1	3	5	9	10	10
50-64										
65+	3	3.3	6	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	431	3.8	7	1	1	3	5	6	8	15
20-34	265	2.8	4	<1	<1	2	4	5	7	10
35-49	85	4.1	13	<1	<1	3	5	8	12	20
50-64	47	4.4	9	<1	1	4	6	9	11	13
65+	58	5.3	20	<1	1	4	7	8	15	23
B. *Operated*										
0-19 YRS	41	5.4	19	<1	1	5	7	11	14	21
20-34	48	4.3	8	<1	1	4	6	8	10	11
35-49	17	5.9	59	<1	1	4	6	12	26	33
50-64	15	5.3	20	<1	<1	3	8	13	14	14
65+	12	12.6	74	3	3	13	19	24	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	3.9	6	1	1	4	5	6	8	13
B. *Operated*	18	4.4	8	1	1	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	886	3.7	8	<1	1	3	5	7	8	15
B. *Operated*	133	5.7	29	<1	1	4	7	12	17	29
1. SINGLE DX	361	4.0	7	1	1	4	5	6	8	13
2. MULTIPLE DX	1019	3.9	11	<1	1	3	5	7	9	19
A. NOT OPERATED	1229	3.7	8	<1	1	3	5	6	8	15
B. OPERATED	151	5.5	27	<1	1	4	7	11	15	28
TOTAL 0-19 YRS	705	3.9	7	1	1	4	5	6	8	15
20-34	391	3.2	5	<1	1	3	4	6	8	11
35-49	131	4.5	21	<1	1	3	5	8	13	27
50-64	77	4.4	10	<1	<1	4	6	9	12	14
65+	76	6.3	34	<1	1	4	7	16	21	27
GRAND TOTAL	**1380**	**3.9**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**17**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	689	1.9	3	<1	<1	1	2	3	5	8
20-34	542	2.3	4	<1	<1	2	3	5	6	10
35-49	242	3.0	6	<1	<1	2	4	6	8	12
50-64	169	3.9	12	<1	1	3	5	8	10	19
65+	252	5.1	23	1	1	4	6	11	15	22
B. *Operated*										
0-19 YRS	90	2.8	9	<1	1	2	4	5	7	19
20-34	89	4.1	14	<1	1	2	5	9	12	18
35-49	44	4.5	31	<1	1	2	5	10	13	34
50-64	39	5.1	17	1	1	4	7	10	15	17
65+	39	6.2	32	<1	1	5	8	11	14	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2799	2.3	4	<1	<1	2	3	4	6	10
20-34	3824	2.5	8	<1	<1	1	3	6	8	13
35-49	1875	3.7	19	<1	<1	2	5	8	11	18
50-64	1626	4.5	19	<1	<1	3	6	10	13	19
65+	3920	7.6	41	1	2	6	10	15	20	33
B. *Operated*										
0-19 YRS	345	4.0	23	<1	<1	2	5	9	13	25
20-34	486	4.8	34	<1	<1	3	6	10	14	26
35-49	281	6.8	53	<1	1	5	8	14	19	34
50-64	266	8.8	75	1	1	6	12	19	23	43
65+	429	13.1	119	2	2	11	18	27	33	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1894	2.8	8	<1	<1	2	3	6	8	15
B. *Operated*	301	4.2	19	<1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	14044	4.3	24	<1	<1	2	6	10	14	23
B. *Operated*	1807	7.5	73	<1	1	5	10	18	23	44
1. SINGLE DX	2195	3.0	10	<1	<1	2	4	6	8	17
2. MULTIPLE DX	15851	4.6	31	<1	<1	3	6	11	15	27
A. NOT OPERATED	15938	4.1	22	<1	<1	2	5	10	13	22
B. OPERATED	2108	7.0	67	<1	1	4	9	17	22	42
TOTAL 0-19 YRS	3923	2.4	6	<1	<1	2	3	5	6	13
20-34	4941	2.8	11	<1	<1	2	3	6	8	15
35-49	2442	4.0	23	<1	<1	2	5	9	12	21
50-64	2100	5.0	27	<1	<1	3	7	11	15	23
65+	4640	8.0	50	1	2	6	10	16	21	36
GRAND TOTAL	**18046**	**4.4**	**28**	**<1**	**<1**	**3**	**6**	**10**	**14**	**26**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.6	3	1	1	2	4	5	6	6
20-34	29	2.6	3	1	1	2	4	4	7	8
35-49	9	2.7	5	1	1	1	4	6	7	7
50-64	6	5.2	18	2	2	3	9	12	12	12
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	23	5.9	39	<1	1	3	9	13	18	27
20-34	43	7.6	124	<1	1	3	10	18	29	58
35-49	30	4.5	20	<1	1	2	8	10	11	20
50-64	19	6.7	59	<1	<1	5	8	16	27	32
65+	7	4.1	10	2	2	2	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.7	5	1	1	2	3	6	7	11
20-34	98	3.3	9	<1	<1	2	4	7	9	16
35-49	61	4.5	22	<1	<1	3	5	11	16	22
50-64	31	5.7	33	<1	1	3	10	14	17	23
65+	32	7.5	22	2	3	6	9	16	17	18
B. *Operated*										
0-19 YRS	88	8.2	146	<1	1	3	10	20	35	62
20-34	222	8.7	159	1	1	5	10	19	38	75
35-49	117	7.8	177	1	1	3	6	19	34	70
50-64	90	7.8	85	1	1	5	10	17	27	52
65+	33	13.1	357	1	1	4	17	39	57	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.8	4	1	1	2	4	6	7	11
B. *Operated*	122	6.2	66	<1	1	3	8	14	21	43
2. MULTIPLE DX										
A. *Not Operated*	296	4.1	16	<1	1	3	5	9	13	19
B. *Operated*	550	8.5	160	1	1	4	9	20	35	66
1. SINGLE DX	200	4.9	44	1	1	3	6	11	17	34
2. MULTIPLE DX	846	7.0	114	1	1	3	8	16	25	61
A. NOT OPERATED	374	3.9	14	<1	1	3	5	8	12	18
B. OPERATED	672	8.1	144	1	1	4	9	19	30	65
TOTAL 0-19 YRS	218	5.3	71	1	1	2	5	13	19	53
20-34	392	6.8	112	1	1	3	7	16	25	60
35-49	217	6.2	107	<1	1	3	6	13	23	64
50-64	146	7.1	68	1	1	4	9	15	24	42
65+	73	9.7	180	1	1	5	12	19	33	77
GRAND TOTAL	**1046**	**6.6**	**102**	**1**	**1**	**3**	**7**	**15**	**23**	**58**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.2		<1	<1	1	1	2	2	2
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	4	2.0	2	<1	<1	1	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.3	1	<1	<1	1	1	3	3	3
20-34	7	2.3	1	1	1	2	3	4	4	4
35-49	3	2.0		2	2	2	2	2	2	2
50-64	2	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.0		<1	<1	<1	<1	1	2	2
20-34	127	1.1		<1	<1	<1	<1	<1	2	4
35-49	52	1.1		<1	<1	<1	<1	1	1	3
50-64	11	1.1		<1	<1	<1	<1	1	2	2
65+	4	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	18	2.8	12	<1	<1	1	2	7	11	14
20-34	8	2.1	2	1	1	2	3	4	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	5	3.8	2	2	2	4	5	6	6	6
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.3	1	<1	<1	1	1	2	3	4
B. *Operated*	18	1.9	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	216	1.1		<1	<1	<1	<1	1	1	4
B. *Operated*	33	2.7	7	<1	<1	2	3	6	7	14
1. SINGLE DX	37	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX	249	1.3	1	<1	<1	<1	<1	2	3	6
A. NOT OPERATED	235	1.1		<1	<1	<1	<1	1	2	4
B. OPERATED	51	2.4	5	<1	<1	2	3	5	6	14
TOTAL 0-19 YRS	58	1.6	4	<1	<1	1	1	2	6	13
20-34	145	1.2		<1	<1	<1	<1	2	3	4
35-49	61	1.2		<1	<1	<1	1	2	2	4
50-64	18	1.9	2	<1	<1	<1	2	4	5	6
65+	4	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**286**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	431	1.4	1	<1	<1	1	2	3	3	5
20-34	92	1.6	1	<1	<1	1	2	2	5	7
35-49	78	1.5	1	<1	<1	1	1	3	4	8
50-64	94	1.9	4	<1	1	1	2	4	6	12
65+	83	2.0	4	1	1	1	2	4	6	12
B. *Operated*										
0-19 YRS	113	2.6	9	<1	1	2	3	5	8	16
20-34	25	3.5	9	<1	1	2	5	9	10	11
35-49	19	3.5	19	<1	<1	2	4	9	14	18
50-64	19	2.4	4	<1	1	1	3	6	8	8
65+	20	2.7	5	<1	<1	2	4	5	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	419	2.2	5	<1	<1	1	2	4	7	11
20-34	153	2.6	9	<1	<1	1	3	5	9	15
35-49	129	3.0	11	<1	<1	1	4	9	11	14
50-64	175	3.0	11	<1	1	2	3	7	10	19
65+	301	4.0	19	<1	1	2	5	9	13	22
B. *Operated*										
0-19 YRS	131	3.7	20	<1	1	2	5	7	13	26
20-34	47	6.6	47	1	1	5	8	17	27	99+
35-49	60	7.4	136	1	1	5	9	13	24	99
50-64	92	7.2	87	<1	1	5	8	15	23	57
65+	163	7.6	85	1	1	4	10	20	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	196	2.8	9	<1	1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	1177	2.9	11	<1	<1	2	3	7	10	18
B. *Operated*	493	6.4	73	1	1	4	7	15	22	57
1. SINGLE DX	974	1.8	3	<1	<1	1	2	4	5	11
2. MULTIPLE DX	1670	3.9	32	<1	1	2	5	9	13	26
A. NOT OPERATED	1955	2.4	8	<1	<1	1	2	5	8	15
B. OPERATED	689	5.4	57	<1	1	3	6	12	18	43
TOTAL 0-19 YRS	1094	2.1	6	<1	<1	1	2	4	6	14
20-34	317	3.0	15	<1	<1	1	3	8	10	23
35-49	286	3.5	39	<1	<1	1	4	9	12	25
50-64	380	3.7	31	<1	1	2	4	8	12	26
65+	567	4.7	39	1	1	3	5	11	17	27
GRAND TOTAL	**2644**	**3.2**	**23**	**<1**	**<1**	**2**	**3**	**7**	**11**	**23**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	6.8	42	1	1	4	10	15	21	27
20-34	24	6.1	31	<1	<1	5	9	15	17	20
35-49	11	10.6	57	<1	1	10	13	22	27	27
50-64	10	7.1	15	2	2	7	10	12	14	14
65+	2	24.0	162	15	15	24	33	33	33	33
B. *Operated*										
0-19 YRS	46	10.1	60	2	2	9	13	22	27	33
20-34	48	8.2	49	1	2	6	11	17	22	34
35-49	26	13.6	122	2	2	9	18	33	37	42
50-64	19	12.5	167	2	3	9	17	25	43	57
65+	9	31.1	324	4	7	30	39	57	67	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	8.5	49	1	2	6	11	18	24	32
20-34	107	10.1	127	1	2	7	13	20	25	70
35-49	59	12.5	226	1	2	8	14	23	33	95
50-64	47	12.6	82	1	2	10	19	26	29	35
65+	44	20.3	306	4	5	14	32	39	50	90
B. *Operated*										
0-19 YRS	189	19.1	257	2	3	15	27	40	47	97
20-34	236	18.4	229	3	4	14	27	42	52	73
35-49	130	21.1	267	3	5	16	29	45	55	70
50-64	128	26.5	297	4	7	24	37	54	63	93
65+	109	32.2	480	4	8	28	47	65	72	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	7.6	46	<1	1	6	11	16	21	31
B. *Operated*	148	11.7	121	2	2	9	14	28	34	57
2. MULTIPLE DX										
A. *Not Operated*	390	11.4	141	1	2	8	14	24	32	64
B. *Operated*	792	22.2	309	3	4	17	31	47	61	85
1. SINGLE DX	228	10.2	98	1	2	7	13	22	33	45
2. MULTIPLE DX	1182	18.6	280	2	3	13	26	43	55	80
A. NOT OPERATED	470	10.7	127	1	2	8	14	23	32	62
B. OPERATED	940	20.6	294	2	4	16	29	45	58	81
TOTAL 0-19 YRS	401	13.5	175	1	2	10	19	32	40	69
20-34	415	14.3	192	1	2	10	19	35	45	69
35-49	226	17.5	245	2	3	13	23	38	51	71
50-64	204	21.0	271	2	4	18	29	45	57	82
65+	164	28.9	443	4	7	24	41	63	69	88
GRAND TOTAL	**1410**	**17.3**	**260**	**2**	**3**	**12**	**24**	**40**	**52**	**78**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-5, 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	348	4.7	21	1	1	3	6	10	12	23
20-34	179	4.6	22	<1	1	3	7	11	12	24
35-49	77	5.8	45	1	1	4	7	11	18	40
50-64	45	6.8	80	1	1	4	7	15	26	49
65+	33	10.3	112	<1	1	6	14	24	36	43
B. *Operated*										
0-19 YRS	58	10.6	94	1	1	7	15	28	31	37
20-34	42	10.7	106	1	1	8	11	27	34	45
35-49	22	11.8	159	1	1	8	15	27	39	56
50-64	14	12.9	208	<1	1	9	14	40	47	49
65+	6	19.2	85	7	7	20	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1329	5.7	34	1	1	4	7	12	16	27
20-34	882	4.7	28	<1	<1	3	6	11	14	25
35-49	455	5.7	29	<1	<1	4	8	13	17	26
50-64	285	7.6	47	<1	1	6	12	18	20	30
65+	214	11.9	115	2	2	9	16	23	32	59
B. *Operated*										
0-19 YRS	233	11.7	141	1	2	7	15	27	36	58
20-34	221	12.6	138	<1	1	8	20	28	37	86
35-49	121	13.9	154	<1	1	10	21	31	41	73
50-64	97	16.5	229	1	3	11	23	35	45	81
65+	81	23.6	306	3	4	19	30	49	65	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	682	5.2	33	1	1	3	7	11	15	31
B. *Operated*	142	11.4	118	1	1	8	15	29	34	50
2. MULTIPLE DX										
A. *Not Operated*	3165	6.0	41	<1	1	4	8	13	18	30
B. *Operated*	753	14.2	183	1	2	10	21	31	42	70
1. SINGLE DX	824	6.3	53	1	1	4	8	14	20	37
2. MULTIPLE DX	3918	7.6	79	<1	1	5	10	18	24	43
A. NOT OPERATED	3847	5.9	40	<1	1	4	8	13	18	30
B. OPERATED	895	13.8	174	1	2	10	20	30	41	68
TOTAL 0-19 YRS	1968	6.4	50	1	1	4	8	14	19	34
20-34	1324	6.2	57	<1	<1	3	8	14	23	38
35-49	675	7.3	68	<1	1	5	10	17	24	43
50-64	441	9.7	109	<1	1	7	13	21	28	49
65+	334	14.7	186	1	3	11	19	31	43	65
GRAND TOTAL	**4742**	**7.4**	**75**	**<1**	**1**	**5**	**9**	**17**	**24**	**43**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.3	14	1	1	2	4	6	9	23
20-34	30	4.2	17	<1	1	3	6	8	10	21
35-49	17	7.9	117	<1	1	3	9	20	34	42
50-64	9	4.2	20	<1	1	3	4	11	16	16
65+	6	5.3	12	<1	<1	5	8	10	10	10
B. *Operated*										
0-19 YRS	30	2.5	9	<1	<1	2	3	4	4	17
20-34	91	2.6	8	<1	1	2	3	5	6	17
35-49	42	4.7	90	<1	1	2	4	9	17	60
50-64	20	5.2	25	1	1	3	7	14	16	17
65+	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	3.0	6	1	1	2	4	6	9	13
20-34	114	8.0	128	1	2	4	9	18	30	63
35-49	63	5.6	26	<1	1	5	7	11	16	25
50-64	62	8.6	83	<1	1	5	12	21	24	51
65+	68	12.2	97	2	3	9	17	23	30	52
B. *Operated*										
0-19 YRS	134	2.9	17	1	1	2	3	6	9	25
20-34	279	4.8	78	1	1	2	4	11	15	94
35-49	100	5.6	92	<1	1	2	5	15	31	99+
50-64	74	8.1	222	1	1	3	8	16	43	99+
65+	30	12.8	291	1	1	5	18	39	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.6	34	<1	1	3	5	9	18	32
B. *Operated*	185	3.4	29	<1	1	2	3	6	11	21
2. MULTIPLE DX										
A. *Not Operated*	383	7.5	82	1	1	4	9	18	23	52
B. *Operated*	617	5.3	99	1	1	2	5	11	24	99+
1. SINGLE DX	286	3.8	31	<1	1	2	4	7	13	22
2. MULTIPLE DX	1000	6.1	93	1	1	3	6	14	23	79
A. NOT OPERATED	484	6.9	74	1	1	4	8	16	22	47
B. OPERATED	802	4.9	83	1	1	2	4	11	19	89
TOTAL 0-19 YRS	279	3.0	13	<1	1	2	3	6	9	23
20-34	514	5.1	76	1	1	2	5	11	18	70
35-49	222	5.6	74	<1	1	3	6	14	23	76
50-64	165	7.7	135	1	1	4	9	16	26	93
65+	106	11.8	147	1	2	8	16	25	37	88
GRAND TOTAL	**1286**	**5.6**	**80**	**1**	**1**	**3**	**6**	**13**	**21**	**66**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	267	2.7	14	<1	1	2	3	5	6	24
20-34	212	3.2	9	<1	1	2	4	6	8	19
35-49	69	4.7	16	1	1	3	6	11	14	16
50-64	34	4.7	21	1	1	3	5	13	14	21
65+	50	5.3	14	<1	1	4	8	11	12	15
B. *Operated*										
0-19 YRS	75	4.8	28	1	1	3	6	11	13	30
20-34	119	5.6	44	1	1	3	7	12	14	40
35-49	53	7.3	37	1	2	5	10	13	19	32
50-64	36	5.7	18	1	2	4	8	12	15	15
65+	22	8.5	127	<1	1	4	10	18	34	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	598	2.9	12	<1	<1	2	3	6	8	18
20-34	845	3.6	18	<1	<1	2	4	8	11	21
35-49	411	4.6	17	<1	<1	4	6	10	13	19
50-64	288	5.6	39	<1	<1	4	7	13	16	36
65+	547	8.2	51	1	1	6	11	17	22	34
B. *Operated*										
0-19 YRS	193	6.5	85	1	1	3	8	14	19	50
20-34	336	8.9	134	1	1	5	10	21	33	80
35-49	170	9.9	187	1	2	5	11	22	34	84
50-64	130	12.8	218	1	2	7	17	35	51	99+
65+	109	15.6	195	2	3	12	22	35	46	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	632	3.4	14	<1	1	2	4	7	10	18
B. *Operated*	305	5.9	42	1	1	4	8	12	15	34
2. MULTIPLE DX										
A. *Not Operated*	2689	4.7	29	<1	<1	3	6	11	15	27
B. *Operated*	938	9.9	159	1	1	6	12	23	35	84
1. SINGLE DX	937	4.2	24	1	1	3	5	10	12	27
2. MULTIPLE DX	3627	6.1	68	<1	<1	3	7	14	21	42
A. NOT OPERATED	3321	4.5	26	<1	<1	3	6	10	14	26
B. OPERATED	1243	8.9	133	1	1	5	11	21	32	79
TOTAL 0-19 YRS	1133	3.6	28	<1	1	2	4	8	12	27
20-34	1512	4.9	50	<1	<1	3	6	10	15	37
35-49	703	6.1	64	<1	1	4	8	12	17	35
50-64	488	7.4	94	<1	1	4	8	17	26	53
65+	728	9.1	80	1	1	7	12	20	26	46
GRAND TOTAL	**4564**	**5.7**	**59**	**<1**	**<1**	**3**	**7**	**13**	**18**	**40**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	826	1.9	6	<1	<1	1	2	3	5	9
20-34	413	2.5	10	<1	<1	2	3	4	7	15
35-49	136	2.9	24	<1	1	2	3	5	6	28
50-64	50	3.3	8	1	1	2	4	7	7	16
65+	52	4.8	15	<1	1	4	8	10	13	17
B. *Operated*										
0-19 YRS										
20-34	3	34.3	1950	4	4	14	67	85	85	85
35-49	2	8.0	32	4	4	8	12	12	12	12
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4255	3.2	29	<1	1	2	3	6	9	28
20-34	4740	4.1	32	<1	1	2	4	8	13	31
35-49	2354	5.1	41	1	1	3	6	11	17	34
50-64	1331	6.4	45	1	1	4	8	14	19	33
65+	1936	7.8	38	2	2	6	10	15	19	33
B. *Operated*										
0-19 YRS	46	9.0	155	1	1	5	8	22	35	64
20-34	222	9.4	172	1	1	5	12	25	34	85
35-49	121	11.1	175	1	2	7	14	29	40	64
50-64	105	15.6	239	3	4	11	19	27	44	87
65+	146	15.3	93	4	6	14	19	30	35	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1477	2.3	10	<1	1	1	3	4	6	14
B. *Operated*	8	16.1	796	1	1	6	13	64	85	85
2. MULTIPLE DX										
A. *Not Operated*	14616	4.7	37	<1	1	3	5	10	15	31
B. *Operated*	640	12.1	171	1	1	8	16	26	37	78
1. SINGLE DX	1485	2.4	14	<1	1	1	3	4	6	14
2. MULTIPLE DX	15256	5.0	45	1	1	3	6	11	17	34
A. NOT OPERATED	16093	4.5	35	<1	1	3	5	10	15	31
B. OPERATED	648	12.1	178	1	1	8	16	26	37	78
TOTAL 0-19 YRS	5127	3.0	27	<1	1	2	3	5	8	27
20-34	5378	4.2	39	<1	1	2	4	9	14	32
35-49	2613	5.3	48	1	1	3	6	12	18	38
50-64	1487	7.0	63	1	1	5	8	15	21	38
65+	2136	8.2	45	2	2	6	10	16	20	35
GRAND TOTAL	**16741**	**4.8**	**43**	**<1**	**1**	**3**	**5**	**11**	**16**	**33**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	419	1.8	3	<1	1	1	2	3	6	9
20-34	200	1.8	2	<1	1	1	2	3	5	9
35-49	125	1.5	1	<1	<1	1	2	3	4	6
50-64	74	1.7	2	<1	1	1	2	3	5	8
65+	27	2.1	4	<1	1	1	2	3	7	10
B. *Operated*										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	8	3.4	9	<1	<1	2	4	8	10	10
35-49	8	7.1	10	2	2	8	9	11	11	11
50-64	1	13.0		13	13	13	13	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1272	2.2	8	<1	1	1	2	4	6	12
20-34	925	2.5	12	<1	<1	1	2	5	7	22
35-49	490	2.8	21	<1	<1	1	3	6	8	23
50-64	391	3.6	27	<1	<1	2	4	7	10	28
65+	293	4.6	32	<1	<1	2	5	11	17	31
B. *Operated*										
0-19 YRS	20	14.6	474	<1	1	6	16	50	73	78
20-34	47	8.2	238	1	1	3	9	17	26	96
35-49	20	14.5	253	1	2	8	24	53	75	99+
50-64	25	17.7	383	2	4	10	23	44	65	85
65+	15	11.7	54	3	5	9	16	21	28	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	845	1.8	2	<1	1	1	2	3	5	9
B. *Operated*	20	5.2	15	<1	1	4	8	11	12	13
2. MULTIPLE DX										
A. *Not Operated*	3371	2.7	16	<1	<1	1	3	6	8	22
B. *Operated*	127	12.5	289	1	1	6	16	30	55	97
1. SINGLE DX	865	1.8	3	<1	1	1	2	3	6	10
2. MULTIPLE DX	3498	3.1	29	<1	<1	2	3	6	9	26
A. NOT OPERATED	4216	2.5	13	<1	<1	1	3	5	7	18
B. OPERATED	147	11.5	258	1	1	6	13	27	51	96
TOTAL 0-19 YRS	1714	2.2	14	<1	1	1	2	4	6	12
20-34	1180	2.6	21	<1	<1	1	3	5	8	22
35-49	643	3.0	29	<1	<1	1	3	6	9	29
50-64	491	4.0	51	<1	<1	2	4	8	13	36
65+	335	4.8	34	<1	<1	2	6	11	17	30
GRAND TOTAL	**4363**	**2.8**	**24**	**<1**	**<1**	**1**	**3**	**6**	**8**	**24**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	461	3.0	15	1	1	2	3	6	8	15
20-34	333	2.6	7	<1	<1	2	3	5	8	13
35-49	189	2.8	6	<1	<1	2	3	6	8	13
50-64	154	3.3	12	<1	1	2	4	6	9	19
65+	132	3.4	7	<1	1	3	4	7	9	12
B. *Operated*										
0-19 YRS	6	6.0	8	2	2	6	8	10	10	10
20-34	14	6.8	29	1	1	5	9	12	20	22
35-49	9	12.9	242	2	2	7	13	41	49	49
50-64	10	7.4	44	<1	1	5	9	17	24	24
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	819	3.8	24	1	1	2	4	8	11	20
20-34	784	3.7	19	<1	1	2	4	8	12	24
35-49	672	4.4	28	<1	1	3	5	9	13	28
50-64	974	5.9	33	1	1	4	8	12	17	32
65+	1586	7.2	36	1	2	6	9	15	18	29
B. *Operated*										
0-19 YRS	45	8.0	121	<1	1	5	9	15	29	54
20-34	72	10.2	165	1	1	6	12	27	37	63
35-49	94	13.6	313	1	1	8	18	38	63	95
50-64	142	16.8	274	1	3	12	22	38	65	99+
65+	195	15.6	150	3	4	12	20	32	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1269	2.9	10	<1	1	2	4	6	8	15
B. *Operated*	40	8.4	78	1	2	6	9	18	26	49
2. MULTIPLE DX										
A. *Not Operated*	4835	5.4	32	1	1	4	7	12	16	28
B. *Operated*	548	14.2	216	1	2	10	19	34	52	88
1. SINGLE DX	1309	3.1	13	<1	1	2	4	6	9	16
2. MULTIPLE DX	5383	6.3	57	1	1	4	8	14	19	38
A. NOT OPERATED	6104	4.9	28	<1	1	3	6	11	15	26
B. OPERATED	588	13.8	209	1	2	10	18	33	50	87
TOTAL 0-19 YRS	1331	3.7	25	1	1	2	4	7	11	20
20-34	1203	3.8	28	<1	<1	2	4	8	12	28
35-49	964	5.0	62	<1	1	3	6	11	17	44
50-64	1280	6.8	70	1	1	4	8	14	22	50
65+	1914	7.8	53	1	2	6	10	16	21	36
GRAND TOTAL	**6692**	**5.7**	**50**	**1**	**1**	**3**	**7**	**12**	**18**	**36**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	4.7	37	<1	<1	2	5	11	23	30
20-34	48	4.6	16	<1	1	3	7	12	13	13
35-49	35	5.3	11	1	2	5	7	9	12	15
50-64	39	5.5	20	1	1	4	6	12	15	23
65+	128	7.1	44	1	1	5	9	16	22	33
B. *Operated*										
0-19 YRS	304	5.8	28	1	1	4	7	13	16	26
20-34	438	5.0	28	<1	1	3	6	12	17	24
35-49	375	6.9	79	1	2	4	8	15	18	48
50-64	583	8.9	87	1	2	6	12	19	26	44
65+	1023	10.4	90	2	2	8	15	21	28	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	5.1	48	<1	1	3	6	11	17	36
20-34	162	5.1	19	<1	1	4	7	10	15	20
35-49	135	7.3	73	<1	1	4	8	17	21	48
50-64	243	7.5	76	1	1	5	9	17	22	34
65+	517	9.0	103	1	2	6	11	19	26	54
B. *Operated*										
0-19 YRS	560	9.3	120	1	2	6	11	21	28	55
20-34	933	8.1	99	1	1	4	10	18	28	52
35-49	1139	9.3	104	1	2	6	12	19	28	62
50-64	2257	11.7	148	2	2	8	16	25	36	62
65+	3571	13.6	168	2	2	10	18	30	39	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	5.9	32	1	1	4	8	13	17	30
B. *Operated*	2723	8.2	76	1	2	5	11	19	24	42
2. MULTIPLE DX										
A. *Not Operated*	1182	7.5	79	1	1	5	9	16	23	42
B. *Operated*	8460	11.6	148	2	2	8	16	26	35	65
1. SINGLE DX	3022	8.0	72	1	2	5	11	18	23	40
2. MULTIPLE DX	9642	11.1	141	1	2	7	15	25	34	62
A. NOT OPERATED	1481	7.2	70	1	1	5	9	16	22	41
B. OPERATED	11183	10.8	132	1	2	7	15	24	33	58
TOTAL 0-19 YRS	1038	7.5	84	1	1	5	9	16	24	48
20-34	1581	6.8	71	1	1	4	8	16	22	44
35-49	1684	8.5	95	1	2	5	11	18	25	52
50-64	3122	10.8	132	1	2	7	14	23	33	58
65+	5239	12.4	147	2	2	9	17	27	36	64
GRAND TOTAL	**12664**	**10.4**	**126**	**1**	**2**	**7**	**14**	**23**	**32**	**57**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	1.7	2	<1	<1	1	2	3	4	6
20-34	280	2.6	3	1	1	2	3	5	6	9
35-49	136	3.0	4	1	1	2	4	5	7	10
50-64	170	3.9	5	1	1	3	5	7	8	11
65+	243	4.2	8	1	2	4	5	7	9	16
B. *Operated*										
0-19 YRS	221	2.0	5	<1	<1	1	2	4	5	12
20-34	292	3.0	9	1	1	2	4	6	8	15
35-49	140	3.5	8	1	1	3	5	7	9	13
50-64	98	4.1	10	1	1	3	5	8	10	18
65+	83	5.7	25	1	1	4	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	2.2	3	1	1	2	3	4	7	10
20-34	248	3.1	6	<1	1	2	4	6	8	13
35-49	146	4.0	11	1	1	3	5	8	13	15
50-64	259	4.3	10	1	1	4	5	8	10	19
65+	411	5.1	15	1	2	4	7	9	12	23
B. *Operated*										
0-19 YRS	117	2.5	8	<1	1	2	3	6	7	17
20-34	258	4.2	33	1	1	3	5	8	10	21
35-49	122	5.0	14	1	1	4	7	10	13	17
50-64	160	6.7	43	1	1	5	9	15	19	54
65+	227	8.5	76	1	2	6	11	18	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1098	3.0	5	1	1	2	4	6	7	12
B. *Operated*	834	3.2	11	<1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	1216	4.0	11	1	1	3	5	8	10	17
B. *Operated*	884	5.7	44	1	1	4	7	13	17	35
1. SINGLE DX	1932	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX	2100	4.7	26	1	1	3	6	10	13	24
A. NOT OPERATED	2314	3.5	9	1	1	3	5	7	9	14
B. OPERATED	1718	4.5	29	1	1	3	5	10	14	26
TOTAL 0-19 YRS	759	2.0	4	<1	1	1	2	4	5	12
20-34	1078	3.2	13	1	1	2	4	6	8	14
35-49	544	3.9	10	1	1	3	5	8	10	15
50-64	687	4.7	18	1	1	4	6	9	12	21
65+	964	5.8	31	1	2	4	7	11	16	28
GRAND TOTAL	**4032**	**3.9**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	5.6	12	2	2	5	7	10	13	18
20-34	171	5.4	16	2	2	5	7	9	13	19
35-49	164	6.4	19	2	3	5	8	11	15	24
50-64	116	8.0	32	2	2	7	10	16	22	27
65+	99	9.5	69	2	3	7	11	21	23	48
B. *Operated*										
0-19 YRS	87	5.8	14	1	1	5	8	11	13	16
20-34	169	8.1	49	1	2	6	10	20	25	38
35-49	121	9.5	87	1	2	7	11	21	30	49
50-64	102	11.0	107	1	2	8	15	22	31	53
65+	93	10.4	86	1	2	8	14	22	27	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	6.6	23	1	2	6	8	12	14	27
20-34	259	6.4	24	2	2	5	8	12	14	23
35-49	272	8.2	35	2	3	7	10	15	21	29
50-64	307	10.6	87	2	3	8	13	19	28	53
65+	349	11.2	77	3	4	9	14	22	27	42
B. *Operated*										
0-19 YRS	92	10.4	81	2	2	8	15	22	27	47
20-34	237	11.6	128	2	2	9	13	27	34	70
35-49	261	14.3	220	2	3	9	18	32	50	93
50-64	345	15.8	198	2	4	12	20	37	51	99+
65+	341	17.6	211	3	4	14	25	38	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	6.8	29	2	2	5	8	13	17	28
B. *Operated*	572	8.9	70	1	2	7	11	20	26	45
2. MULTIPLE DX										
A. *Not Operated*	1288	9.1	59	2	3	7	11	17	23	41
B. *Operated*	1276	14.8	189	2	3	11	19	33	48	96
1. SINGLE DX	1225	7.8	50	2	2	6	9	16	22	37
2. MULTIPLE DX	2564	11.9	132	2	3	8	15	26	36	69
A. NOT OPERATED	1941	8.3	50	2	3	6	10	16	22	35
B. OPERATED	1848	13.0	160	2	2	9	16	29	41	77
TOTAL 0-19 YRS	383	7.1	35	1	2	5	9	14	18	30
20-34	836	8.0	63	2	2	6	10	15	23	42
35-49	818	10.0	108	2	3	7	11	22	29	61
50-64	870	12.4	134	2	3	9	15	25	39	67
65+	882	13.4	140	2	4	10	17	29	38	68
GRAND TOTAL	**3789**	**10.6**	**109**	**2**	**3**	**7**	**13**	**23**	**31**	**60**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.7	7	1	1	2	3	6	8	13
20-34	152	3.7	13	1	1	3	5	8	11	21
35-49	112	4.8	14	1	1	4	6	9	13	18
50-64	111	6.3	34	1	1	4	8	13	21	28
65+	95	5.6	19	1	1	5	8	11	13	23
B. *Operated*										
0-19 YRS	81	4.6	32	1	1	3	5	9	12	36
20-34	230	5.5	27	<1	1	4	7	11	15	26
35-49	174	6.3	50	1	2	4	8	12	16	56
50-64	188	7.4	56	1	2	5	10	14	20	46
65+	176	7.7	59	1	2	5	11	17	26	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	3.6	16	1	1	2	4	7	10	25
20-34	318	4.6	30	<1	1	3	6	10	12	21
35-49	278	6.4	37	1	1	5	8	14	19	29
50-64	341	7.5	57	1	2	6	9	14	19	38
65+	462	8.6	60	1	2	7	11	18	22	44
B. *Operated*										
0-19 YRS	120	7.8	112	1	1	4	8	21	25	60
20-34	470	8.7	95	1	2	6	10	19	31	54
35-49	441	10.1	110	1	2	7	12	25	34	99+
50-64	629	12.3	165	1	2	8	16	28	41	92
65+	774	13.7	213	2	2	9	18	33	43	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	545	4.6	19	1	1	4	6	10	13	22
B. *Operated*	849	6.5	46	1	1	4	8	13	19	39
2. MULTIPLE DX										
A. *Not Operated*	1532	6.7	48	1	1	5	9	15	19	33
B. *Operated*	2434	11.4	158	1	2	7	14	27	39	87
1. SINGLE DX	1394	5.7	36	1	1	4	7	12	16	31
2. MULTIPLE DX	3966	9.6	121	1	1	6	12	22	32	63
A. NOT OPERATED	2077	6.2	41	1	1	4	8	13	18	29
B. OPERATED	3283	10.1	134	1	2	6	12	24	35	69
TOTAL 0-19 YRS	409	4.9	49	1	1	3	5	10	16	34
20-34	1170	6.3	57	1	1	4	8	13	20	40
35-49	1005	7.8	73	1	1	6	10	16	26	56
50-64	1269	9.7	115	1	2	6	12	22	30	66
65+	1507	10.9	144	1	2	7	14	25	35	62
GRAND TOTAL	**5360**	**8.6**	**102**	**1**	**1**	**5**	**10**	**19**	**29**	**58**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.4	2	1	1	2	3	4	6	7
20-34	14	3.9	7	<1	1	4	6	7	8	8
35-49	10	3.6	6	1	1	3	6	7	7	7
50-64	8	11.9	208	<1	1	8	14	36	45	45
65+	8	6.4	33	1	1	5	8	16	19	19
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	4	31.8	925	10	10	21	53	75	75	75
65+	2	15.5	25	12	12	15	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	3.8	8	<1	1	3	4	7	10	15
20-34	40	4.1	13	<1	<1	3	5	9	13	16
35-49	33	5.3	10	1	2	4	7	9	11	15
50-64	54	5.8	47	<1	<1	3	8	14	15	38
65+	64	5.7	52	1	1	3	6	14	26	33
B. *Operated*										
0-19 YRS	3	13.3	190	3	3	8	24	29	29	29
20-34	7	9.1	25	2	2	12	13	14	14	14
35-49	13	8.2	29	2	3	5	11	17	18	18
50-64	23	12.1	75	2	3	10	18	23	28	38
65+	24	13.9	183	2	2	11	16	22	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	4.3	35	1	1	3	5	8	12	39
B. *Operated*	9	19.7	495	5	5	11	22	57	75	75
2. MULTIPLE DX										
A. *Not Operated*	244	5.0	30	<1	1	3	6	11	15	31
B. *Operated*	70	11.7	102	2	3	10	15	20	29	60
1. SINGLE DX	82	6.0	103	1	1	3	6	11	19	65
2. MULTIPLE DX	314	6.5	54	<1	1	4	8	15	18	37
A. NOT OPERATED	317	4.8	31	<1	1	3	6	10	15	32
B. OPERATED	79	12.6	148	2	3	10	16	22	34	72
TOTAL 0-19 YRS	89	3.6	14	1	1	3	4	7	9	24
20-34	62	4.6	15	<1	1	4	6	11	14	16
35-49	58	5.7	15	1	1	5	8	11	14	18
50-64	89	9.1	128	<1	1	5	12	20	31	63
65+	98	8.0	93	1	1	5	11	18	26	52
GRAND TOTAL	**396**	**6.4**	**64**	**1**	**1**	**4**	**8**	**15**	**19**	**39**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	1.3	1	<1	<1	1	1	2	3	4
35-49	10	1.2		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	40	1.9	2	<1	<1	1	2	4	5	6
20-34	5563	1.8	1	<1	<1	2	2	3	4	6
35-49	1917	1.8	1	<1	<1	1	2	3	4	6
50-64	17	1.7	2	<1	<1	1	2	3	5	6
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	76	1.2		<1	<1	1	1	2	2	5
35-49	24	1.5	1	<1	<1	1	1	3	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	23	2.3	2	<1	1	2	3	4	6	6
20-34	3912	2.4	3	<1	<1	2	3	5	6	8
35-49	1655	2.3	4	<1	<1	2	3	5	6	8
50-64	17	2.1		<1	1	2	3	3	3	3
65+	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.3		<1	<1	1	1	2	3	4
B. *Operated*	7539	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	103	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	5609	2.4	3	<1	<1	2	3	5	6	8
1. SINGLE DX	7566	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	5712	2.4	3	<1	<1	2	3	5	6	8
A. NOT OPERATED	130	1.3	1	<1	<1	1	1	2	2	5
B. OPERATED	13148	2.1	2	<1	<1	2	2	4	5	7
TOTAL 0-19 YRS	65	2.0	2	<1	<1	2	2	4	5	6
20-34	9567	2.1	2	<1	<1	2	2	4	5	7
35-49	3606	2.0	2	<1	<1	2	2	4	5	7
50-64	36	1.9	1	<1	<1	2	2	3	3	6
65+	4	2.3	4	1	1	2	3	5	5	5
GRAND TOTAL	**13278**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	17.5	61	12	12	17	23	23	23	23
1500-1749	10	15.0	22	8	8	15	18	21	22	22
1750-2499	2634	3.8	4	2	2	3	4	6	7	12
2500+	199785	3.4	2	2	2	3	4	5	6	7
B. *Operated*										
1-999 G	1	99.0		99	99	99	99	99	99+	99+
1000-1499										
1500-1749	1	21.0		21	21	21	21	21	21	21
1750-2499	4	12.3	201	<1	<1	7	20	33	33	33
2500+	134	4.7	10	2	2	4	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	53	63.2	531	16	32	67	85	99+	99+	99+
1000-1499	380	43.9	245	21	25	43	54	65	72	91
1500-1749	567	26.3	111	12	15	25	31	40	47	60
1750-2499	8252	8.2	46	2	3	6	11	17	21	32
2500+	94239	4.2	4	2	2	4	5	6	7	11
B. *Operated*										
1-999 G	77	67.4	545	23	46	88	99+	99+	99+	99+
1000-1499	268	55.5	314	31	36	54	72	88	99+	99+
1500-1749	181	36.1	187	20	23	34	42	52	67	99+
1750-2499	628	18.2	136	4	7	16	23	32	40	74
2500+	1793	8.2	67	2	3	6	9	15	22	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202431	3.4	2	2	2	3	4	5	6	7
B. *Operated*	140	5.7	80	2	2	4	5	8	12	40
2. MULTIPLE DX										
A. *Not Operated*	103491	4.8	21	2	2	4	5	7	9	24
B. *Operated*	2947	17.9	394	3	3	10	25	52	75	99+
1. SINGLE DX	202571	3.4	2	2	2	3	4	5	6	7
2. MULTIPLE DX	106438	5.2	35	2	2	4	5	7	11	34
A. NOT OPERATED	305922	3.9	9	2	2	3	4	6	7	13
B. OPERATED	3087	17.3	386	3	3	9	23	51	74	99+
TOTAL 1-999 G	131	65.9	544	21	41	80	99+	99+	99+	99+
1000-1499	650	48.6	308	23	27	47	61	76	88	99+
1500-1749	759	28.5	147	13	16	26	34	43	51	87
1750-2499	11518	7.7	51	2	3	5	10	17	22	34
2500+	295951	3.7	3	2	2	3	4	6	6	9
GRAND TOTAL	**309009**	**4.0**	**14**	**2**	**2**	**3**	**4**	**6**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	36.0		36	36	36	36	36	36	36
1500-1749	1	25.0		25	25	25	25	25	25	25
1750-2499	414	5.4	7	3	3	5	6	8	11	15
2500+	1857	5.0	4	3	3	5	6	7	8	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749	1	25.0		25	25	25	25	25	25	25
1750-2499	2	9.5	113	2	2	9	17	17	17	17
2500+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	8	76.4	139	58	59	84	97	99+	99+	99+
1000-1499	89	38.9	266	15	20	37	48	60	66	94
1500-1749	150	26.7	112	11	14	25	34	41	46	54
1750-2499	1357	10.2	46	3	4	8	14	19	23	31
2500+	1295	5.8	8	3	3	5	7	8	10	16
B. *Operated*										
1-999 G	21	65.4	309	23	53	78	99+	99+	99+	99+
1000-1499	53	54.5	194	31	37	53	63	78	86	99+
1500-1749	28	35.0	125	18	23	32	40	52	55	57
1750-2499	99	18.1	138	5	7	17	22	29	38	74
2500+	43	9.9	71	3	4	7	11	24	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2273	5.1	5	3	3	5	6	7	8	13
B. *Operated*	5	11.2	93	2	2	8	19	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	2899	10.2	99	3	4	7	12	21	29	53
B. *Operated*	244	30.6	520	5	6	24	52	71	89	99+
1. SINGLE DX	2278	5.1	5	3	3	5	6	7	8	13
2. MULTIPLE DX	3143	11.8	162	3	4	7	14	25	40	78
A. NOT OPERATED	5172	7.9	64	3	3	6	8	16	22	45
B. OPERATED	249	30.2	518	5	6	24	52	70	88	99+
TOTAL 1-999 G	29	68.4	280	38	55	79	99+	99+	99+	99+
1000-1499	143	44.7	294	19	24	43	58	65	80	99+
1500-1749	180	28.0	121	11	15	25	35	44	49	56
1750-2499	1872	9.6	50	3	4	7	13	19	22	31
2500+	3197	5.4	7	3	3	5	6	8	9	14
GRAND TOTAL	**5421**	**9.0**	**107**	**3**	**3**	**6**	**8**	**19**	**28**	**63**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	24	5.1	21	2	2	3	6	9	16	23
2500+	483	2.8	2	1	1	3	3	4	5	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	2	45.5	1861	15	15	76	94	99+	99+	99+
1000-1499	10	44.1	215	21	23	42	55	65	68	68
1500-1749	13	23.7	80	8	10	26	32	33	35	36
1750-2499	95	9.5	67	2	3	7	13	23	25	38
2500+	274	4.2	10	2	2	3	5	7	9	13
B. *Operated*										
1-999 G	2	86.5	313	74	74	86	99	99	99	99+
1000-1499	6	62.8	29	55	55	63	65	70	71	71
1500-1749	2	65.5	41	61	61	65	70	70	70	70
1750-2499	7	19.4	227	4	5	14	23	45	50	50
2500+	9	11.9	76	3	3	14	24	62	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	507	2.9	3	1	1	3	3	4	6	8
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	394	7.4	94	2	2	4	7	16	28	59
B. *Operated*	26	35.5	831	3	4	24	63	73	99	99+
1. SINGLE DX	508	2.9	3	1	1	3	3	4	6	8
2. MULTIPLE DX	420	9.1	184	2	2	4	8	24	41	75
A. NOT OPERATED	901	4.9	47	1	2	3	4	8	15	41
B. OPERATED	27	34.3	841	3	3	24	63	73	99	99+
TOTAL 1-999 G	4	66.0	1285	15	15	76	99	99+	99+	99+
1000-1499	16	51.1	226	22	27	55	63	68	70	71
1500-1749	15	29.3	288	8	10	27	32	61	68	70
1750-2499	126	9.2	74	2	3	6	13	23	25	44
2500+	767	3.4	7	1	2	3	4	6	7	13
GRAND TOTAL	**928**	**5.7**	**94**	**1**	**2**	**3**	**5**	**9**	**22**	**64**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.4	15	<1	<1	2	3	9	13	15
20-34	29	2.8	12	<1	<1	2	3	9	12	13
35-49	8	3.3	8	<1	<1	2	4	8	9	9
50-64	8	2.8	4	<1	<1	2	4	6	6	6
65+	6	2.3	2	<1	<1	2	3	5	5	5
B. *Operated*										
0-19 YRS	944	2.5	3	<1	1	2	3	4	5	8
20-34	1425	2.8	6	<1	1	2	3	5	6	11
35-49	613	3.0	8	1	1	2	3	5	7	11
50-64	572	3.1	5	1	1	2	4	5	7	13
65+	373	4.9	22	1	2	3	5	10	13	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	11	1.3		<1	<1	1	2	2	2	2
35-49	4	1.3		1	1	1	2	2	2	2
50-64	4	3.5	25	<1	<1	1	6	11	11	11
65+	9	12.0	109	<1	<1	12	26	64	99+	99+
B. *Operated*										
0-19 YRS	186	3.5	16	1	1	3	4	6	9	17
20-34	286	4.1	16	1	1	3	5	8	11	24
35-49	191	4.7	25	1	1	3	5	10	14	26
50-64	232	6.2	74	1	2	4	7	11	16	59
65+	302	9.0	75	2	2	6	11	19	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.0	10	<1	<1	2	3	8	12	15
B. *Operated*	3927	3.0	8	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	38	4.0	46	<1	<1	1	2	17	27	99+
B. *Operated*	1197	5.7	48	1	2	4	6	12	17	38
1. SINGLE DX	3996	3.0	8	1	1	2	3	5	7	14
2. MULTIPLE DX	1235	5.7	48	1	1	3	6	12	17	38
A. NOT OPERATED	107	3.3	23	<1	<1	2	3	10	15	58
B. OPERATED	5124	3.6	18	1	1	2	4	6	10	22
TOTAL 0-19 YRS	1158	2.6	6	<1	1	2	3	4	6	11
20-34	1751	3.0	8	1	1	2	3	5	7	14
35-49	816	3.4	13	1	1	3	4	6	8	18
50-64	816	4.0	27	1	1	3	4	7	10	22
65+	690	6.7	50	1	2	4	8	15	20	38
GRAND TOTAL	**5231**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	1.5	1	1	1	1	2	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	14	2.2	1	1	1	2	3	4	4	4
35-49	45	1.7	17	1	1	1	1	1	3	28
50-64	49	1.4	1	1	1	1	1	2	4	8
65+	42	1.5	3	1	1	1	1	2	5	10
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	83	1.4	2	<1	<1	<1	<1	<1	4	10
35-49	67	1.5	3	<1	<1	<1	<1	1	7	9
50-64	115	1.7	10	<1	<1	<1	<1	<1	5	20
65+	38	1.9	6	<1	<1	<1	<1	6	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4	1	1	1	1	2	3	3	3
B. *Operated*	6	1.0		<1	<1	<1	<1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	152	1.6	6	1	1	1	1	2	4	10
B. *Operated*	304	1.6	6	<1	<1	<1	<1	1	6	14
1. SINGLE DX	11	1.2		<1	<1	1	1	2	3	3
2. MULTIPLE DX	456	1.6	6	<1	<1	<1	1	2	5	12
A. NOT OPERATED	157	1.6	6	1	1	1	1	2	4	10
B. OPERATED	310	1.6	6	<1	<1	<1	<1	1	6	14
TOTAL 0-19 YRS	3	5.0	27	2	2	2	9	11	11	11
20-34	99	1.5	2	<1	<1	<1	<1	3	4	10
35-49	115	1.6	8	<1	<1	<1	1	1	5	16
50-64	168	1.6	7	<1	<1	<1	1	2	4	19
65+	82	1.7	5	<1	<1	1	1	3	8	10
GRAND TOTAL	**467**	**1.6**	**6**	**<1**	**<1**	**<1**	**1**	**2**	**5**	**12**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3612	1.6	11	<1	<1	<1	1	3	4	10
20-34	5400	1.5	6	<1	<1	<1	1	3	4	8
35-49	1041	2.3	12	<1	<1	1	2	5	7	15
50-64	1405	3.0	21	<1	<1	1	4	6	9	22
65+	1251	5.1	100	<1	<1	2	5	12	22	97
B. *Operated*										
0-19 YRS	745	2.9	17	<1	<1	2	3	7	10	16
20-34	2507	2.9	12	<1	<1	2	3	7	9	13
35-49	1209	3.9	15	<1	1	2	5	9	11	18
50-64	1153	4.6	22	1	1	2	7	11	13	23
65+	1098	4.7	28	1	1	2	6	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1969	4.2	43	<1	<1	2	4	9	18	35
20-34	3504	4.5	53	<1	<1	2	4	9	28	34
35-49	3702	5.1	56	1	1	3	5	9	21	31
50-64	10034	4.4	36	1	1	3	5	8	12	29
65+	8638	6.0	65	1	1	4	6	13	20	45
B. *Operated*										
0-19 YRS	562	4.9	76	<1	1	2	5	9	15	69
20-34	1979	4.9	45	<1	1	3	6	10	15	36
35-49	2009	5.9	61	1	1	4	7	12	17	45
50-64	3603	6.5	63	1	1	4	8	14	19	43
65+	4126	7.0	79	1	1	4	9	16	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12709	2.1	20	<1	<1	<1	2	4	6	18
B. *Operated*	6712	3.7	18	<1	<1	2	4	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	27847	5.0	51	<1	1	3	5	10	18	36
B. *Operated*	12279	6.2	67	1	1	3	8	14	19	45
1. SINGLE DX	19421	2.7	20	<1	<1	1	3	6	9	19
2. MULTIPLE DX	40126	5.3	56	1	1	3	6	11	18	39
A. NOT OPERATED	40556	4.1	43	<1	<1	2	4	8	14	34
B. OPERATED	18991	5.3	51	<1	1	3	7	12	17	38
TOTAL 0-19 YRS	6888	2.8	28	<1	<1	1	3	5	9	28
20-34	13390	3.1	27	<1	<1	1	3	6	10	28
35-49	7961	4.7	46	<1	1	3	5	10	15	32
50-64	16195	4.7	41	1	1	3	5	10	14	33
65+	15113	6.1	70	1	1	4	7	14	20	47
GRAND TOTAL	**59547**	**4.5**	**46**	**<1**	**<1**	**2**	**5**	**10**	**15**	**35**

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number **Title**

- 73 Diabetes mellitus, uncontrolled
- 72 Diabetic acidosis
- 73 Diabetic cataract
- 72 Diabetic coma
- 73 Diabetic gangrene
- 73 Diabetic nephropathy
- 73 Diabetic neuropathy
- 73 Diabetic retinopathy
- 73 Diabetic ulcer
- 397 Dialysis, peritoneal
- 397 Dialysis, renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
- 211 Diarrhea, functional
- 1 Diarrhea, infectious
- 6 Diphtheria
- Disease
  - 199 Appendix, except acute appendicitis
  - 151 Arteriosclerotic cardiovascular
  - 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 13 Arthropod-borne
  - 79 Autoimmune
  - 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 218 Biliary ducts
  - 234 Bladder, except calculus and cystitis
  - 313 Bone, except osteomyelitis and osteoarthritis
  - 242 Breast, except fibrocystic
  - 241 Breast, fibrocystic
  - 221 Celiac
  - Central nervous system
    - 7 Enteroviral
    - 113 Inflammatory, except enteroviral
    - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - Cerebrovascular — *see Cerebrovascular accident*
  - 136 Chronic rheumatic heart
  - 296 Connective tissue, diffuse
  - 143 Coronary artery
  - 211 Crohn's
  - 75 Cushing's
  - 187 Dental
  - 209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
103	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever